U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2018

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION	FOR INSURANCE COMPANY USE				
A1. Building Owner's Name DAVID AND CYNTHIA BULK	Policy Number:				
 A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or Box No. 472 S. SHORE DRIVE 	Company NAIC Number:				
City State OSPREY Florida		ZIP Code 34229			
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Leg LOT 31 BLK E SORRENTO SHORES UNIT 5 PID #0159010024	al Description, etc.)				
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, e	etc.) RESIDENTIAL				
A5. Latitude/Longitude: Lat. 27°09'59.037" Long82°29'02.421"	Horizontal Datu	m: NAD 1927 NAD 1983			
A6. Attach at least 2 photographs of the building if the Certificate is being u	sed to obtain flood insu	rance.			
A7. Building Diagram Number 1B					
A8. For a building with a crawlspace or enclosure(s):					
a) Square footage of crawlspace or enclosure(s)	0.00 sq ft				
b) Number of permanent flood openings in the crawlspace or enclosure	e(s) within 1.0 foot above	e adjacent grade 0			
c) Total net area of flood openings in A8.b 0.00 sq in					
d) Engineered flood openings?					
A9. For a building with an attached garage:					
a) Square footage of attached garage 724.00 sq ft					
b) Number of permanent flood openings in the attached garage within	1.0 foot above adjacent	grade 0			
c) Total net area of flood openings in A9.b 0.00 sq	in				
d) Engineered flood openings?					
e, angineere incer epoliniger. In the Millian					
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION					
B1. NFIP Community Name & Community Number B2. County SARASOTA COUNTY 125144 SARASOTA		B3. State Florida			
SARASUTA CUUNTT 125144 SARASUTA		Florida			
B4. Map/Panel B5. Suffix B6. FIRM Index B7. FIRM Panel Effective/ Revised Date	B8. Flood B9. Zone(s)	Base Flood Elevation(s) (Zone AO, use Base Flood Depth)			
12115C0236 F 11-04-2016 11-04-2016	AE 10'				
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9:					
FIS Profile X FIRM Community Determined Other/Source:					
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other/Source:					
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? 🔲 Yes 🔀 No					
Designation Date: CBRS OPA					

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE			
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 472 S. SHORE DRIVE			Policy Number:			
,		P Code 229	Company NAIC Number			
SECTION C – BUILDING E	LEVATION INFORMA	ATION (SURVEY RE	EQUIRED)			
 C1. Building elevations are based on: Construct *A new Elevation Certificate will be required when C2. Elevations – Zones A1–A30, AE, AH, A (with BFE) Complete Items C2.a–h below according to the bu Benchmark Utilized: FLDEP BM P 727 2009 Indicate elevation datum used for the elevations in 	construction of the buil), VE, V1–V30, V (with ilding diagram specified Vertical Datur	BFE), AR, AR/A, AR/ d in Item A7. In Puert n: NAVD 88	/AE, AR/A1–A30, AR/AH, AR/AO.			
□ NGVD 1929 □ NAVD 1988 □ Other		iow.				
Datum used for building elevations must be the sa		BFE.	Check the measurement used.			
a) Top of bottom floor (including basement, crawls	space, or enclosure floo	or)	12.1 feet meters			
b) Top of the next higher floor	,	,	N/A feet meters			
c) Bottom of the lowest horizontal structural members	per (V Zones only)		N/A feet meters			
d) Attached garage (top of slab)	,		12.1 X feet meters			
 e) Lowest elevation of machinery or equipment se (Describe type of equipment and location in Co 	ervicing the building mments)		12.2 🔀 feet 🗌 meters			
f) Lowest adjacent (finished) grade next to buildir	ng (LAG)		11.5 feet meters			
g) Highest adjacent (finished) grade next to buildi	ng (HAG)		12.0 X feet meters			
 h) Lowest adjacent grade at lowest elevation of de structural support 	eck or stairs, including		N/A feet meters			
SECTION D - SURVEYOR	R, ENGINEER, OR AI	RCHITECT CERTIF	ICATION			
This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.						
Were latitude and longitude in Section A provided by a	licensed land surveyor	? ⊠Yes □No	Check here if attachments.			
Certifier's Name RANDALL E. BRITT	License Number PLS 3979					
Title			De La Part			
LAND SURVEYOR Company Name BRITT SURVEYING INC.	RANDALL E. BRITT, PLS FLORIDA CERTIFICATE #3979					
Address 606 CYPRESS AVE.			DATE: 2 22 2019			
City VENICE	State Florida	ZIP Code 34285	1005 N			
Signature Soundall 5. But	Date 02-22-2019	Telephone (941) 493-1396	Ext.			
Copy all pages of this Elevation Certificate and all attachn	nents for (1) community	official, (2) insurance	agent/company, and (3) building owner.			
Comments (including type of equipment and location, p Garage attached to house by covered breezeway.	er C2(e), if applicable)					
***C2e). Lowest elevation of machinery = A/C unit located on northeast corner of house = 12.2'.						
Source for latitude/longitude: 2019 aerial photograph from Sarasota County GIS website.						

700 N. (40. 100 N. 11. 11. 11. 11. 11. 11. 11. 11. 11.	e e e e e e e e e e e e e e e e e e e	noon addition in	ន្ទរស់និកចម្រង ាងន េះអូរ	ori kantalan di salah salah Salah salah sa	And the second
				ÇA ÇAÎC ALAN ESPANDA	9 gadiji (15) 14 (17) 8 18 (17)
	77 77 77 7 7 4 美	, e su mugalia disa. S	leKC .	e emiliar a series e emiliar e e	
		, <u>r</u> j	4.83		TENERAL AND A SERVICE OF THE SERVICE
Cara Billion	in in the same	Notes that we	i a uko jiba-ci	ACTORS	indegram need to be be a land of the land
a course of topics is per a some				a belagijana a jimi na a Sertalikin Confinsionwy	•
্ৰিক্ষ্ণি (১৯৯৭) বিভাগ কৰি জিলা জন্ম বিচাৰ লাক্ ব্যালিক বিভাগ কৰি বি	e se i della selle (I dese signi editi i i i i della co	To the Y3 01 feels see ca ggam c hacht	F , it A fwith ERE T according to the bidd	1 (384-1)	00.0 card (
to the second of		ជាកាន់ព្រួលពីជា(៩ ៤១ ភពិស	Distractionals of w English (1) (1996) an	r beeth or deal controller AN ESC (190 <mark>8) (190</mark> 8) (19 Texture (1 <mark>10)</mark> (1907) (1908)	esta la trada Participa
कर्मक हो। स्ट िमी हो हो।		Y A ROMAN BOS	สอบ เพลง เกลงการค ะเบีย ง	ningami) in ilit meglod ta	*** * * * *
a s trui				nick (f. 1925) Build Haif at 19 Na Briato	
ments [] 66 F) AV		1949 - Barris 1 37 0 -		on to the switten is and	
askari e 💥 💯		The species of the second		usa no n'imposaso da la la	*
		were a catalogic consis		·	
			•	moved in color sector recognized to style on a	
				" (medalah) repos é o tsé	
The street of th		, 14 3 A4 1 2 3	ുന്നു <mark>. പ</mark> ാർത്തിക്കുന്നു.	(ពុស្សន៍ភាពព្រះប្រជាជាជ្រក្ស 🗸 🗀	1941 IE
although the second		gan kara sal emen	from the constructor takes	១៩៩៨៩ (១ គូន៩០ ០០) វិបាធិ សេខិប្រ	
100 (100 (100 (100 (100 (100 (100 (100	A STREET COME TO	a saca sersana ana	CONSVSUE - UW	OPPOSO	include of the Special Control of the
The carries of the control of the co		en (1989) Bulletin (1989) Bulletin (1989)	ous tares a year sides of the contract of the	one a espojenst oci ili m oin Me oa ma espojenst oci ili e sh Me oa ma espojenste ili esh	SHALL PROPERTY
1. 大大海山野岛新山 1. 40 A. A.		ografia e da en da en	၁၈ ၉၀ င် စီးစားကော ်လျှင်	an Albiethe days cause	tome . All
507		्रिक्षकारम् के लेखेनि इ.स. १६	agenta de la compania del compania del compania de la compania del la compania de la compania della compania de		sid straighs of \$1000AS
10	*** ******** ** .	·		er en	- SET
		÷ .		क्रिका स	LAME FL. IV
110 12 13 13 13 13 13 13 13 13 13 13 13 13 13	enteres de la composition de l	er er gar er mar er er er	namento de la compositione de la c	See ASYING AU	. ท (โดย สิงค์) เลเบอก (มิก ก
20 20 21	The second secon	Company of the Control of the Contro	one of the second	and the second s	
				BVA W	randrojaŭe
है। इस अ		මෙනිය ද සහනෝ		,	4 17 (887)
Laboration of Commence of Comm	SHOP AND		Company of the second	The second secon	
ing the state of t	्राक्ष्यकार विश्वप्रदेश । इ.स.च्याच्याकार (१) अनेतिसींद्र १	oreș-sa o diminioaa (f) na un	a nove to be seen of the	AND LONG AND SERVICE	
en e	<u></u>	erool (K)		กรุงสารเหลือ (การครับนี้และ ผลเพลาร์ (กระบบไทร การที่	
	নিষ্ঠা <i>ভা</i> ষৰ কি	ep of laboration on	staj programa (vilotoj)	portugalis, recipiospis sae	54 P.SM
	9 58	edel Dishlered e	er til eld oli t er fefts.	1 3.62 (181 2 10) (18	ल्या । अन्तर्भः

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A.				RANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, an 472 S. SHORE DRIVE	d/or Bldg. No.) or	P.O. Route and Box No	o. Policy Numl	per:		
City	State	ZIP Code	Company N	AIC Number		
OSPREY	Florida	34229				
SECTION E – BUILDING EI FOR ZON		DRMATION (SURVEY I NE A (WITHOUT BFE)	NOT REQUIRED)		
For Zones AO and A (without BFE), complete Items E complete Sections A, B,and C. For Items E1–E4, use enter meters.	1–E5. If the Certinatural grade, if a	ficate is intended to suppavailable. Check the mea	port a LOMA or LC surement used. Ir	MR-F request, Puerto Rico only,		
E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).a) Top of bottom floor (including basement,						
crawlspace, or enclosure) is		feet r	neters 🔲 above	or Delow the HAG.		
 Top of bottom floor (including basement, crawlspace, or enclosure) is 			neters	e or		
E2. For Building Diagrams 6-9 with permanent flood	openings provide	d in Section A Items 8 a	nd/or 9 (see pages	s 1–2 of Instructions),		
the next higher floor (elevation C2.b in the diagrams) of the building is	<u> </u>			e or below the HAG.		
E3. Attached garage (top of slab) is			meters	e or below the HAG.		
E4. Top of platform of machinery and/or equipment servicing the building is			_	e or below the HAG.		
E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown. The local official must certify this information in Section G.						
SECTION F - PROPERTY OW	NER (OR OWNE	R'S REPRESENTATIVE	E) CERTIFICATIO	N		
The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.						
Property Owner or Owner's Authorized Representative's Name						
Address		City	State	ZIP Code		
Signature		Date	Telephone			
Comments						

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corre	sponding information fro	m Section A.	FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., Unit, Su 472 S. SHORE DRIVE	ite, and/or Bldg. No.) or P.	D. Route and Box No.	Policy Number:	
City OSPREY	State Florida	ZIP Code 34229	Company NAIC Number	
SECTIO	N G - COMMUNITY INFO	RMATION (OPTIONAL)		
The local official who is authorized by law or ord Sections A, B, C (or E), and G of this Elevation used in Items G8–G10. In Puerto Rico only, ent	Certificate. Complete the a			
G1. The information in Section C was take engineer, or architect who is authorize data in the Comments area below.)				
G2. A community official completed Section or Zone AO.	on E for a building located i	n Zone A (without a FEM	IA-issued or community-issued BFE)	
G3. The following information (Items G4–	G10) is provided for commu			
G4. Permit Number	G5. Date Permit Issued		Date Certificate of Compliance/Occupancy Issued	
G7. This permit has been issued for:	New Construction Sub	ostantial Improvement		
G8. Elevation of as-built lowest floor (including of the building:	basement)	fee	t meters Datum	
G9. BFE or (in Zone AO) depth of flooding at to	he building site:		t meters Datum	
G10. Community's design flood elevation:			t meters Datum	
Local Official's Name	Tit	le		
Community Name	Te	lephone		
Signature	Da	te		
Comments (including type of equipment and location, per C2(e), if applicable)				
			☐ Check here if attachments.	
			Sheek here it attachinients.	

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.

472 S. SHORE DRIVE

City

OSPREY

State

FOR INSURANCE COMPANY USE

Policy Number:

Company NAIC Number

34229

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption REAR VIEW HOUSE

Clear Photo One



Photo Two

Photo Two Caption FRONT VIEW HOUSE

Clear Photo Two

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 472 S. SHORE DRIVE			Policy Number:
City OSPREY	State Florida	ZIP Code 34229	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo Three

Photo Three Caption BACK VIEW GARAGE

Clear Photo Three



Photo Four

Photo Four Caption FRONT VIEW GARAGE

Clear Photo Four Form Page 6 of 6

Building Diagrams

The following diagrams illustrate various types of buildings. Compare the features of the building being certified with the features shown in the diagrams and select the diagram most applicable. Enter the diagram number in Item A7, the square footage of crawlspace or enclosure(s) and the area of flood openings in square inches in Items A8.a–c, the square footage of attached garage and the area of flood openings in square inches in Items A9.a–c, and the elevations in Items C2.a–h.

In A zones, the floor elevation is taken at the top finished surface of the floor indicated; in V zones, the floor elevation is taken at the bottom of the lowest horizontal structural member (see drawing in instructions for Section C).

DIAGRAM 1A

All slab-on-grade single- and multiple-floor buildings (other than split-level) and high-rise buildings, either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature — The bottom floor is at or above ground level (grade) on at least 1 side.*




DIAGRAM 1B

All raised-slab-on-grade or slab-on-stem-wall-with-fill single- and multiple-floor buildings (other than split-level), either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor is at or above ground level (grade) on at least 1 side.*




DIAGRAM 2A

All single- and multiple-floor buildings with basement (other than split-level) and high-rise buildings with basement, either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor (basement or underground garage) is below ground level (grade) on all sides.*





DIAGRAM 2B

All single- and multiple-floor buildings with basement (other than split-level) and high-rise buildings with basement, either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor (basement or underground garage) is below ground level (grade) on all sides; most of the height of the walls is below ground level on all sides; and the door and area of egress are also below ground level on all sides.*



^{*} A floor that is below ground level (grade) on all sides is considered a basement even if the floor is used for living purposes, or as an office, garage, workshop, etc.