### U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB Control No. 1660-0008 Expiration Date: 06/30/2026

# **ELEVATION CERTIFICATE**

**IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON PAGES 9-19** 

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION	FOR INSURANCE COMPANY USE					
A1. Building Owner's Name: Brent and Rebeccca Boydston	Policy Number:					
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: 1730 Stanford LN	Company NAIC Number:					
City: Sarasota State: FL	ZIP Code: 34231					
A3. Property Description (e.g., Lot and Block Numbers or Legal Description) and/or Tax Parcel Nur Lot 12, Aqualane Estates	A3. Property Description (e.g., Lot and Block Numbers or Legal Description) and/or Tax Parcel Number:					
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.): Residential						
A5. Latitude/Longitude: Lat. 27.263704 N Long. 82.532542 W Horizontal Datum: NAD 1927 NAD 1983 WGS 84						
A6. Attach at least two and when possible four clear photographs (one for each side) of the building	g (see Form pages 7 and 8).					
A7. Building Diagram Number:1B						
A8. For a building with a crawlspace or enclosure(s):						
a) Square footage of crawlspace or enclosure(s): 0.00 sq. ft.						
b) Is there at least one permanent flood opening on two different sides of each enclosed area?	P Yes No No N/A					
<ul> <li>c) Enter number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade:</li> <li>Non-engineered flood openings:0 Engineered flood openings:0</li> </ul>						
d) Total net open area of non-engineered flood openings in A8.c: 0.00 sq. in.						
e) Total rated area of engineered flood openings in A8.c (attach documentation – see Instructions): 0.00 sq. ft.						
f) Sum of A8.d and A8.e rated area (if applicable – see Instructions): 0.00 sq. ft.						
A9. For a building with an attached garage:						
a) Square footage of attached garage: 741.00 sq. ft.						
b) Is there at least one permanent flood opening on two different sides of the attached garage? X Yes No NA						
<ul> <li>c) Enter number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade:</li> <li>Non-engineered flood openings:</li> <li>0 Engineered flood openings:</li> <li>4</li> </ul>						
d) Total net open area of non-engineered flood openings in A9.c: 0.00 sq. in.						
e) Total rated area of engineered flood openings in A9.c (attach documentation – see Instructions):1,000.00 sq. ft.						
f) Sum of A9.d and A9.e rated area (if applicable – see Instructions): sq. ft.						
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION						
B1.a. NFIP Community Name: Sarasota County B1.b. NFIP Community Ide	entification Number: 125144					
B2. County Name: Sarasota B3. State: FL B4. Map/Panel No.:	12115C0143 B5. Suffix: F					
B6. FIRM Index Date: 11/04/2016 B7. FIRM Panel Effective/Revised Date: 11/04/20	016					
B8. Flood Zone(s): AE B9. Base Flood Elevation(s) (BFE) (Zone AO, use Base Flood Depth): 10						
B10. Indicate the source of the BFE data or Base Flood Depth entered in Item B9:  ☐ FIS ☐ FIRM ☐ Community Determined ☐ Other:						
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other/Source:						
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes No Designation Date: CBRS OPA						
B13. Is the building located seaward of the Limit of Moderate Wave Action (LiMWA)? Yes X No						

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON PAGES 9-19

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box N 1730 Stanford LN	0.: FOR INSURANCE COMPANY USE					
City: Sarasota State: FL ZIP Code: 34231	Policy Number:  Company NAIC Number:					
SECTION C - BUILDING ELEVATION INFORMATION (S	URVEY REQUIRED)					
C1. Building elevations are based on:  Construction Drawings* Building Under *A new Elevation Certificate will be required when construction of the building is comp	는 "# 는 게 보는 10mm 이 10mm 이 11mm - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -					
C2. Elevations – Zones A1–A30, AE, AH, AO, A (with BFE), VE, V1–V30, V (with BFE), A A99. Complete Items C2.a–h below according to the Building Diagram specified in Ite Benchmark Utilized: NGS BM D 701 Vertical Datum: 12.76	m A7. In Puerto Rico only, enter meters.					
Indicate elevation datum used for the elevations in items a) through h) below.  ☐ NGVD 1929 ☑ NAVD 1988 ☐ Other:						
Datum used for building elevations must be the same as that used for the BFE. Conversion If Yes, describe the source of the conversion factor in the Section D Comments area.	n factor used? Yes No Check the measurement used:					
a) Top of bottom floor (including basement, crawlspace, or enclosure floor):	11.29 🛛 feet 🗌 meters					
b) Top of the next higher floor (see Instructions):	25.29 🛛 feet 🗌 meters					
c) Bottom of the lowest horizontal structural member (see Instructions):	0.00 🛛 feet 🗌 meters					
d) Attached garage (top of slab):	8.40 🛛 feet 🗌 meters					
e) Lowest elevation of Machinery and Equipment (M&E) servicing the building (describe type of M&E and location in Section D Comments area):	11.40 🛛 feet 🗌 meters					
f) Lowest Adjacent Grade (LAG) next to building:   Natural  Finished	7.30 🛛 feet 🗌 meters					
g) Highest Adjacent Grade (HAG) next to building:   Natural  Finished	7.70 🛛 feet 🗌 meters					
h) Finished LAG at lowest elevation of attached deck or stairs, including structural support:	6.30 🛛 feet 🗌 meters					
SECTION D – SURVEYOR, ENGINEER, OR ARCHITEC	CT CERTIFICATION					
This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by state law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.						
Were latitude and longitude in Section A provided by a licensed land surveyor? X Yes	□No					
Check here if attachments and describe in the Comments area.						
Certifier's Name: James B. Burchett License Number: LS5701						
Title: President						
Company Name: Sampey, Burchett and Knight, Inc.						
Address: 5824 Bee Ridge Rd., Box 243						
City: Sarasota State: FL ZIP Code: 34233						
Signature:  James B Burchett  Date: 2023.08.28 13:29:05 -04'00'  Date: 08/28/2023						
Telephone: (941) 350-0935 Ext.: Email: james@sbsurvey.com Place Seal Here						
Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.						
Comments (including source of conversion factor in C2; type of equipment and location per C2.e; and description of any attachments): A5 Lat/Long Source www.latlong.net A9.(e) 4 Polycarbonate Plastic, ICS-ES Evaluated Flood Vent Coverage, 250 sq. ft. per vent for a total of 1000 sq. ft. of coverage. C2.(e) A/C unit installed on the left side of residence.						

**IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON PAGES 9-19** 

Building Street Address (including Apt., Unit, Suite	e, and/or Bld	g. No.) d	or P.O. Route	and Bo	x No.:	FOR INSURA	NCE COMPANY USE
1730 Stanford LN City: Sarasota	State:	FL	_ ZIP Code:	3423	1	Policy Number:	
SECTION E – BUILDING FOR ZONE							ED)
For Zones AO, AR/AO, and A (without BFE), cointended to support a Letter of Map Change recenter meters.							
Building measurements are based on: Cor *A new Elevation Certificate will be required wh		_	-			on*  Finished	I Construction
E1. Provide measurements (C.2.a in applicable measurement is above or below the natura				ng and	d check the a	appropriate boxes	s to show whether the
<ul> <li>a) Top of bottom floor (including basement crawlspace, or enclosure) is:</li> </ul>	t, -		□	feet	☐ meters	above or	below the HAG.
b) Top of bottom floor (including basemen crawlspace, or enclosure) is:	t,			feet	meters	above or	below the LAG.
E2. For Building Diagrams 6–9 with permanent next higher floor (C2.b in applicable Building Diagram) of the building is:	t flood openi	ings pro	vided in Sect	on A It	ems 8 and/o	r 9 (see pages 1-	-2 of Instructions), the
E3. Attached garage (top of slab) is:			U	feet	meters	above or	below the HAG.
E4. Top of platform of machinery and/or equipout servicing the building is:	ment			feet	☐ meters	above or	below the HAG.
E5. Zone AO only: If no flood depth number is floodplain management ordinance?							ne community's ormation in Section G.
SECTION F - PROPERTY OWN	ER (OR OV	WNER'	S AUTHOR	ZED F	REPRESE	ITATIVE) CERT	TIFICATION
The property owner or owner's authorized represign here. The statements in Sections A, B, and						one A (without B	FE) or Zone AO must
Check here if attachments and describe in				u iovio	age		
Property Owner or Owner's Authorized Represe	entative Nar	ne:					
Address:							
City:	88				State:	ZIP Code:	The state of the s
Signature:			Da	te:	and the second second		
Telephone: Ext.:	Email:		A primary and a great and a primary and a pr				
Comments:		VX-12-14-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1			V		
discourse and							

# ELEVATION CERTIFICATE IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON PAGES 9-19

FOR INSURANCE COMPANY USE Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: 1730 Stanford LN Policy Number: State: FL ZIP Code: 34231 City: Sarasota Company NAIC Number: SECTION G - COMMUNITY INFORMATION (RECOMMENDED FOR COMMUNITY OFFICIAL COMPLETION) The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Section A, B, C, E, G, or H of this Elevation Certificate. Complete the applicable item(s) and sign below when: The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor. engineer, or architect who is authorized by state law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.) G2.a. A local official completed Section E for a building located in Zone A (without a BFE), Zone AO, or Zone AR/AO, or when item E5 is completed for a building located in Zone AO. G2.b. A local official completed Section H for insurance purposes. G3. In the Comments area of Section G, the local official describes specific corrections to the information in Sections A, B, E and H. G4. The following information (Items G5–G11) is provided for community floodplain management purposes. Permit Number: G5. G6. Date Permit Issued: G7. Date Certificate of Compliance/Occupancy Issued: G8. This permit has been issued for: New Construction Substantial Improvement G9.a. Elevation of as-built lowest floor (including basement) of the feet meters Datum: G9.b. Elevation of bottom of as-built lowest horizontal structural member. [ ] feet meters Datum: G10.a. BFE (or depth in Zone AO) of flooding at the building site: ☐ feet meters Datum: G10.b. Community's minimum elevation (or depth in Zone AO) requirement for the lowest floor or lowest horizontal structural member: feet meters Datum: G11. Variance issued? Yes No If yes, attach documentation and describe in the Comments area. The local official who provides information in Section G must sign here. I have completed the information in Section G and certify that it is correct to the best of my knowledge. If applicable, I have also provided specific corrections in the Comments area of this section. Local Official's Name: Title: NFIP Community Name: Ext.: \_\_\_\_\_ Email: \_\_\_\_\_ Telephone: Address: State: ZIP Code: Date: Signature: Comments (including type of equipment and location, per C2.e; description of any attachments; and corrections to specific information in Sections A, B, D, E, or H):

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON PAGES 9-19

Building Street Address (including	FOR INSURANCE COMPANY USE  Policy Number:						
1730 Stanford LN  City: Sarasota State: FL ZIP Code: 34231							
City: Sarasota		_ State:FL	ZIP Code: 34231	Company NAIC Number:			
			R HEIGHT INFORMATION R INSURANCE PURPOS				
to determine the building's first flo	oor height for in: enth of a meter i	surance purposes. S in Puerto Rico). <i>Ref</i>	Sections A, B, and I must als erence the Foundation Type	nay complete Section H for all flood zones to be completed. Enter heights to the pe Diagrams (at the end of Section H to complete this section.			
H1. Provide the height of the top	of the floor (as	indicated in Founda	ation Type Diagrams) above	the Lowest Adjacent Grade (LAG):			
floor (include above-grade flo	a) For Building Diagrams 1A, 1B, 3, and 5–9. Top of bottom						
b) For Building Diagrams 2 higher floor (i.e., the floor aborenclosure floor) is:				meters above the LAG			
				vated to or above the floor indicated by the appropriate Building Diagram?			
SECTION I - PROPI	ERTY OWNE	R (OR OWNER'S	AUTHORIZED REPRESI	ENTATIVE) CERTIFICATION			
The property owner or owner's au A, B, and H are correct to the besindicate in Item G2.b and sign Se	st of my knowle	sentative who completed ge. <b>Note:</b> If the loc	letes Sections A, B, and H m al floodplain management of	nust sign here. The statements in Sections ficial completed Section H, they should			
Check here if attachments are	e provided (inclu	uding required photo	os) and describe each attach	ment in the Comments area.			
Property Owner or Owner's Author	orized Represei	ntative Name:					
Address:							
City:				ZIP Code:			
	<b>F</b> . 1		Date:				
Telephone: Comments:	Ext.:	Email:					
Comments.							
1 =							
=							
				9			
				1			

# IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON PAGES 9-19 BUILDING PHOTOGRAPHS

See Instructions for Item A6.

Instructions: Insert below at least two and when possible four photographs showing each side of the building (for example, may only be able to take front and back pictures of townhouses/rowhouses). Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." Photographs must show the foundation. When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.



Photo One

Photo One Caption: Front view of residence 08/14/23

Clear Photo One



Photo Two

Photo Two Caption: Left side of residence 08/14/23

Clear Photo Two

# ELEVATION CERTIFICATE IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON PAGES 9-19 BUILDING PHOTOGRAPHS

Continuation Page

Building Street Address (including Apt., U 1730 Stanford LN	FOR INSURANCE COMPANY USE			
City: Sarasota	State:	FL	ZIP Code: 34231	Policy Number:  Company NAIC Number:

Insert the third and fourth photographs below. Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.




Photo Three

Photo Three Caption: Right side and rear of residence 08/14/23

Clear Photo Three




Photo Four

Photo Four Caption: Flood vent 08/14/23

Clear Photo Four