#### U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2022

# **ELEVATION CERTIFICATE**

**Important:** Follow the instructions on pages 1–9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION					FOR INSU	RANCE COMPANY USE	
A1. Building Owner's Name  EFT Florida LLC  Policy Number:						ber:	
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Company NAIC Number: 3919 Higel Avenue						IAIC Number:	
City						ZIP Code	
Sarasota				Florida		34242	
1 ' '		nd Block Numbers, Ta 4, Part of Lots 3, 4 & 5			gal Description, ef	.c.)	
A4. Building Use (	A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Residential						
A5. Latitude/Longi	A5. Latitude/Longitude: Lat. 27.298219° Long82.557670° Horizontal Datum: NAD 1927 X NAD 1983						
A6. Attach at least	2 photograp	hs of the building if the	e Certific	ate is being ι	ised to obtain floo	d insurance.	
A7. Building Diagra	am Number	7					
A8. For a building	with a crawls	space or enclosure(s):					
a) Square foo	tage of crawl	space or enclosure(s)			887.40 sq ft		
b) Number of p	permanent flo	ood openings in the cr	awlspace	e or enclosure	e(s) within 1.0 foo	t above adjacent gr	ade <u>7</u>
c) Total net an	ea of flood o	penings in A8.b		896.00 sq ir	1		
d) Engineered	flood openir	ngs? 🗌 Yes 🗵 N	No				
A9. For a building v	vith an attach	ned garage:					
a) Square foot	age of attach	ned garage		N/A sq ft			
b) Number of p	b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade N/A						
c) Total net are	c) Total net area of flood openings in A9.b N/A sq in						
d) Engineered flood openings?							
, ,	a, angliosios noos openingo.						
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION							
B1. NFIP Community Name & Community Number Sarasota County 125144				B2. County Sarasota	,		B3. State Florida
		T	T		T		
B4. Map/Panel Number	B5. Suffix	B6. FIRM Index Date	Effe	RM Panel ective/ vised Date	B8. Flood Zone(s)	B9. Base Flood E (Zone AO, us	Elevation(s) e Base Flood Depth)
12115C0141	F	11-04-2016	11-04-2		AE	10'	
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9:							
☐ FIS Profile 区 FIRM ☐ Community Determined ☐ Other/Source:							
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other/Source:							
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? 🗌 Yes 🖂 No							
Designation I	Date:		CBRS	☐ OPA			

## **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPOF	TANT: In these spaces, copy the corresponding	FOR INSURANCE COMPANY USE					
l	g Street Address (including Apt., Unit, Suite, and/or ligel Avenue	Policy Number:					
City Saras	State ota Flori		P Code 242	Company NAIC Number			
	SECTION C – BUILDING ELE	VATION INFORMA	ATION (SURVEY RE	EQUIRED)			
	C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction  *A new Elevation Certificate will be required when construction of the building is complete.						
	C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized: NGS BM# Y700 Elev.=2.70' Vertical Datum: NAVD 1988						
	ndicate elevation datum used for the elevations in ite  NGVD 1929 NAVD 1988 Other/S	ource:					
	Datum used for building elevations must be the same	e as that used for the	BFE.	Check the measurement used.			
	a) Top of bottom floor (including basement, crawlspa	ace, or enclosure floo	or)	4.3 × feet meters			
	b) Top of the next higher floor			13.9 × feet meters			
	c) Bottom of the lowest horizontal structural member	r (V Zones only)		N/A ⋉ feet ☐ meters			
	d) Attached garage (top of slab)			N/A ⋉ feet ☐ meters			
	e) Lowest elevation of machinery or equipment serv (Describe type of equipment and location in Com	icing the building ments)		N/A × feet meters			
	f) Lowest adjacent (finished) grade next to building	(LAG)		3.2 × feet meters			
	g) Highest adjacent (finished) grade next to building	(HAG)		$3.5$ $\times$ feet $\square$ meters			
	<ul> <li>h) Lowest adjacent grade at lowest elevation of decl structural support</li> </ul>	k or stairs, including		N/A × feet meters			
	SECTION D – SURVEYOR,	ENGINEER, OR AF	RCHITECT CERTIF	CATION			
l cer	certification is to be signed and sealed by a land sur- ify that the information on this Certificate represents ment may be punishable by fine or imprisonment un	my best efforts to int	erpret the data availa	law to certify elevation information.  Solution in the solution in the solution is a large solution.			
Were	latitude and longitude in Section A provided by a lic	ensed land surveyor	? ⊠Yes □No	Check here if attachments.			
I -	fier's Name n S. Britt	License Number LS 5538					
Title	o Marian						
	eyor & Mapper			Place			
MSB	pany Name Surveying, Inc.			Seal			
Addr 536	ess nterstate Court			Here			
City Sara	sota	State Florida	ZIP Code 34240				
Sign	ature	Date 06-16-2023	Telephone (941) 341-9935	Ext. N/A			
Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.							
Comments (including type of equipment and location, per C2(e), if applicable) Structure under construction. Ground floor & 2nd floor living floors and wall only at this date. A5. determined by field survey in State Plane and converted to decimal degrees. A8.a&b) denotes the total of the foyer, storage, elevator and stairwell area = 510.6 sq.ft with 5 flood openings in separate walls + additional storage area = 376.8 sq.ft with 2 flood openings in separate walls. A8.c) denotes the total sq.in of the openings, no flood vents installed at this date. C2.a) denotes the ground floor poured slab areas. C2.b) denotes the 2nd floor wood subfloor elevation(1st floor living). No machinery or equipment services the structure at this date. Lowest horizontal structural member = 12.3'.							

## **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the correspondir	FOR INSURANCE COMPANY USE				
Building Street Address (including Apt., Unit, Suite, and/o3919 Higel Avenue	or Bldg. No.) or P.O. Ro	oute and Box No.	Policy Number:		
- ,	ate ZIF	<sup>o</sup> Code	Company NAIC Number		
Sarasota FI	orida 342	242			
SECTION E – BUILDING ELE FOR ZONE	VATION INFORMATION AO AND ZONE A (W	ON (SURVEY NOT ITHOUT BFE)	REQUIRED)		
For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B,and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.					
<ul><li>E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).</li><li>a) Top of bottom floor (including basement,</li></ul>					
crawlspace, or enclosure) is		feet meter	s 🔲 above or 🗌 below the HAG.		
<ul> <li>b) Top of bottom floor (including basement, crawlspace, or enclosure) is</li> </ul>		☐ feet ☐ meter	s 🔲 above or 🗌 below the LAG.		
E2. For Building Diagrams 6–9 with permanent flood op the next higher floor (elevation C2.b in	enings provided in Sect	ion A Items 8 and/or	9 (see pages 1–2 of Instructions),		
the diagrams) of the building is		☐ feet ☐ meter	s 🔲 above or 🗌 below the HAG.		
E3. Attached garage (top of slab) is		feet meter	s 🔲 above or 🗌 below the HAG.		
E4. Top of platform of machinery and/or equipment servicing the building is		☐ feet ☐ meter	s 🔲 above or 🔲 below the HAG.		
E5. Zone AO only: If no flood depth number is available floodplain management ordinance? Yes			cordance with the community's certify this information in Section G.		
SECTION F - PROPERTY OWN	ER (OR OWNER'S REF	PRESENTATIVE) CE	RTIFICATION		
The property owner or owner's authorized representative community-issued BFE) or Zone AO must sign here. The	who completes Sections statements in Sections	ns A, B, and E for Zo s A, B, and E are cor	ne A (without a FEMA-issued or rect to the best of my knowledge.		
Property Owner or Owner's Authorized Representative's	Name				
Address	City	Sta	ate ZIP Code		
Signature	Date	Te	lephone		
Comments					
			☐ Check here if attachments.		

## **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2022

MPORTANT: In these spaces, copy the corre	FOR INSURANCE COMPANY USE					
Building Street Address (including Apt., Unit, St 3919 Higel Avenue	Policy Number:					
City Sarasota	State Florida	ZIP Code 34242		Company NAIC Number		
SECTIO	N G – COMMUNI	TY INFORMATION (OPTION	ONAL)			
The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters.						
The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)						
G2. A community official completed Secti or Zone AO.	on E for a building	located in Zone A (without	t a FEMA	\alpha-issued or community-issued BFE)		
G3. The following information (Items G4–	G10) is provided f	or community floodplain ma	anageme	ent purposes.		
G4. Permit Number	G5. Date Permit Issued G6.			ate Certificate of ompliance/Occupancy Issued		
G7. This permit has been issued for:	New Constructio	on   Substantial Improven	ment			
G8. Elevation of as-built lowest floor (including of the building:	g basement)		feet	meters Datum		
G9. BFE or (in Zone AO) depth of flooding at t	he building site:		feet	meters Datum		
G10. Community's design flood elevation:	-		feet	meters Datum		
Local Official's Name Title						
Community Name		Telephone				
Signature		Date				
Comments (including type of equipment and location, per C2(e), if applicable)						
				Check here if attachments.		

#### **BUILDING PHOTOGRAPHS**

**ELEVATION CERTIFICATE** 

See Instructions for Item A6.

OMB No. 1660-0008

Expiration Date: November 30, 2022

IMPORTANT: In these spaces, of	FOR INSURANCE COMPANY USE		
Building Street Address (including 3919 Higel Avenue	Policy Number:		
City	State	ZIP Code	Company NAIC Number
Sarasota	Florida	34242	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption (06/16/2023) Front View with Typical Flood Opening

Clear Photo One



Photo Two

Photo Two Caption (06/16/2023) Rear View from with Typical Flood Opening

Clear Photo Two

#### **BUILDING PHOTOGRAPHS**

**ELEVATION CERTIFICATE** 

Continuation Page

OMB No. 1660-0008

Expiration Date: November 30, 2022

			<u> </u>
IMPORTANT: In these spaces, copy to	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt. 3919 Higel Avenue	Policy Number:		
City	State	ZIP Code	Company NAIC Number
Sarasota	Florida	34242	

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo Three

Photo Three Caption (06/16/2023) Right Side View from Rear

Clear Photo Three



Photo Four

Photo Four Caption (06/16/2023) Left Side View from Front

Clear Photo Four
Form Page 6 of 6