U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2022

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION					FOR INSUI	RANCE COMPANY USE		
A1. Building Owner's Name Policy Number: BRANDEE AND LIAM DALY								
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1430 POINT CRISP RD Company NAIC Number:								
City SARASOTA								
, , ,	A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) PT. LOTS 13 & 14, POINT CRISP, 2ND ADDITION, PID#0110150003							
A4. Building Use (e.g., Re	esidential, Non-Residential,	Addition	, Accessory,	etc.) RESIDEN	NTIAL			
A5. Latitude/Longitude:	Lat. 27.241937	Long. (-)82.521881	Horizonta	al Datum: NAD	1927 🔀 NAD 1983		
A6. Attach at least 2 phot	ographs of the building if the	– e Certific	ate is being ι	 used to obtain floo	od insurance.			
A7. Building Diagram Nun	nber 7							
A8. For a building with a c	crawlspace or enclosure(s):							
]	crawlspace or enclosure(s)	k	2	2821.00 sq ft				
b) Number of perman	ent flood openings in the cr	awispace	e or enclosure	e(s) within 1.0 foo	t above adjacent gra	ade 15		
c) Total net area of flo		-	3000.00 sq in					
d) Engineered flood of	ppenings? 🛛 Yes 🔲 N	do.	·					
A9. For a building with an		••						
a) Square footage of	attached garage		N/A sq ft					
b) Number of perman	ent flood openings in the at	tached g	arage within	1.0 foot above ad	jacent grade N/A			
c) Total net area of flo		_	N/A sq					
d) Engineered flood o		 No	<u> </u>					
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION								
1	B1. NFIP Community Name & Community Number B2. County Name B3. State SARASOTA COUNTY, FLORIDA 125144 SARASOTA Florida							
B4. Map/Panel B5. S Number	uffix B6. FIRM Index Date	Effe	RM Panel ective/	B8. Flood Zone(s)	B9. Base Flood E (Zone AO, us	Elevation(s) e Base Flood Depth)		
12115C0207 F 11-04-2016 Revised Date 11-04-2016 AE 11								
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9:								
☐ FIS Profile 🔀 F	☐ FIS Profile ☑ FIRM ☐ Community Determined ☐ Other/Source:							
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 X NAVD 1988 Other/Source:								
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? 🔲 Yes 🔀 No								
Designation Date:	П	CBRS	☐ OPA		•	_		
_	<u></u> <u></u>		_					

Federal Emirge by Management Agency Malloudi Four Josephan is Program r-na U.S. DEPARTATIONS OF HOMELAND SECURITY

្រក្សនម្រាជ	Deter No	ernanak	20	50.55
MIS No	if at 100%)		

- Ampercant: Follow the Instructions on prices 1/9.

Oasig cation (Jate:		CDBS Dow			
812. Is the building	j focateu (1.)	: Coastal Barnet Roc	o urce s System (CDR	ः) क्षा ण्ड o r Othera	vise Protection Area (OPA)	ાન છે. જે કરત
811. Indicate uleva	stion d a tem :	sed for BPE at hera (38 🔲 MOAD 105.	Э.) ичил заа я	Ction Source:	··· · · · · · · · · · · · · · · ·
entos sia 🗍 -	· XI HSW	Community Cots	applied TT opposite	, भूतरा		· · · · · · · · · · · · · · · · · ·
· ·		gase blood Coverie.	* -		स्ति भाषा । (१८)	
			a a series de las ales a como de la casa de	-		· · · · · · · · · · · · · · · · · · ·
42445CA207	Ł.	13:04:2018	44-08-5030	٧Ŀ	A. Carrier	
A Number		D615	EModemy Hevrord carls	Zeno(s)	(20% AO, 936 Ba	
B/4. Map/iPanel	85, Sufe (ue. Eliya index	187 Filey Faner	Ber Bried	Fig. Base Fil.od Eleval	1094) <mark></mark>
SARASCIT, COUN			svevsc.	V	EK	rica.
81, N.P. Comman		Community Sumber	FE Open	معصره إنجاد فالمحصد بحد فالصاب	rapher region and a resource of the control of the	State
gan hi wakasang ay yangka gan si sa naman ngaya ay sa sangan hi yay	36	ECTION RIPH GOD	INSURANCE BATE	WAY (FIRM) !	FORMATION.	
i di Ergheseled	संदर्भ देख्याम	.a _{es} □ Xes □	_М а			
o) Total net are	se of fleed of	pealngs in A9 5	ANT S	d io		
p) Mainbei of t	orimanent il	ocaj openioga o the a	gaciest Chage with	ografikat <mark>apo</mark> ke a	idjacent godde MiA	
a) Square fool			MAN 80			
Att. For a building w			• · · ·	*		
d) Engineered	flood opanii	:693 (S) A** [])ço			
c) Total net as	es of flood o	penings to Alb	5000 00 P	<i>:</i>		
b) Mumbar of permanent flood openings in the creaspages on enclassingly within 1 to fact above adjuss rightles 15						
e) gdeare (eo	age of craw	space or enciosure(c)	5054700 ac g		
AB: For a building (with a gravila	stade or endlosure(s)				
. A.Y., Building Diagra	and Municipal	1				
A6. Attach at least	2 phologia;	grood file program of b	is gerapoval a provin	en tau to chitara f e	อ อส โดยวัสเตอล.	
. A5. Letiudar.ongii	nde: Lat <	Thomas	count (e)en a Tigh	- Hoeride	nelogie 📋 pivo aces	98 tayo b a s
		hat Noc-Healest Inc.			······	
		SE, PUB ADDITION.		The second se		
	ription (Let a	ad Block (minbarc T		and Description.	top it is an analysis and a	
ON SARASOTA			EF THE		252 Code 34542	
TARG POINT CRISE	5 KO			y , , a company of the company of the company		
Box No.		olitoing Apt., Unit, St.	্ড ব্লক্ট্রে ইনিট্ নিচ)	GEO ROBER	d Contract Made	on per
BRANDSE AND FI		, and the second of the second				
A1. Sullaing Counc	rs Maine			south a least tipe or reconstant requirements with a di-	Policy Nagrobus:	
and the same state of the same	650	THOM A. PROPERT	A WEONWANCAL	مرومورون و میان اینسان میان میان مراوی دارد کار میان و دروی دارد دارد دارد	EOS MODEVIS	SE COMOVINA DOE

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A	FOR INS	FOR INSURANCE COMPANY USE			
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and 1430 POINT CRISP RD	Box No. Policy Nu	Policy Number:			
City State ZIP Code SARASOTA Florida 34242	Company	y NAIC Number			
SECTION C – BUILDING ELEVATION INFORMATION (URVEY REQUIRED)			
	der Construction* [2mplete. , AR/A, AR/AE, AR/AA7. In Puerto Rico only 1929 Check 5.3 [2 N/A	Finished Construction 1–A30, AR/AH, AR/AO.			
g) Highest adjacent (finished) grade next to building (LAG)		☐ feet ☐ meters			
h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support	_	∫ feet			
SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION					
This certification is to be signed and sealed by a land surveyor, engineer, or architect a l certify that the information on this Certificate represents my best efforts to interpret the statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 10 Were latitude and longitude in Section A provided by a licensed land surveyor?	data available. I unde 11.	rtify elevation information. erstand that any false neck here if attachments.			
Certifier's Name License Number					
JAMES B. AMBERGER Title PRESIDENT Company Name JIM AMBERGER LAND SURVEYING LLC Address 1055 S. TAMIAMI TRAIL, SUITE 110-B City SARASOTA State ZIP C SARASOTA Florida 3423	profession ode	6333 STATE OF FLORIDA SURVEYOR AND			
Signature / / Date Telep	none Ext.	· · · · · · · · · · · · · · · · · · ·			
11/822	955-6333				
Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) Comments (including type of equipment and location, per C2(e), if applicable) C2: ELEVATIONS CONVERTED USING CORPSCON6 SOFTWARE. C2e: AIR CONDITIONING COMPRESSOR LOCATED ON NORTHEASTERLY SIDE (A9(a/d): SMART VENT MODEL 1540-520. THESE VENTS ARE RATED TO PROVIDE 200 SQUARE FEET EACH.	F RESIDENCE				

TOTALIST CITY COLL.	POPE (2016) E NEED TYPE (The contract of the		en la mandriadinal de la companya del companya de la companya del companya de la companya del la companya de la	See Anna 1977 - The See Control of the Control of The Control of the Control of t
Liati Yh. 76.00	100 MUSE 901.	a Section A.	comesponding taken istion noo	IMPONIAND to mest spaces, copy the
	sidnika yako?	Route and Bus No.	nii, Suirc kadiot bik g. 140.) or P.O	Recision Officet Address (including Apt. U. 1420 FOINT ORISE RO
i	Od Caraca I IAIC No	ZIP Co3eT		VIO.
•	•	\$1218	olase 4 i	SARASOTA
Single-extrapely the recoverage a <u>nd and</u>	(0.59800)	EURATION (SHIPEY UE	BULLING ALLIVINGON IN CR	- е иопоне
ne sinema (n.)	iron (ili) Pinist no	is ten Ormand presided i	[Consulucion Descrips*	C1) Building elavations are based out
: }	• .			*A new Elevation Configers will be
		ilied in Nem AR, In Paster	स्पेतिहरू का रोग्य र मार्थिकार लोखकुराबका इ <mark>त्तरह</mark>	C2. Flavations - Zones A1-A30. AE Al Complete thans C2.a-F butow according to the Base Condition of the BEA
	i r ando en estas en r			of not beau muteh nottovele of soluni and a
				M G VD 1928
Tribbo of string	ag yas est wheeld	.සිම්පී හේ		Datum used for building envisions:
atel et []] Her M. C.B	hoolt	sament, cramopado, or entroeus	a). Yog of bottom from from timelading ba
distance C	D BEING BAR			acol metairt ixon e Bab got (d.)
i melers			The Control of the Co	e) Bostere of the lowest training contains
eson m		2 4 4 24 mg () () () () () () () () () (e gare were the verification of management	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	14 17 1626 121 .			(d) Attached except (top of slap)
,e)gr.			i laceri o n in Connection	o y senidas mile devisión of equiperent accionados (O senidados e o senidados (O) senidados e o composições de o composições de o composições de orden de or
2010 304 E			next to mailding (LNG)	P. Lowest sciences (this bed) grade
i engless [-	g) Niphasi adjecent dinished) grad
ខ្មែរ នេះ ពី	ු වත් දීට දුළු	Ę	elevation of duck or sixus, include	in an Lowest edjacart in ade et lavrest situatural support
		in and the second secon	- SURVEYOR, CARROLLER, OR	ا ه ماکانات مستخدم ب ياد سويد د پيښتان د مهياري ساي نود چي ن په مهيان دادې دا دي اي ايد او د داد د د ميانات د
desdessinitis ra egris societi	management terminal and and a	na besituació de la coloridad la eva de la coloridad la exica de la coloridad	lad by a remules divoyous or groves. Control remonstratives on a fill of a commission and the Control of the Co	This confliction is to be signed and sea Loanity tile! the information on this Carb statespent hay be publishable by the or
.e., e.g.n 1981.21	to the company of the	CANTEL ROY ME A TON	oursea to all to according led balancing	Waga lectude and longitude in Shallon A
المنافقة الم	Hally Co.		estrace i estreci u Sesse a	Certifier's Meme JAMES B. ARCERGER
				Titto PRESIDENT
				Company Name
			0.	Company mane JIM AMBERGER LAND SURVEYING LI
10	TATE OF S			Address 1955 S. TAMAMI TRALL, SUITE 110-B
The second	The State of the	end His	Stelle	CHy
	Williams	\$ M.M.	e Seo <u>l</u> ∃	SARASOTA
	्रीक्षीन	ିଞ୍ଚାର୍ମ୍ୟରେନ (ମଧ୍ୟ) କେବାସେମ୍ଭ	5705.00 5705.00.20	Signaturo Pro-
t a constitution in	цьяг уланаясь\нас	क्रा कर्ना चित्रकार (६) क्रिकेसील प्राप्त	ounced (1) or sinsum offs lie bas	Copy of pages of this Elevation Declination
	7.	#2000 07 F0 2004 W	one tecetoric per C.T.e.), il aj p. 1.55 (C.C. 1786/COAD BY FO WARE DI LOCATID ON MOREY LIVERE	Commerts (entuding type of a julpinent of a julpinent of a ELEVATIONS ODDIVE NEED USING C2s. AIR OCHETTIONING COMPRESS AF(651); SWART VENT MODEL 1640-51, 200 SQUARE PEET EACH

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the correspond	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and 1430 POINT CRISP RD			Policy Number:
•		Code 242	Company NAIC Number
SECTION E – BUILDING EL FOR ZONE	EVATION INFORMATION AND ZONE A (WI		REQUIRED)
For Zones AO and A (without BFE), complete Items E1 complete Sections A, B,and C. For Items E1–E4, use n enter meters.	–E5. If the Certificate is in atural grade, if available.	ntended to support a Check the measure	LOMA or LOMR-F request, ment used. In Puerto Rico only,
E1. Provide elevation information for the following and the highest adjacent grade (HAG) and the lowest a a) Top of bottom floor (including basement,		xes to show whether	r the elevation is above or below
crawlspace, or enclosure) is b) Top of bottom floor (including basement, crawlspace, or enclosure) is		☐ feet ☐ meter	
E2. For Building Diagrams 6–9 with permanent flood o	penings provided in Secti		
the next higher floor (elevation C2.b in the diagrams) of the building is E3. Attached garage (top of slab) is		☐ feet ☐ meter	
E4. Top of platform of machinery and/or equipment servicing the building is	44	☐ feet ☐ meter	
E5. Zone AO only: If no flood depth number is available floodplain management ordinance? Yes			cordance with the community's
SECTION F - PROPERTY OWN	NER (OR OWNER'S REF	PRESENTATIVE) CE	ERTIFICATION
	_		
The property owner or owner's authorized representative community-issued BFE) or Zone AO must sign here. The	ne statements in Sections	A, B, and E are con	rect to the best of my knowledge.
community-issued BFE) or Zone AO must sign here. The Property Owner or Owner's Authorized Representative	ne statements in Sections	S A, B, and E are cor	rect to the best of my knowledge.
community-issued BFE) or Zone AO must sign here. The	ne statements in Sections	s A, B, and E are con	rect to the best of my knowledge.
community-issued BFE) or Zone AO must sign here. The Property Owner or Owner's Authorized Representative	ne statements in Sections s Name	S A, B, and E are con	rect to the best of my knowledge.
community-issued BFE) or Zone AO must sign here. The Property Owner or Owner's Authorized Representative's Address	ne statements in Sections s Name City	S A, B, and E are con	ate ZIP Code
community-issued BFE) or Zone AO must sign here. The Property Owner or Owner's Authorized Representative Address Signature	ne statements in Sections s Name City	S A, B, and E are con	ate ZIP Code
community-issued BFE) or Zone AO must sign here. The Property Owner or Owner's Authorized Representative Address Signature	ne statements in Sections s Name City	S A, B, and E are con	ate ZIP Code
community-issued BFE) or Zone AO must sign here. The Property Owner or Owner's Authorized Representative Address Signature	ne statements in Sections s Name City	S A, B, and E are con	ate ZIP Code
community-issued BFE) or Zone AO must sign here. The Property Owner or Owner's Authorized Representative Address Signature	ne statements in Sections s Name City	S A, B, and E are con	ate ZIP Code
community-issued BFE) or Zone AO must sign here. The Property Owner or Owner's Authorized Representative Address Signature	ne statements in Sections s Name City	S A, B, and E are con	ate ZIP Code
community-issued BFE) or Zone AO must sign here. The Property Owner or Owner's Authorized Representative Address Signature	ne statements in Sections s Name City	S A, B, and E are con	ate ZIP Code
community-issued BFE) or Zone AO must sign here. The Property Owner or Owner's Authorized Representative Address Signature	ne statements in Sections s Name City	S A, B, and E are con	ate ZIP Code

Esquelling Date, Novincia e 15, 2022		e di santaguat e, al aspetiment a l'especiale de la trace de l'appet de l'appet de l'appet de l'appet de l'app	alvana sa adalah sa
FOR HISURANCE COMPANY USE	Section A.	nding information from	MPORTANT: In Grasp opaces, capy the entrespo
Poticy Ntor Con	. Route and Box No.	O i in Coll ghill holon:	Studing Fircal Address (including Apt., Unit, State, : 1430 POINT GRISH RO
Company NAID Manuas	21P Code	Siste	ÇİRY
	\$4540	ephe:H	SARASOIA
าราสาราสาราสาราสาราสาราสาราสาราสาราสารา	TON (SURVEY NOT PRINDUT BEE)	ELEVATION NO CRES	SEWILLE - S WORDS
			For Zones AD and A (without RFE), compact trans- complete Sections A, B, and C. For thems E1—E4, usuenter meters.
victoria abade a politicale di tra			E1. Provide elevation information for the following a the highest adjacent grade (HAG) and the lower
s [] abovo ar () sel ow the HAG	eist 🗀 rod 🗀 📖		 (i) Top of bettern floor (neduding basemant, oranlopade, or englopere) is
OALtem wolding : In overlai(] in	oleni 🗒 Io st 🗒 📖	· Andrewson	ု b) (ယ of bottom floor (including basement crave space, or undocute) is
0 (red pages 1, 2 of instructions).		i er beiswich egeresign b	E2. For Euilding Drapmons 3.45 kith pernament from the most higher flow (elevation C2.b in the diagrams) of the building is
s [] abovince []] How the HAG.			E3. Alteched garage (top of Jbb) in
: - £iAH an i wal o ≦[]; to evodik[]] = a	rezon [] lost [] mover		E4 Tino of pletform of thechinary and/or compensent scryicing the building is
e'ylmammaniy's	ine habity sta look mitt		25. Zone AC only If no floop depth number is availa floodplain management admanage? [] Yes
MOVE A DESCRIPTION	en /everature/ ce	WINES (CR. DWG FR.	SECTION P-PROPERTY O
ne A (without of telepholesaudd or ; ned of the free of my knowledden.	caons 4, B, end E for ∠o loca A. S. and B ore con	aiwe who economicus on. The statement is Bau	The proporty owner or owner's authorized represents community-lessed BFE) or Zone AO must sign here.
			Property Owner or Cyrrel's Autliorized Replessman
ga:p3 H∑ 94		VI.	ACLIESS
sau (Cu)	37	ateO	Signature
e de la companya del companya de la companya del companya de la co	The state of the s		Considerte
almanda att de manera de 13 mil			
Coast tare Pattachnients.			

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information fro	m Section A.	FOR INSURANCE COMPANY USE				
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.01430 POINT CRISP RD	Policy Number:					
City State SARASOTA Florida	ZIP Code 34242	Company NAIC Number				
SECTION G - COMMUNITY INFO	RMATION (OPTIONAL)					
The local official who is authorized by law or ordinance to administer the consections A, B, C (or E), and G of this Elevation Certificate. Complete the a used in Items G8–G10. In Puerto Rico only, enter meters.						
G1. The information in Section C was taken from other documentation engineer, or architect who is authorized by law to certify elevation data in the Comments area below.)	on that has been signed at n information. (Indicate th	nd sealed by a licensed surveyor, e source and date of the elevation				
G2. A community official completed Section E for a building located i or Zone AO.	n Zone A (without a FEM	A-issued or community-issued BFE)				
G3. The following information (Items G4–G10) is provided for commu	unity floodplain managem	ent purposes.				
G4. Permit Number G5. Date Permit Issued		Date Certificate of Compliance/Occupancy Issued				
G7. This permit has been issued for:	ostantial Improvement					
G8. Elevation of as-built lowest floor (including basement) of the building:	feet	meters Datum				
G9. BFE or (in Zone AO) depth of flooding at the building site:	feet	meters Datum				
G10. Community's design flood elevation:		meters Datum				
Local Official's Name Tit	le					
Community Name Telephone						
Signature Date						
Comments (including type of equipment and location, per C2(e), if applicable)						
		Check here if attachments.				

PLEVATION CERTIFIED ATE

OMB Ne. 1660-0303 Expiration Date: New 20, 20, 1

FOR INSURANCE OF JPANY JSE	Enction A.	รุยยาสติญ มิธิกา กล(เอก โดงกา	ន់ នុក្ខឧចនេ, ១១កូទូ ប៉ាត់ ១០ ៤ខ	esignaticamento de la compa
Polit y stumber	Rodes and Box No.	ie, Graior Blag. No.) or P.O.		Bellang Gleet Addre 1439 POINT CRISP
Company BARC Norther	ZIP Code			পাত
erinanni Roddilla viewam – o leni ven o o o obel kiel vietnanni ni sago amadesti buskim	3400-8		i den series ser en	SARASOTA
	ATTON (OPTIONAL)	4 G - COMMUNITY BARONN	1011038	er frankriger eine gebachte in ermannen er verein eine eine eine der eine eine eine eine eine eine eine ei
a gement ordinance cer complete follow: Check the renumentan		Sertificate, Complete the app		Scutturs ALB. C (or
d sealed by a licensed autosych a routas and Jote of his alovition				ະ,າອອກທ່ຽນອ
(Bild out to blues a blocker a	Sone A (Aithout a PEMA	a E for a building l essilet m		62 C A commun
១ ១១០ខ្ នួមម្យូបទ	вгон датим ык ідіасай ус	rum o or tol besivoig ni (57)	9-3 <mark>9 amoti) nedsacecki gr</mark>	eg. [] Tas fellow
เลย Contificate of omotionical Decupancy เครียงส์		છે5, Γα ίο Per ma tescera		G4, Pernit fiumbor
	insmovarami Litan	Nevr Construction [] But si	geen issued for.	GZ. This permulhas
	land []	ba s em cet)	gabilani) toot (maludang	G8. Elevation of as- of the Leilding:
mustary eletern 🛴	tani []	e building site:	AC) depth or flooding at th	OS BFE or (it Zone
mutaG saldent ()	ad []	× 2000	ssign flood el evstion:	G10. Community's d
		2014 - 2014		Local Officiero Name
	ontal.	jara¥	erentar erentande eta erentar e	Community Neme
	e commence and an experience of the contract o	aw.C		Signature
		don per C2(e). if ap diceble	type of equipment send local	Compenie (including

Cocceletiste Vidactinionts.				

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., L 1430 POINT CRISP RD	Policy Number:		
City	Company NAIC Number		
SARASOTA	Florida	34242	100

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption FRONT VIEW

Clear Photo One



Photo Two

Photo Two Caption REAR VIEW

Clear Photo Two

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, co	FOR INSURANCE COMPANY USE		
Building Street Address (including A 1430 POINT CRISP RD	Policy Number:		
City	Company NAIC Number		
SARASOTA	Florida	34242	

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo Three

Photo Three Caption TYPICAL VENTS-INSTALLED ON ADJACENT/OPPOSITE WALLS-NORTH/EAST SIDE

Clear Photo Three



Photo Four

Photo Four Caption TYPICAL VENTS-INSTALLED ON ADJACENT/OPPOSITE WALLS-SOUTH/WEST SIDE

Clear Photo Four