National Flood Insurance Program

Elevation Certificate

and Instructions

2023 EDITION



OMB Control No. 1660-0008 Expiration Date: 06/30/2026

ELEVATION CERTIFICATE AND INSTRUCTIONS

PAPERWORK REDUCTION ACT NOTICE

Public reporting burden for this data collection is estimated to average 3.75 hours per response. The burden estimate includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and submitting this form. You are not required to respond to this collection of information unless a valid OMB control number is displayed on this form. Send comments regarding the accuracy of the burden estimate and any suggestions for reducing the burden to: Information Collections Management, Department of Homeland Security, Federal Emergency Management Agency, 500 C Street SW, Washington, DC 20742, Paperwork Reduction Project (1660-0008). **NOTE: Do not send your completed form to this address.**

PRIVACY ACT STATEMENT

Authority: Title 44 CFR § 61.7 and 61.8.

Principal Purpose(s): This information is being collected for the primary purpose of documenting compliance with National Flood Insurance Program (NFIP) floodplain management ordinances for new or substantially improved structures in designated Special Flood Hazard Areas. This form may also be used as an optional tool for a Letter of Map Amendment (LOMA), Conditional LOMA (CLOMA), Letter of Map Revision Based on Fill (LOMR-F), or Conditional LOMR-F (CLOMR-F), or for flood insurance rating purposes in any flood zone.

Routine Use(s): The information on this form may be disclosed as generally permitted under 5 U.S.C. § 552a(b) of the Privacy Act of 1974, as amended. This includes using this information as necessary and authorized by the routine uses published in DHS/ FEMA-003 – National Flood Insurance Program Files System of Records Notice 79 Fed. Reg. 28747 (May 19, 2014) and upon written request, written consent, by agreement, or as required by law.

Disclosure: The disclosure of information on this form is voluntary; however, failure to provide the information requested may impact the flood insurance premium through the NFIP. Information will only be released as permitted by law.

PURPOSE OF THE ELEVATION CERTIFICATE

The Elevation Certificate is an important administrative tool of the NFIP. It can be used to provide elevation information necessary to ensure compliance with community floodplain management ordinances, to inform the proper insurance premium, and to support a request for a LOMA, CLOMA, LOMR-F, or CLOMR-F.

The Elevation Certificate is used to document floodplain management compliance for Post-Flood Insurance Rate Map (FIRM) buildings, which are buildings constructed after publication of the FIRM, located in flood Zones A1–A30, AE, AH, AO, A (with Base Flood Elevation (BFE)), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO, and A99. It may also be used to provide elevation information for Pre-FIRM buildings or buildings in any flood zone.

As part of the agreement for making flood insurance available in a community, the NFIP requires the community to adopt floodplain management regulations that specify minimum requirements for reducing flood losses. One such requirement is for the community to obtain the elevation of the lowest floor (including basement) of all new and substantially improved buildings, and maintain a record of such information. The Elevation Certificate provides a way for a community to document compliance with the community's floodplain management ordinance.

Use of this certificate does not provide a waiver of the flood insurance purchase requirement. Only a LOMA or LOMR-F from the Federal Emergency Management Agency (FEMA) can amend the FIRM and remove the federal mandate for a lending institution to require the purchase of flood insurance. However, the lending institution has the option of requiring flood insurance even if a LOMA/LOMR-F has been issued by FEMA. The Elevation Certificate may be used to support a LOMA, CLOMA, LOMR-F, or CLOMR-F request. Lowest Adjacent Grade (LAG) elevations certified by a land surveyor, engineer, or architect, as authorized by state law, will be required if the certificate is used to support a LOMA, CLOMA, LOMR-F, or CLOMR-F request. A LOMA, CLOMA, LOMR-F, or CLOMR-F request must be submitted with either a completed FEMA MT-EZ or MT-1 application package, whichever is appropriate. If the certificate will only be completed to support a LOMA, CLOMA, LOMR-F, or CLOMR-F request, there is an option to document the certified LAG elevation on the Elevation Form included in the MT-EZ and MT-1 application.

This certificate is used only to certify building elevations. A separate certificate is required for floodproofing. Under the NFIP, non-residential buildings can be floodproofed up to or above the BFE. A floodproofed building is a building that has been designed and constructed to be watertight (substantially impermeable to floodwaters) below the BFE. Floodproofing of residential buildings is not permitted under the NFIP unless FEMA has granted the community an exception for residential floodproofed basements. The community must adopt standards for design and construction of floodproofed basements before FEMA will grant a basement exception. For both floodproofed non-residential buildings and residential floodproofed basements in communities that have been granted an exception by FEMA, a floodproofing certificate is required.

The expiration date on the form herein does not apply to certified and completed Elevation Certificates, as a completed Elevation Certificate does not expire, unless there is a physical change to the building that invalidates information in Section A Items A8 or A9, Section C, Section E, or Section H. In addition, this form is intended for the specific building referenced in Section A and is not invalidated by the transfer of building ownership.

Additional guidance can be found in FEMA Publication 467-1, Floodplain Management Bulletin: Elevation Certificate.

U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB Control No. 1660-0008 Expiration Date: 06/30/2026

ELEVATION CERTIFICATE

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION	FOR INSURANCE COMPANY USE
A1. Building Owner's Name: Karen & Tom Bassett	Policy Number:
A2_Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: 112 Lazy River Road	Company NAIC Number:
City: North Port State: FL	ZIP Code: <u>34287</u>
A3. Property Description (e.g., Lot and Block Numbers or Legal Description) and/or Tax Parcel Nun Unit 316, Lazr River Village Co-Op, Sarasota County, Florida PID# 0789041316	nber:
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.): Residential	
A5. Latitude/Longitude: Lat. 27°02'44.40"N Long. 082°17'10.90"W Horiz. Datum:	NAD 1927 NAD 1983 WGS 84
A6. Attach at least two and when possible four clear color photographs (one for each side) of the bu	uilding (see Form pages 7 and 8).
A7. Building Diagram Number:5	
A8. For a building with a crawlspace or enclosure(s):	
a) Square footage of crawlspace or enclosure(s): 1625 sq. ft.	
b) Is there at least one permanent flood opening on two different sides of each enclosed area?	∑ Yes ☐ No ☐ N/A
c) Enter number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot Non-engineered flood openings: 24	· · · · · ·
d) Total net open area of non-engineered flood openings in A8.c:N/A sq. in.	
e) Total rated area of engineered flood openings in A8.c (attach documentation – see Instructio	ns): sq. ft.
f) Sum of A8.d and A8.e rated area (if applicable – see Instructions): N/A sq. ft.	
A9. For a building with an attached garage:	
a) Square footage of attached garage: N/A sq. ft.	
b) Is there at least one permanent flood opening on two different sides of the attached garage?	Yes No N/A
c) Enter number of permanent flood openings in the attached garage within 1.0 foot above adja Non-engineered flood openings:N/A Engineered flood openings:N/A	_
d) Total net open area of non-engineered flood openings in A9.c: N/A sq. in.	
e) Total rated area of engineered flood openings in A9.c (attach documentation – see Instructio	ns): <u>N/A</u> sq. ft.
f) Sum of A9.d and A9.e rated area (if applicable – see Instructions): N/A sq. ft.	
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFOR	RMATION
B1.a. NFIP Community Name: Sarasota County B1.b. NFIP Com	munity Identification Number: 125144
B2. County Name: Sarasota B3. State: FL B4. Map/Panel No.: 1	12115C-0370 B5. Suffix: G
B6. FIRM Index Date: 03/27/2024 B7. FIRM Panel Effective/Revised Date: 03/27/202	24
B8. Flood Zone(s): AE B9. Base Flood Elevation(s) (BFE) (Zone AO, use B	Base Flood Depth): 9 Feet
B10. Indicate the source of the BFE data or Base Flood Depth entered in Item B9: ☐ FIS ☐ FIRM ☐ Community Determined ☐ Other:	
B11. Indicate elevation datum used for BFE in Item B9: 🔲 NGVD 1929 🔀 NAVD 1988 🔲 Other,	/Source:
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Prote Designation Date:	ected Area (OPA)?
B13. Is the building located seaward of the Limit of Moderate Wave Action (LiMWA)?	No

ELEVATION CERTIFICATE

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and E	Box No.:	FOR INS	SURANCE COMPANY USE					
112 Lazy River Road		Policy Nu	ımber:					
City: North Port State: FL ZIP Code: 342	87	Company	NAIC Number:					
SECTION C – BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)								
C1. Building elevations are based on: Construction Drawings* Building United A new Elevation Certificate will be required when construction of the building is construction.	nder Construction	on* 🗵 F	inished Construction					
C2. Elevations – Zones A1–A30, AE, AH, AO, A (with BFE), VE, V1–V30, V (with BF A99. Complete Items C2.a–h below according to the Building Diagram specified Benchmark Utilized: N.G.S. 872 5837 D Vertical Datum:	in Item A7. In P							
Indicate elevation datum used for the elevations in items a) through h) below.								
Datum used for building elevations must be the same as that used for the BFE. Converge If Yes, describe the source of the conversion factor in the Section D Comments area.	ersion factor us] Yes ⊠ No heck the measurement used:					
a) Top of bottom floor (including basement, crawlspace, or enclosure floor):		9.7						
b) Top of the next higher floor (see Instructions):		N/A] feet [] meters					
c) Bottom of the lowest horizontal structural member (see Instructions):		N/A	feet meters					
d) Attached garage (top of slab):		N/A	feet meters					
 e) Lowest elevation of Machinery and Equipment (M&E) servicing the building (describe type of M&E and location in Section D Comments area): 		10.0 🗵	了 feet □ meters					
f) Lowest Adjacent Grade (LAG) next to building: Natural Finished		5.6] feet [] meters					
g) Highest Adjacent Grade (HAG) next to building: Natural Finished		6.0] feet [] meters					
 Finished LAG at lowest elevation of attached deck or stairs, including structura support: 	al	5.6 ∑] feet [] meters					
SECTION D – SURVEYOR, ENGINEER, OR ARCH	ITECT CERTI	IFICATIO	N					
This certification is to be signed and sealed by a land surveyor, engineer, or architect information. I certify that the information on this Certificate represents my best efforts false statement may be punishable by fine or imprisonment under 18 U.S. Code, Sec	to interpret the							
Were latitude and longitude in Section A provided by a licensed land surveyor?	Yes No							
igstyle Check here if attachments and describe in the Comments area.								
Certifier's Name: Robert J Breedlove License Number: LS 70	040		MINIMININI,					
Title: Professional Surveyor and Mapper		_	DER NULL OF					
Company Name: VanBuskirk & Fish Surveying and Mapping Inc.			STATE OF					
Address: 12450 Tamiami Trail			STATE OF					
City: North Port State: FL ZIP Code	: 34287	_ 1000	FLORIDA					
Telephone: (941) 426-0681 Ext.: Email: Landsurveyor@vbfainc	.com		STATE OF FLORIDA STATE OF FLORIDA STATE OF STA					
Signature: Date: 11	/06/2024		Place Seal Here					
Copy all pages of this Elevation Certificate and all attachments for (1) community official, ((2) insurance ag	ent/compa	ny, and (3) building owner.					

Comments (including source of conversion factor in C2; type of equipment and location per C2.e; and description of any attachments): This property was permitted under FIRM #12115C-0370 F, Effective date 11/04/2016 Flood Zone AE with a BFE of 7 Feet. The coordinates listed in item A5.) were gathered using a hand-held GPS on the date of the survey. In item A8. The impacted enclosure is below the home and is comprised of the skirting. c) The 24 vents in the skirting are by Flood Solutions LLC. Model # FS-1608, rated at 97 sq in each. 24 vents x 97 sq in gives a total venting area of 2328 sq in. The elevation listed in item C2 e.) is for the A/C Unit which is located on the left side of the residence on an elevated wooden stand.

ELEVATION CERTIFICATE

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Building Street Address (including Apt., Unit, S	uite, and/or Bld	lg. No.) c	or P.O. Route and Box	k No.:	FOR INSURANCE COMPANY USE
112 Lazy River Road					Policy Number:
City: North Port	State: _	FL	_ ZIP Code: <u>34287</u>	<u></u>	Company NAIC Number:
SECTION E – BUILDI FOR ZON			T INFORMATION (O, AND ZONE A (•	•
For Zones AO, AR/AO, and A (without BFE) intended to support a Letter of Map Change enter meters.					
Building measurements are based on: *A new Elevation Certificate will be required		_			n* Finished Construction
E1. Provide measurements (C.2.a in applica measurement is above or below the nat				check the ap	ppropriate boxes to show whether the
 Top of bottom floor (including basem crawlspace, or enclosure) is: 	ent,		[feet	meters	above or below the HAG.
 Top of bottom floor (including basem crawlspace, or enclosure) is: 	ent,		feet	meters	above or below the LAG.
E2. For Building Diagrams 6–9 with perman next higher floor (C2.b in applicable Building Diagram) of the building is:	ent flood openi	ings pro	vided in Section A Ite	ems 8 and/or	9 (see pages 1–2 of Instructions), the above or below the HAG.
E3. Attached garage (top of slab) is:			leet	meters	above or below the HAG.
E4. Top of platform of machinery and/or equipments servicing the building is:	uipment			meters	above or below the HAG.
E5. Zone AO only: If no flood depth number floodplain management ordinance?	is available, is Yes				cordance with the community's st certify this information in Section G.
SECTION F - PROPERTY OW	NER (OR OV	VNER'S	AUTHORIZED R	EPRESEN ⁻	TATIVE) CERTIFICATION
The property owner or owner's authorized re sign here. The statements in Sections A, B,					one A (without BFE) or Zone AO must
☐ Check here if attachments and describe			-	.9-	
Property Owner or Owner's Authorized Repr	esentative Nan	ne:			
Address:					
City:				State:	ZIP Code:
Telephone: Ext.:	Email:				
Signature:			Date:		
Comments:					
Gallinianie.					

ELEVATION CERTIFICATE

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Dividing Chapt Address (in all dings Aut. Heit Cuite		. Na \ a	= D.O. Deute and Be	Na .	FOR INS	URANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite 112 Lazy River Road	e, and/or Blog	J. INO.) O	r P.O. Route and Bo	DX NO.:	Policy Nur	
City: North Port	State:	FL	ZIP Code: <u>3428</u>	7	_	NAIC Number:
SECTION G - COMMUNITY INFOR	MATION (F	RECON	MENDED FOR	COMMUNI	ITY OFFICIA	L COMPLETION)
The local official who is authorized by law or ord Section A, B, C, E, G, or H of this Elevation Cer						dinance can complete
G1. The information in Section C was ta engineer, or architect who is authoric elevation data in the Comments are	zed by state					
G2.a. A local official completed Section E E5 is completed for a building located			d in Zone A (withou	t a BFE), Zo	one AO, or Zo	ne AR/AO, or when item
G2.b.	for insurance	e purpos	ses.			
G3.	the local off	icial des	scribes specific corr	rections to t	he informatior	in Sections A, B, E and H.
G4.	–G11) is pro	vided fo	or community floodp	olain manag	gement purpos	ses.
G5. Permit Number:	G6.	Date P	ermit Issued:			
G7. Date Certificate of Compliance/Occupar	ncy Issued:					
G8. This permit has been issued for:	ew Construct	tion 🗀	Substantial Impro	vement		
G9.a. Elevation of as-built lowest floor (including)	ng basement	t) of the		_	meters	Datum:
G9.b. Elevation of bottom of as-built lowest ho member:	rizontal struc	tural		feet	meters	Datum:
G10.a. BFE (or depth in Zone AO) of flooding a	t the building	site:		_ feet	meters	Datum:
G10.b. Community's minimum elevation (or deprequirement for the lowest floor or lowest member:			al	☐ feet	☐ meters	Datum:
G11. Variance issued? ☐ Yes ☐ No I	f yes, attach	docum	entation and descril	_ 🗀		
The local official who provides information in Se correct to the best of my knowledge. If applicab	ection G mus	t sign h	ere. <i>I have complet</i>	ed the infor	mation in Sec	tion G and certify that it is
Local Official's Name:			Title:			
NFIP Community Name:						
Address:						
City:						
Signature:			Date:			
Comments (including type of equipment and loc Sections A, B, D, E, or H):	ation, per C2	2.e; des	cription of any attac	chments; ar	nd corrections	to specific information in

ELEVATION CERTIFICATE

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Building Street Address (including Apt	t., Unit, Suite, and/or Bldg. No.) or F	P.O. Route and Box No.:	FOR INSURANCE COMPANY USE
112 Lazy River Road	Ctata: El	ZIP Code: 34287	Policy Number:
City: North Port	State: FL	ZIP Code. <u>34207</u>	Company NAIC Number:
	- BUILDING'S FIRST FLOOR RVEY NOT REQUIRED) (FOR		
The property owner, owner's authori to determine the building's first floor nearest tenth of a foot (nearest tenth <i>Instructions</i>) and the appropriate	height for insurance purposes. Se h of a meter in Puerto Rico). Refe	ections A, B, and I must also b rence the Foundation Type I	Diagrams (at the end of Section H
H1. Provide the height of the top of	the floor (as indicated in Foundati	on Type Diagrams) above the	Lowest Adjacent Grade (LAG):
 a) For Building Diagrams 1A, floor (include above-grade floor crawlspaces or enclosure floors 		feet [] meters
 b) For Building Diagrams 2A, higher floor (i.e., the floor above enclosure floor) is: 		[] feet [] meters
	it servicing the building (as listed in ation Type Diagrams at end of Sec		d to or above the floor indicated by the propriate Building Diagram?
SECTION I - PROPER	TY OWNER (OR OWNER'S A	UTHORIZED REPRESENT	ATIVE) CERTIFICATION
The property owner or owner's author A, B, and H are correct to the best of indicate in Item G2.b and sign Section	of my knowledge. Note: If the local		sign here. <i>The statements in Sections</i> al completed Section H, they should
Check here if attachments are pr	rovided (including required photos) and describe each attachmer	nt in the Comments area.
Property Owner or Owner's Authoriz	zed Representative Name:		
Address:			
City:		State:	ZIP Code:
Telephone:	Ext.: Email:		
Signature:		Date:	_
Comments:			

ELEVATION CERTIFICATE

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11 BUILDING PHOTOGRAPHS

See Instructions for Item A6.

Building Street Address (including Apt., Unit, S	uite, and/or Blo	lg. No.) o	r P.O. Route and Box No.:	FOR INSURANCE COMPANY USE
112 Lazy River Road				Policy Number:
City: North Port	State: _	FL	ZIP Code: <u>34287</u>	Company NAIC Number:

Instructions: Insert below at least two and when possible four photographs showing each side of the building (for example, may only be able to take front and back pictures of townhouses/rowhouses). Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." Photographs must show the foundation. When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.



Photo One

Photo One Caption: Front View 10/21/24

Clear Photo One



Photo Two

Photo Two Caption: Rear View 10/21/24

Clear Photo Two

ELEVATION CERTIFICATE IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11 BUILDING PHOTOGRAPHS

Continuation Page

Building Street Address (including Apt.,	Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:	FOR INSURANCE COMPANY USE
112 Lazy River Road City: North Port	State: FL ZIP Code: 34287	Policy Number: Company NAIC Number:

Insert the third and fourth photographs below. Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.



Photo Three

Photo Three Caption: Right Side View 10/21/24

Clear Photo Three



Photo Four

Photo Four Caption: Vent Detail Photo 10/21/24

Clear Photo Four









Compliance with International Codes
 Compliance with State Codes

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

ICC-ES Evaluation Report ESR-3760

DIVISION: 08 00 00—OPENINGS

Section: 08 95 43-Vents/Foundation Flood Vents

REPORT HOLDER:

FLOOD SOLUTIONS, LLC

EVALUATION SUBJECT:

STATIC FLOOD VENTS

1.0 EVALUATION SCOPE

Compliance with the following codes:

- 2018, 2015, 2012 and 2009 International Building Code®
- 2018, 2015, 2012 and 2009 International Residential Code®

Property evaluated:

Water flow

2.0 USES

Flood Solutions' static flood vents are used to provide for the equalization of hydrostatic flood forces on exterior walls.

3.0 DESCRIPTION

3.1 General:

Flood Solutions' static flood vents are engineered, permanently open flood vents with no moving parts that automatically allow flood waters to enter and exit enclosed areas. The vents are constructed of aluminum and available in four models. See Table 1 for model designations and sizes. See Figure 1 for illustrations of the flood vents.

3.2 Engineered Opening:

The Flood Solutions static flood vents comply with the design principle noted in Section 2.6.2.2 of ASCE/SEI 24 for a rate of rise and fall of 5 feet per hour (0.423 mm/s). In order to comply with the engineered opening requirement of ASCE/SEI 24, the static flood vents must be installed in accordance with Section 4.0 of this report.

3.3 Ventilation:

Flood Solutions' static flood vents may be used to supply natural ventilation for under-floor ventilation. See Table 1 for net free area for under-floor ventilation provided by each of Flood Solutions' static flood vents.

4.0 DESIGN AND INSTALLATION

The Flood Solutions static flood vents are designed to be installed into walls or doors of existing or new construction

Reissued March 2022

This report is subject to renewal March 2024.

from the exterior side. Installation of the vents must be in accordance with the manufacturer's instructions, the applicable code and this report. In order to comply with the engineered opening design principle noted in Section 2.6.2.2 of ASCE/SEI 24, the vents must be installed as follows:

- With a minimum of two openings on different sides of each enclosed area.
- With a minimum of one vent for the square footage of enclosed area noted in Table 1.
- Below the base flood elevation.
- With the bottom of the vent located a maximum of 12 inches (305 mm) above grade.

5.0 CONDITIONS OF USE

The static flood vents described in this report comply with, or are a suitable alternative to what is specified in, those codes listed in Section 1.0 of this report, subject to the following conditions:


- 5.1 The static flood vents must be installed in accordance with this report, the applicable code and the manufacturer's installation instructions. In the event of a conflict, the instructions in this report govern.
- 5.2 The static flood vents must not be used in the place of "breakaway walls" in coastal high hazard areas, but are permitted for use in conjunction with breakaway walls in other areas.

6.0 EVIDENCE SUBMITTED

- 6.1 Manufacturer's descriptive literature and installation instructions.
- 6.2 Detail drawings.
- 6.3 Engineering calculations in accordance with ASCE/SEI 24.
- 6.4 Quality documentation in accordance with the ICC-ES Acceptance Criteria for Quality Documentation (AC10), dated June 2014.

7.0 IDENTIFICATION

7.1 The Flood Solutions static flood vents evaluated in this report must be identified by a label bearing the manufacturer's name (Flood Solutions), the model number, and the evaluation report number (ESR-3760).





7.2 The holder's contact information is the following:

FLOOD SOLUTIONS, LLC ONE INDUSTRIAL PARK DRIVE UNIT 26 PELHAM, NEW HAMPSHIRE 03076 (603) 595-5222


www.floodsolutions.com info@floodsolutions.com

TABLE 1-FLOOD SOLUTIONS STATIC FLOOD VENTS

MODEL	VENT SIZE (Width x Height) (in)	ROUGH OPENING SIZE (Width x Height) (in)	ENCLOSED AREA COVERAGE (ft²)	NET FREE AREA ¹ (in ²)
FS-1608	18 ¹ / ₂ x 10 ¹ / ₂	16 x 8	97	80.7
FS-1616	18 ¹ / ₂ x 18 ¹ / ₂	16 x 16	191	158.2
FS-1412	17 x 14 ¹ / ₂	14 ¹ / ₂ x 12	129	106.7
FS-1608-Hex	18 ¹ / ₂ x 10 ¹ / ₂	16 x 8	110	91.4

For SI: 1 inch = 25.4 mm; 1 ft = 304.8 mm

¹Available for use as under-floor ventilation.




FS-1412



FS-1608



FS-1616



FS-1608-HEX

FIGURE 1—FLOOD SOLUTIONS STATIC FLOOD VENTS



ICC-ES Evaluation Report

ESR-3760 FBC Supplement

Reissued March 2022

This report is subject to renewal March 2024.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00-OPENINGS

Section: 08 95 43-Vents/Foundation Flood Vents

REPORT HOLDER:

FLOOD SOLUTIONS, LLC

EVALUATION SUBJECT:

STATIC FLOOD VENTS

1.0 REPORT PURPOSE AND SCOPE

Purpose:

The purpose of this evaluation report supplement is to indicate that Flood Solutions' flood vents, described in ICC-ES evaluation report ESR-3760, have also been evaluated for compliance with the codes noted below.

Applicable code editions:

- 2020 Florida Building Code—Building
- 2020 Florida Building Code—Residential

2.0 CONCLUSIONS

The Flood Solutions flood vents, described in Sections 2.0 through 7.0 of ICC-ES evaluation report ESR-3760, comply with the Florida Building Code-Building and the Florida Building Code-Residential, provided the design requirements are determined in accordance with the Florida Building Code—Building or the Florida Building Code—Residential, as applicable. The installation requirements noted in ICC-ES evaluation report ESR-3760 for the 2018 International Building Code® meet the requirements of the Florida Building Code—Building or the Florida Building Code—Residential, as applicable.

Use of the Flood Solutions' flood vents has also been found to be in compliance with the High-Velocity Hurricane Zone provisions of the Florida Building Code—Building and the Florida Building Code—Residential.

For products falling under Florida Rule 61G20-3, verification that the report holder's quality assurance program is audited by a quality assurance entity approved by the Florida Building Commission for the type of inspections being conducted is the responsibility of an approved validation entity (or the code official when the report holder does not possess an approval by the Commission).

This supplement expires concurrently with the evaluation report, reissued March 2022.

