U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERIGENCY MANAGEMENT AGENCY National Flood Insurance Program

# **ELEVATION CERTIFICATE**

IMPORTANT: Follow the instructions on pages 1-9.

13 /038/1 B/ OMB No. 1660-0008 Expiration Date: July 31, 2015

A1 Building Owner's Name	SECTION A – PROPERTY INFORMATION FO					OR INSURANCE COMPANY USE	
A1. Building Owner's Name D R HORTON HOMES						Policy Number:	
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or PO. Route and Box No. 13597 ABERCROMBIE DRIVE						Company NAIC Number:	
City ENGLEWOOD State FL ZIP Co  A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)					P Code 34223		
LUI 4, STILLWATE	R UNIT THREE,	<u>PLAT BOOK 46 P</u>	AGES 3, 3A-3	Ε			
A4. Building Use (e.g., Resi A5. Latitude/Longitude: Lat	. 26.94977	Lone	z. <u>-82.33046</u>		Horizontal D	atum: □ NAD 1927 🗷 NAD 198	
A6. Attach at least 2 photog A7. Building Diagram Numb	graphs of the buildi er _1A	ing if the Certificate is	being used to d	btain flood in	surance.		
A8. For a building with a cra	wispace or enclosi	ure(s):		A9. For a	building with an atta	iched darada	
a) Square footage of ci			sq ft	a) So	quare footage of atta	ached garage 460 sq f	
<ul><li>b) No. of permanent florenclosure(s) within 3</li><li>c) Total net area of floorence</li></ul>	1.0 foot above adja	icent grade		b) Nu wi	umber of permanent thin 1.0 foot above	flood openings in the attached garag	
d) Engineered flood op	enings?	, <u>-</u>	sq in	c) To	tal net area of flood gineered flood oper	openings in A9.b 0 sq i	
	SECTION	N B – FLOOD INSU	PANCE DATE				
B1. NFIP Community Name &	Community Numb	ner	B2. County Na	me	VI) INFURMATIO		
B4. Map/Panel Number   B	Y UNINCORPO	RATED 125144 i. FIRM Index Date	B7. FIRM Pane		Do Flood Zene(a)	B3. State FLORIDA	
125144 0454	D	09/30/1992	Revised D	ate	B8. Flood Zone(s)	AO, use base flood depth)	
B10. Indicate the source of the	ne Base Flood Elev	ation (BFE) data or ba			A12	12'	
LI FIS Profile KI FIRM	// ☐ Community	Determined Ot	ther/Source:				
B11. Indicate elevation datum			1929   N	AVD 1988	☐ Other/Source:		
B12. Is the building located in Designation Date:	//		BRS) area or Ot	herwise Prote	ected Area (OPA)?	☐ Yes     No	
	SECTION C	- BUILDING ELEV	VATION INFOR	MATION (S	URVEY REQUIRE	FD)	
C1. Building elevations are t	pased on:	Construction Drawing	e* 🗆 D. J.	diam Hadas O		Finished Construction	
*A new Elevation Certific	cate will be require	d when construction of					
		o mon construction (	of the building is	complete.			
C2. Elevations - Zones A1-A	A30, AE, AH, A (with	BFF) VF V1_V30 V	(with REE) AD	complete.	AD/44 ADD AD (11)		
C2. Elevations – Zones A1–4 C2.a–h below according	A30, AE, AH, A (with to the building dia	n BFE), VE, V1–V30, V gram specified in Item	(with BFE), AR, And Ar. In Puerto F	complete. AR/A, AR/AE, lico only, ente	AR/A1-A30, AR/AH er meters.		
C2. Elevations – Zones A1–4 C2.a–h below according Benchmark Utilized: BN Indicate elevation datum	A30, AE, AH, A (with to the building dia 1/856-P ELEV=7 In used for the eleva	n BFE), VE, V1–V30, V gram specified in Item '.47'	(with BFE), AR, And And Andrews And Andrews An	complete. AR/A, AR/AE, tico only, ente 1 Datum: <u>NG</u>	AR/A1-A30, AR/AH or meters. SVD1929	, AR/AO. Complete Items	
C2. Elevations – Zones A1–/ C2.a–h below according Benchmark Utilized: BN Indicate elevation datum Datum used for building	A30, AE, AH, A (with to the building dia <u>A 856-P ELEV=7</u> n used for the eleva elevations must b	n BFE), VE, V1–V30, V gram specified in Item .47' ations in items a) thro e the same as that us	(with BFE), AR, And AR,	complete. AR/A, AR/AE, kico only, ente I Datum: NG NGVD 1929	AR/A1-A30, AR/AH or meters. 6VD1929 P □ NAVD 1988 [	, AR/AO. Complete Items	
C2. Elevations – Zones A1–4 C2.a–h below according Benchmark Utilized: BN Indicate elevation datum Datum used for building a) Top of bottom floor (iii	A30, AE, AH, A (with to the building dia 1/4 856-P ELEV=7 In used for the eleval elevations must be including basement	n BFE), VE, V1–V30, V gram specified in Item .47' ations in items a) thro e the same as that us	(with BFE), AR, And AR,	complete.  AR/A, AR/AE, tico only, ente to Datum: NG NGVD 1929	AR/A1-A30, AR/AH or meters. GVD1929  NAVD 1988 [ Check the meters.	AR/AO. Complete Items  Other/Source: asurement used.  meters	
C2. Elevations – Zones A1–/ C2.a–h below according Benchmark Utilized: BN Indicate elevation datum Datum used for building a) Top of bottom floor (ii b) Top of the next highe	A30, AE, AH, A (with to the building dia; 1/ 856-P ELEV=7 or used for the eleval elevations must be ncluding basement or floor	n BFE), VE, V1–V30, V gram specified in Item (.47' ations in items a) thro e the same as that us c, crawlspace, or enclo	(with BFE), AR, And A7. In Puerto Fuerto Fuertical Vertical Fuertical Fuerti	complete.  AR/A, AR/AE, Rico only, ente I Datum: NG I NGVD 1929  12 76  N/A	AR/A1-A30, AR/AH or meters. SVD1929 O NAVD 1988 [ Check the mea	AR/AO. Complete Items  Other/Source: asurement used. meters meters	
C2. Elevations – Zones A1–/ C2.a–h below according Benchmark Utilized: BN Indicate elevation datum Datum used for building a) Top of bottom floor (iii	A30, AE, AH, A (with to the building diagonal in the building diagonal in the elevations must be including basement or floor horizontal structur	n BFE), VE, V1–V30, V gram specified in Item (.47' ations in items a) thro e the same as that us c, crawlspace, or enclo	(with BFE), AR, And A7. In Puerto Fuerto Fuertical Vertical Fuertical Fuerti	complete.  AR/A, AR/AE, Rico only, enter Datum: NG NGVD 1929  12 . 76  N/A . N/A	AR/A1-A30, AR/AH or meters. SVD1929  NAVD 1988 [ Check the meters. Feet   feet	AR/AO. Complete Items  Other/Source: asurement used. meters meters meters meters	
C2. Elevations – Zones A1–4 C2.a–h below according Benchmark Utilized: BN Indicate elevation datum Datum used for building a) Top of bottom floor (li b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of n (Describe type of equ	A30, AE, AH, A (with to the building diagonal in the building diagonal in the elevations must be including basement ar floor horizontal structur of slab) machinery or equipment and location	n BFE), VE, V1–V30, V gram specified in Item (.47' ations in items a) thro e the same as that us crawlspace, or enclo al member (V Zones of ment servicing the builtin in Comments)	(with BFE), AR, And A7. In Puerto Fig. 19 Vertical with the low of the BFE. In the low only)	complete.  AR/A, AR/AE, Rico only, ente I Datum: NG I NGVD 1929  12 76  N/A	AR/A1-A30, AR/AH or meters. SVD1929 O NAVD 1988 [ Check the mea	AR/AO. Complete Items  Other/Source: asurement used. meters meters	
C2. Elevations – Zones A1–4 C2.a–h below according Benchmark Utilized: BN Indicate elevation datum Datum used for building a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of n (Describe type of equ f) Lowest adjacent (finis	A30, AE, AH, A (with to the building dia 1/1 856-P ELEV=7 in used for the elevations must be including basement of floor horizontal structur of slab) inachinery or equipment and locationshed) grade next to	n BFE), VE, V1–V30, V gram specified in Item (.47' ations in items a) thro the the same as that us the crawlspace, or enclor al member (V Zones of the servicing the builting in Comments) to building (LAG)	(with BFE), AR, And A7. In Puerto Fig. 19 Vertical with the low of the BFE. In the low only)	complete.  AR/A, AR/AE, Rico only, enter Datum: NG NGVD 1929  12 76  N/A .  N/A .  12 29	AR/A1-A30, AR/AH or meters.  BVD1929  Check the meters  feet  feet  feet  feet  feet  feet	, AR/AO. Complete Items  Other/Source: asurement used.  meters meters meters meters meters meters	
C2. Elevations – Zones A1–4 C2.a–h below according Benchmark Utilized: BN Indicate elevation datum Datum used for building a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of n (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent (finis	A30, AE, AH, A (with to the building dia 1/1 856-P ELEV=7 in used for the elevations must be including basement of floor horizontal structur of slab) inachinery or equipment and locationshed) grade next to shed) grade next to the total properties of the shed of the structure of slab.	n BFE), VE, V1–V30, V gram specified in Item .47' ations in items a) thro e the same as that us , crawlspace, or enclo al member (V Zones of ment servicing the building (LAG) b building (LAG)	(with BFE), AR, And A7. In Puerto Fill Pue	Complete.  AR/A, AR/AE, Alco only, enter of Datum: NG only only only only only only only only	AR/A1-A30, AR/AH or meters.  BVD1929  Check the meters  feet feet feet feet feet	, AR/AO. Complete Items  Other/Source: asurement used.  meters meters meters meters	
C2. Elevations – Zones A1–4 C2.a–h below according Benchmark Utilized: BN Indicate elevation datum Datum used for building a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of n (Describe type of equ f) Lowest adjacent (finis	A30, AE, AH, A (with to the building dia 1/1 856-P ELEV=7 in used for the elevations must be including basement of floor horizontal structur of slab) inachinery or equipment and locationshed) grade next to shed) grade next to the total properties of the shed of the structure of slab.	n BFE), VE, V1–V30, V gram specified in Item .47' ations in items a) thro e the same as that us , crawlspace, or enclo al member (V Zones of ment servicing the building (LAG) b building (LAG)	(with BFE), AR, And A7. In Puerto Fill Pue	Complete.  AR/A, AR/AE, AR/AE	AR/A1-A30, AR/AH or meters.  BVD1929  Check the meters.  General feet  feet  feet  feet  feet  feet  feet  feet  feet	, AR/AO. Complete Items  Other/Source: asurement used.  meters meters meters meters meters meters	
C2. Elevations – Zones A1–4 C2.a–h below according Benchmark Utilized: BN Indicate elevation datum Datum used for building a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of n (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent (finis h) Lowest adjacent grad	A30, AE, AH, A (with to the building dia 1/1 856-P ELEV=7 in used for the elevations must be necluding basement of floor horizontal structur of slab) inachinery or equipment and locationshed) grade next to shed) grade next to the at lowest elevationshed in the shed in the structure of slab.	n BFE), VE, V1–V30, V gram specified in Item (.47' ations in items a) thro e the same as that us c, crawlspace, or enclo al member (V Zones of ment servicing the buil on in Comments) b building (LAG) o building (HAG) on of deck or stairs, in	(with BFE), AR, And A7. In Puerto Face of the BFE. In Sure floor)  In A7. In Puerto Face of the BFE. In Sure floor)  In Indian Including	AR/A, AR/AE, Rico only, enter I Datum: NG I Datum: N/A I Datum:	AR/A1-A30, AR/AH or meters.  BVD1929  Check the meters. feet feet feet feet feet feet feet feet	, AR/AO. Complete Items  Other/Source: assurement used. meters meters meters meters meters meters meters meters meters	
C2. Elevations – Zones A1–/ C2.a–h below according Benchmark Utilized: BN Indicate elevation datum Datum used for building a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of n (Describe type of equ f) Lowest adjacent (finit g) Highest adjacent (finit h) Lowest adjacent grad structural support	A30, AE, AH, A (with to the building dia 1/1 856-P ELEV=7 in used for the elevations must be necluding basement of floor horizontal structur of slab) inachinery or equipment and locationshed) grade next to shed) grade next to shed) grade next to be at lowest elevations of and sealed by a seale	n BFE), VE, V1–V30, V gram specified in Item (47' ations in items a) thro e the same as that us crawlspace, or enclo al member (V Zones of ment servicing the building (LAG) b building (LAG) on of deck or stairs, in  D – SURVEYOR, E	(with BFE), AR, An A7. In Puerto F  A7. In Puerto F  Vertical ugh h) below. Esed for the BFE.  ssure floor)  Inding  Including  NGINEER, OR	Complete.  AR/A, AR/AE, Rico only, enter I Datum: NG NGVD 1929  12 76  N/A	AR/A1-A30, AR/AH or meters.  BVD1929  Check the meters. feet feet feet feet feet feet feet feet	, AR/AO. Complete Items  Other/Source: asurement used.  meters	
C2. Elevations – Zones A1–4 C2.a–h below according Benchmark Utilized: BN Indicate elevation datum Datum used for building a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of n (Describe type of equ f) Lowest adjacent (finite g) Highest adjacent grade structural support  This certification is to be signen formation. I certify that the Information. I certify that the Information. I certify that the Information.	A30, AE, AH, A (with to the building dia 1/1 856-P ELEV=7 in used for the elevations must be elevations must be including basement or floor horizontal structur of slab) inachinery or equipment and locationshed) grade next to shed) grade next to shed) grade next to shed grade nex	n BFE), VE, V1–V30, V gram specified in Item (147) ations in items a) throe the same as that us crawlspace, or enclosed member (V Zones of the servicing the built in in Comments) building (LAG) building (HAG) on of deck or stairs, in D – SURVEYOR, Eland surveyor, enginese control of the servicing the servicin	(with BFE), AR, And A7. In Puerto File A7. In Puert	complete.  AR/A, AR/AE, Rico only, enter I Datum: NG I Datum: NG I NGVD 1929  12 76  N/A 12 29  12 37  11 80  12 30  N/A  ARCHITEC	AR/A1-A30, AR/AH or meters.  BVD1929  Check the meters.  Greet  Greet	, AR/AO. Complete Items  Other/Source: asurement used.  meters	
C2. Elevations – Zones A1–/ C2.a–h below according Benchmark Utilized: BN Indicate elevation daturn Datum used for building a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of n (Describe type of equ f) Lowest adjacent (finiting) Highest adjacent (finiting) Highest adjacent grad structural support  This certification is to be signer formation. I certify that the in understand that any false stated Check here if comments are	A30, AE, AH, A (with to the building dia 1/1 856-P ELEV=7 in used for the elevate elevations must be including basement or floor horizontal structur of slab) inachinery or equipment and locationshed) grade next to ished) grade next to be at lowest elevations or this content in the comment i	n BFE), VE, V1–V30, V gram specified in Item 1.47' ations in items a) throse the same as that us a, crawlspace, or enclose al member (V Zones of ment servicing the building (LAG) to building (LAG) on of deck or stairs, in D – SURVEYOR, Eland surveyor, engined certificate represents in ishable by fine or impr	(with BFE), AR, An A7. In Puerto Fig. 19 Vertical region of the BFE. In Sure floor)  In A7. In Puerto Fig. 19 Vertical region of the BFE. In Sure floor)  In A7. In Puerto Fig. 19 Vertical region of the BFE. In Sure floor)  In A7. In Puerto Fig. 19 Vertical region of the BFE. In Sure floor of the BFE. In	ARCHITEC  AR/A, AR/AE, Rico only, enter I Datum: NG I NGVD 1929  12 76  N/A  12 29  12 37  11 80  12 30  N/A  ARCHITEC  ARCHITEC  Interpret the 18 U.S. Code,	AR/A1-A30, AR/AH or meters.  BVD1929  Check the meters feet feet feet feet feet feet feet fee	, AR/AO. Complete Items  Other/Source: asurement used.  meters	
C2. Elevations – Zones A1–/ C2.a–h below according Benchmark Utilized: BN Indicate elevation daturn Datum used for building a) Top of bottom floor (li b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of n (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent (finis h) Lowest adjacent grad structural support  his certification is to be signenformation. I certify that the In understand that any false stat Check here if comments are Check here if attachments.  Certifier's Name	A30, AE, AH, A (with to the building dia 1/1 856-P ELEV=7 in used for the elevate elevations must be including basement or floor horizontal structur of slab) inachinery or equipment and locationshed) grade next to ished) grade next to be at lowest elevations or this content in the comment i	n BFE), VE, V1–V30, V gram specified in Item 1.47' ations in items a) throse the same as that us a, crawlspace, or enclosed member (V Zones of the servicing the building (LAG) to building (LAG) to building (HAG) on of deck or stairs, in the servicing the building (HAG) on of deck or stairs, in the servicing the building (HAG) on of deck or stairs, in the servicing	(with BFE), AR, An A7. In Puerto Fig. 19 Vertical region of the BFE. In Sure floor)  In A7. In Puerto Fig. 19 Vertical region of the BFE. In Sure floor)  In A7. In Puerto Fig. 19 Vertical region of the BFE. In Sure floor)  In A7. In Puerto Fig. 19 Vertical region of the BFE. In Sure floor of the BFE. In	complete.  AR/A, AR/AE, Rico only, enter I Datum: NG I	AR/A1-A30, AR/AH or meters.  BVD1929  Check the meters.  Get feet feet feet feet feet feet feet fe	AR/AO. Complete Items  Other/Source: assurement used. meters meters meters meters meters meters meters meters	
C2. Elevations – Zones A1–/ C2.a–h below according Benchmark Utilized: BN Indicate elevation daturn Datum used for building a) Top of bottom floor (li b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of n (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent (finis h) Lowest adjacent grad structural support his certification is to be signenformation. I certify that the in understand that any false stat Check here if comments are Check here if attachments.  Certifier's Name JAMES W. BOLEMAN	A30, AE, AH, A (with to the building dia 1/1 856-P ELEV=7 in used for the elevate elevations must be including basement or floor horizontal structur of slab) inachinery or equipment and locationshed) grade next to ished) grade next to be at lowest elevations or this content in the comment i	n BFE), VE, V1–V30, V gram specified in Item (A7' ations in items a) thro the the same as that us the crawlspace, or enclor al member (V Zones of ment servicing the building (LAG) to building (LAG) to building (HAG) to no of deck or stairs, in the comments of the commen	(with BFE), AR, An A7. In Puerto Fig. 19 Vertical region of the BFE. In Sure floor)  In AG In Puerto Fig. 19 Vertical region of the BFE. In Sure floor)  In I	complete.  AR/A, AR/AE, tico only, enter to Datum: NG NGVD 1929  12 76  N/A	AR/A1-A30, AR/AH or meters.  BVD1929  Check the meters.  Get feet feet feet feet feet feet feet fe	, AR/AO. Complete Items  Other/Source: asurement used.  meters	
C2. Elevations – Zones A1–/ C2.a-h below according Benchmark Utilized: BN Indicate elevation datum Datum used for building a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of n (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent (finis h) Lowest adjacent grad structural support  This certification is to be signed formation. I certify that the in understand that any false stat Check here if comments are Check here if attachments.  Certifier's Name JAMES W. BOLEMAN Title PROFESSIONAL SURVE	A30, AE, AH, A (with to the building dia 1/1 856-P ELEV=7 in used for the elevate elevations must be including basement or floor horizontal structur of slab) inachinery or equipment and locationshed) grade next to shed) grade next to shed and sealed by a shormation on this Chement may be punished on back	n BFE), VE, V1–V30, V gram specified in Item (A7' ations in items a) thro the the same as that us the crawlspace, or enclor al member (V Zones of ment servicing the builting in Comments) to building (LAG) to building (HAG) to no of deck or stairs, in the certificate represents no inshable by fine or improf form.  Were lated the company of the compan	(with BFE), AR, An A7. In Puerto Fig. 19 Vertical region of the BFE. In Sure floor)  In AGINEER, OR In Section of the BFE. In Sure floor of the BFE.	ARCHITEC  ARCHITE  ARCHITEC  ARCHITE  ARCHITEC  ARCHITE  ARCHITEC  ARCHITE  ARCHITEC  ARCHITEC  ARCHITEC  ARCHITEC  ARCHITEC  ARCHITEC	AR/A1-A30, AR/AH or meters.  BVD1929  Check the meters feet feet feet feet feet feet feet fee	AR/AO. Complete Items  Other/Source: assurement used. meters meters meters meters meters meters meters meters	
C2. Elevations – Zones A1–4 C2.a–h below according Benchmark Utilized: BN Indicate elevation datum Datum used for building a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of n (Describe type of equ f) Lowest adjacent (finiting) Highest adjacent (finiting)	A30, AE, AH, A (with to the building dia M 856-P ELEV=7 in used for the elevations must be relevations must be relevations must be relevations must be relevations must be relevation by the relevation of slab) in achinery or equipment and locations hed) grade next to relevate the at lowest elevation of this Comment may be punited by a provided on back	n BFE), VE, V1–V30, V gram specified in Item (A7' ations in items a) thro the the same as that us the crawlspace, or enclor al member (V Zones of ment servicing the builtin in Comments) to building (LAG) to building (HAG) to building (HAG) to building the control of the contr	(with BFE), AR, And A7. In Puerto File A7. In Puert	complete.  AR/A, AR/AE, Rico only, enter I Datum: NG I	AR/A1-A30, AR/AH or meters.  BVD1929  Check the meters.  Get feet  Get  Get  Get  Get  Get  Get  Get	AR/AO. Complete Items  Other/Source: assurement used. meters meters meters meters meters meters meters meters	

IMPORTANT: In these spaces, copy the co					Y
Building Street Address (including Apt., Uni	t Suite and/or Pldg No. ) or PO. Do.	on A.		The same of the sa	NCE COMPANY USE
13597 ABERCROMBIE DRIVE				Policy Number	
ENGLEWOOD	State FL	ZIP Code 34223		Company NAI	Number:
SECTION D -	- SURVEYOR, ENGINEER, OR A	RCHITECT CI	ERTIFICATION	(CONTINUED)	
opy both sides of this Elevation Certificate	e for (1) community official, (2) insura	ance agent/com	pany, and (3) buil	lding owner.	
Surveyor is only responsible ltem B1: Community name	e for Sections A - D. This build & number is based on property	ing is a resider appraiser's we	ntial duplex. C bsite and the F	Certificate is for FIRM.	one half of the duplex.
James W. Bole	man	06/12/1	<del>p</del>		
Signature		Date			
SECTION E - BUILDING ELEVAT	ION INFORMATION (SURVEY N	IOT REQUIRE	D) FOR ZONE	AO AND ZONE	A (WITHOUT BFE)
or Zones AO and A (without BFE), complete or Items E1–E4, use natural grade, if available	Items E1-F5. If the Certificate is in	tanded to suppo	LONA LO	105	nplete Sections A, B,and
<ol> <li>Provide elevation information for the fol grade (HAG) and the lowest adjacent grade</li> </ol>	lowing and check the appropriate bo ade (LAG).	xes to show whe	ther the elevatio	n is above or belo	w the highest adjacent
a) Top of bottom floor (including baseme	ent, crawlspace, or enclosure) is		☐ feet ☐ n		or below the HAG.
b) Top of bottom floor (including baseme	ent, crawispace, or enclosure) is _		☐ feet ☐ n	neters 🔲 above	or below the LAG.
<ol><li>For Building Diagrams 6–9 with perman the next higher floor (elevation C2.b in t</li></ol>	ent 1100d openings provided in Section	on A Items 8 and			
3. Attached garage (top of slab) is	ne diagrams) of the building is		☐ feet ☐ n		or Delow the HAG.
4. Top of platform of machinery and/or eq	- Inment condoing the building I		☐ feet ☐ n		
5. Zone AO only: If no flood denth number	is available in the ter of the beauti-		☐ feet ☐ n	neters $\square$ above	or below the HAG.
<ol> <li>Zone AO only: If no flood depth number ordinance? ☐ Yes ☐ No ☐ Unkno</li> </ol>	own. The local official must certify thi	noor elevated in is information in	i accordance with Section G.	n the community's	floodplain management
SECTION F -	PROPERTY OWNER (OR OWN	ER'S REPRES	ENTATIVE) C	EDTIEICATION	
he property owner or owner's authorized re	presentative who completes Section	A D and E f	7. 44 10	a FEMA issued or	community is a set DEEN
one AO must sign here. The statements in Property Owner or Owner's Authorized Repre	Continue with the and the contect for	the best of my ki	nowledge.	a i ciar-issued of	Community-Issued BFE)
address		City		State 7	IP Code
ignature		Date		Telephone	
omments					
				□ c	neck here if attachments
	SECTION G - COMMUNITY I	NFORMATION	(OPTIONAL)		
he local official who is authorized by law or of this Elevation Certificate. Complete the	ordinance to administer the communit applicable item(s) and sign below. Che	y's floodplain ma	nagement ordina	nce can complete	Sections A, B, C (or E), a
who is authorized by law to certify	aken from other documentation tha elevation information, (Indicate the	t has been signed	ed and sealed by	a licensed surve	yor, engineer, or archite
<ul><li>A community official completed Sec</li><li>The following information (Items G</li></ul>	ition E for a building located in Zone	A (without a FFN	AA-issued or com	munitylegued DE	E) or Zone AO.
64. Permit Number	G5. Date Permit Issued			Of Compliance/O	
37. This permit has been issued for:			Date Certificate	Or Compliance/O	ccupancy issued
8. Elevation of as-built lowest floor (include	ling basement) of the building:	il Improvement	Пен П		
9. BFE or (in Zone AO) depth of flooding a	t the building site:		☐ feet ☐ m		
10. Community's design flood elevation:			☐ feet ☐ m		
ocal Official's Name		Title	□ reet □ m	eters Datum _	
ommunity Name		Telephone		_	
ignature					
comments		Date			
				□ Cr	eck here if attachments

## ELEVATION CERTIFICATE, page 3

#### **BUILDING PHOTOGRAPHS**

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the co	FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., Uni 13597 ABERCROMBIE DRIVE	t, Suite, and/or Bidg. No.) or PO. Route and Box No.	Policy Number:
City ENGLEWOOD	State ZIP Code FL 34223	Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



## **ELEVATION CERTIFICATE, page 4**

### **BUILDING PHOTOGRAPHS**

**Continuation Page** 

IMPORTANT: In these spaces, copy the corresponding information from Section A.  Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or PO. Route and Box No.  13597 ABERCROMBIE DRIVE			FOR INSURANCE COMPANY USE Policy Number:	
ENGLEWOOD	FL	34223		

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.

