		(	2001					
U DEPARTMENT OF HO		RITY ELEV	ATION CERTIF	ICATE	OMB No. 1680-0008 Expires March 31, 2012			
National Flood Insurance Pr		Important:	Read the instructions of	on pages 1-9.				
dP		SECT	10N A - PROPERTY INFO	DRMATION	For insurance Company Use:			
A1. Building Owner's Nan	18 JERI F	BREEDLOVE			Policy Number			
A2. Building Street Addres	3qA gribulari) as	., Unit, Suite, and/or BI	idg, No.) or P.O. Routs and E A:V€		Company NAIC Number			
City	SARA	SOTA	Atata	ARIOA	ZIP Code 3423!			
Vo. 1. John C. Pesarbrett	LOT	18, PHILLIPF	7 CAROCINS OU	it 4				
A7. Building Diagram Nun A8. For a building with a c	ot. <u>27-16-</u> opraphs of the but nher 1 rawispace or end	Long if the Cartificate closure/s):	g. \$2-31-33 Is being used to obtain Bood	insurance. or a building with an attac	etum: NAD 1927 NAD 1983			
a) Square footage of b) No. of permanent enclosure(s) within c) Total net area of fi d) Engineered flood	ficed openings in n 1.0 feet above s lood openings in .	n the crawispace or adjacent grade A8.b	b	within 1.0 foot above at Total net area of flood	diacent grade  diacent grade  O  diacent grade  openings in A9.6  ag in			
	SEC.	TION B - FLOOD I	NSURANCE RATE MAP (	FIRM) INFORMATION	,			
B1, NFIP Community Name 5A2A507A CO		Number E	B2. County Name 5A2A56		63. State FLOWIDA			
84. Map/Panel Number	B5. Suffix	B6. FIRM Index	87. FIRM Panel Effective/Roylsed Dete		B9. Base Flood Elevation(s) (Zone AO, use base flood depth)			
125144-0144-		9/3/92	7/3/92 r base flood depth entered in	AE	11.0			
FIS Profile 5	AFIRM Im used for BFE I	Community Determine In Itam 89: AGVD	sd Other (Describ	o)Other (Describe)	Yes OKNo			
	8ECTIO	N C - BUILDING E	LEVATION INFORMATIO	N (SURVEY REQUIR	ED)			
C2. Elevations - Zones A1- below according to the i	cate will be requir	with DFE), VE, V1-V30 specified in Item A7. 1	of the building is complete.  D, V (with BFE), AR, AR/A, Al Use the same datum as the E Vertical D	RIAE, ARIA1-A30, ARIAH BFE alum IN.G.N.D.				
b) Top of the next hig	her lloor	nunt, crawlspace, or e	nclosure floor) 12	S. Feet make	ere (Puarto Rico only) ere (Puarto Chio vidy)			
d) Attached garage (to e) Lowest elevation of (Describe type of s	e) Lowest elevation of machinery or equipment servicing the building 11.7 x feet meters (Puerto Rico only) (Describe type of equipment and location in Comments)							
f) Lowest adjacent (finished) grade next to building (LAG)  g) Highest adjacent (finished) grade next to building (HAG)  h) Lowest adjacent grade at lowest standing of deck or stake including  h) Lowest adjacent grade at lowest standing of deck or stake including  h) Lowest adjacent grade at lowest standing of deck or stake including  h) Lowest adjacent grade at lowest standing of deck or stake including								
h) Lowest adjacent gr structural support								
	SECTIO	N D - SURVEYOR	, ENGINEER, OR ARCHI	FECT CERTIFICATION	N			
information. I certify that the	e information on (	this Certificate represe e punishable by fine o	ents my best efforts to interpr or imprisonment under 18 U.S.	et the data available. . Code, Section 1001.	P.S.M. 4075			
Check here if comment	s are provided on		Nore latitude and longitude in loensed land surveyor?	Section A provided by a Yes No				
	iás e. Rob	n.e.q ,noenie		FL 4010				
17tie <b>P.S.M.</b>		A	drinson Land St	JRVEYING, INC.				
Address 1960, MAIN	STREET	City SARASO	TA SIAIO FL	ZIF Code 3423	16			

ZOF 4

See reverse side for continuation.

(941) 954-4473

Replaces all previous editions

21 JUN E 2011

Signature

FEMA Form 81-31, Mar 09

		copy the corresponding			For Insurance Company Use:
		t., Unit, Suite, and/or Bidg. No ルルム ムリビ・	),) or P.O. Route and Box	No.	Pakcy Number
A Part			State	ZIP Code	Company NAIC Number
Ser.	SAIZASO(7)		FLORIDA	34231	ONGNIEO
,		N D - SURVEYOR, ENGIN			
omments		lificate for (1) community offici			
	KESIDEN	ACE BUILT IN	1978 FER C.	o, Tay. Rec.	2.05
gnature		21	JUNE 2011		Check here if attach
SECTION	ON E - BUILDING ELE			RED) FOR ZONE AC	AND ZONE A (WITHOUT BF)
or Zones /	O and A (without BFE), o	complete items E1-E5. If the	Certificate is intended to s	upport a LOMA or LOMF	R-F request, complete Sections A, B
rad C. For	items E1-E4, use natural	grade, if available. Check the	e mensurement used. In f	Puerto Rico only, enter n	ieters.
	a elsystion information fo (HAG) and the lowest adj		appropriate boxes to show	v whether the elevation i	s above or below the highest adjace
a) Top	of bottom floor (including	basement, crawispace, or er			above orbelow the HAG.
		tiasement, crawispaça, or er		Social Care pages P	]sbove orbelow the LAG. 9 of instructions), the next higher fic
elevals)	tion C2.b in the diagrams	) of the building is	feet meters	above or   before	v the HAG.
3. Attach	el (dela to qot) agerag be	feet [	meters above of	below the HAG.	
		id/or equipment servicing the			] above or below the HAG, he community's floodplain manager
		Unknown. The local offici			ith deminiments o secolopses manages
- Oldala		N F - PROPERTY OWNER			TIFICATION
a properh					EMA-issued or community-Issued E
		cments in Sections A, B, and			FIRE PROPERTY OF SOUTHWEST AND PROPERTY OF
	<del></del>	ed Representative's Name			and the easy that the group age has been
	•		a.b.,		710.0-1
idress			City	State	ZIP Code
ynature			Date	Talep	hone
mments					
					Check here if attact
	and the same of th	SECTION G - CO	IMUNITY INFORMATI	ON (OPTIONAL)	
local offici	al who is authorized by la	w or ordinance to administer	AMUNITY INFORMATI the community's floodplain	n management ordinance	e can complete Sections A, B, C (or
G of this E	Bevallon Certificate. Con	nv or ordinance to edminister oplete the applicable item(s) s	the community's floodplained sign below. Check the	n management ordinanc measurement used in l	ieme G8 and G9.
G of this E	Sevation Certificate. Con Information in Section C	nv or ordinance to administer opiale the applicable item(s) s was taken from other docume	the community's floodplain and sign below. Check the entation that has been sign	management ordinancement used in linear measurement used in linear measurement and seeled by a licer	ieme G8 and G9. 19ed surveyor, anginsar, or architect
G of this is as	Sevation Certificate. Con Information in Section Country Ithorized by law to cortify	nv or ordinance to administer npiale tha applicable item(s) s was taken from other docume elevation information. (Indice	the community's floodplain and sign below. Check the unistion that has been sign ate the source and date of	n management ordinance measurement used in l and seeled by a licer the elevation data in the	ieme G8 and G9. Ised surveyor, engineer, or architect Comments area below.)
G of this is at	Bevailon Certificate. Con Information in Section Control athorized by law to control ammunity official complete.	nv or ordinance to edminister npiele the applicable item(s) s was taken from other docume elevation information. (Indice ad Section E for a building loc	the community's floodolaised aign befow. Check the entation that has been signate the source and date of alad in Zone A (without a	n management ordinance measurement used in li- sed and sealed by a licer the elevation data in the FEMA-issued or commu	ieme G8 and G9. Ised surveyor, engineer, or architect Comments area below.)
G of this is an A co	Sevation Certificate. Con information in Section C athorized by law to cortify mmunity official complete following information (ital	nv or ordinance to administer nplate the applicable item(s) a was taken from other docume elevation information. (Indica ad Section E for a building loc ma (34-99) is provided for con	the community's floodolated along the sign befow. Check the entation that has been sign at the source and date of alad in Zone A (without a munulity floodolatin management)	n management ordinance measurement used in li- sed and seeled by a licer the elevation data in the FEMA-issued or commu- ement purposes.	ieme G8 and G9.  Jeed surveyor, engineer, or architect Comments area below.)  Attylissued BFE) or Zone AO.
G of this is an A co	Sevation Certificate. Con information in Section C athorized by law to cortify mmunity official complete following information (ital	nv or ordinance to edminister npiele the applicable item(s) s was taken from other docume elevation information. (Indice ad Section E for a building loc	the community's floodolated aign befow. Check the entation that has been signate the source and date of alad in Zone A (without a munity floodolatin management)	n management ordinance measurement used in li- sed and seeled by a licer the elevation data in the FEMA-issued or commu- ement purposes.	ieme G8 and G9. Ised surveyor, engineer, or architect Comments area below.)
G of this E is a:  A co The The	Sevation Certificate. Con information in Section C athorized by law to cortify ommunity official complete following information (that umber	nv or ardinance to administer inplate the applicable item(s) a was taken from other docume elevation information. (Indica ad Section E for a building loc ma (34-39) is provided for cor G6. Date Pennit Issued	the community's floodolated aign befow. Check the entation that has been signate the source and date of alad in Zone A (without a munity floodolatin management)	n management ordinance measurement used in li- ad and seeled by a licer the elevation data in the FEMA-Issued or commu- ement purposes.  Date Certificate Of Col	ieme G8 and G9.  Jeed surveyor, engineer, or architect Comments area below.)  Attylissued BFE) or Zone AO.
G of this E The is as A co The The The This permit N	Sevation Certificate. Con information in Section C who deed by law to confry ommunity official complete following information (that lumber mit has been issued for:	nv or ordinance to administer npiete the applicable item(s) a was taken from other docume elevation information. (Indicated Section E for a building too ma G4-G9) is provided for cordinal G5. Date Pennit Issued  New Construction	the community's floodplain as sign below. Check the entation that has been sign at the source and date of alad in Zone A (without a minunity floodplain manages)    30	n management ordinance measurement used in li- ad and seeled by a licer the elevation data in the FEMA-Issued or commu- ement purposes.  Date Certificate Of Col	ieme G8 and G9. Ised surveyor, engineer, or architect Comments area below.) http://ssued BFE) or Zone AO. Impliance/Occupancy (assed
G of this E The Is as A co The The The Elevation	Sevation Certificate. Con information in Section C who deed by law to confry ommunity official complete following information (that lumber mit has been issued for:	nv or ordinance to administer nplate the applicable item(s) a was taken from other docume elevation information. (Indicated Section E for a building too ms G4-G9) is provided for cordinal Case Pennit Issued  New Construction  noticuling basemently of the building basemently basemently basemently basemently basemently basemently basemently basemently basemently basementl	the community's floodplain as sign below. Check the entation that has been sign at the source and date of alad in Zone A (without a minunity floodplain manages)    30	n management ordinance measurement used in li- sed and seeled by a licer the elevation data in the  FEMA-Issued or commu- ement purposes.  Date Certificate Of Co.	ieme G8 and G9.  Ised surveyor, engineer, or architect Comments area below.)  http://ssued BFE) or Zone AO.  Impliance/Occupancy (assed)
G of this E is as A co The Fermit N  This pent Elevation of E	Evailon Certificate. Con information in Section C who deed by law to confly ommunity official complete following information (item tumber milt has been issued for:	nv or ordinance to administer npiete the applicable item(s) a was taken from other docume elevation information. (Indicated Section E for a building too ma G4-G9) is provided for corollary of the Work Construction  New Construction  Including basement) of the building as the building ofter	the community's floodplain as sign below. Check the entation that has been sign at the source and date of alad in Zone A (without a minunity floodplain manages)    30	management ordinance measurement used in lined and seeled by a licer the elevation data in the FEMA-issued or communement purposes.  Date Certificate Of Communication of Commun	ieme G8 and G9.  Ised surveyor, engineer, or architect Comments area below.)  http://ssued BFE) or Zone AO.  Impliance/Occupancy Issued  (PR) Datum_  IPR) Datum_
G of this E The is as A co The Permit N This perm Elevation Dre or (c)	Evalion Certificate. Con information in Section C who deed by law to confly ommunity official complete following information (item with the been issued for it as been issued for (it a	nv or ordinance to administer npiete the applicable item(s) a was taken from other docume elevation information. (Indicated Section E for a building too ma G4-G9) is provided for corollary of the Work Construction  New Construction  Including basement) of the building as the building ofter	the community's floodplain as sign below. Check the entation that has been sign at the source and date of alad in Zone A (without a minunity floodplain manages)    30	menagement ordinance measurement used in lined and seeled by a licer the elevation data in the FEMA-issued or communement purposes.  Date Certificate Of Communication of the line of the	ieme G8 and G9.  Ised surveyor, engineer, or architect Comments area below.)  http://ssued BFE) or Zone AO.  Impliance/Occupancy Issued  (PR) Datum_  IPR) Datum_
G of this E The is as A co The is Permit N This permit N This permit N Elevation Draw (c) Communical Official	Evailon Certificate. Con information in Section Controlled by law to cortify ommunity official complete following information (flantumber and as-built lowest floor (in the color of as-built lowest floor of as-built lowest floor of as-built lowest floor (in the color of as-built lowest floor of as-built lowest flo	nv or ordinance to administer npiete the applicable item(s) a was taken from other docume elevation information. (Indicated Section E for a building too ma G4-G9) is provided for corollary of the Work Construction  New Construction  Including basement) of the building as the building ofter	the community's floodplained sign below. Check the entation that has been signate the source and date of alad in Zone A (without a minunity floodplain managed)  [G0]  [Substantial Improvementating	management ordinance measurement used in lined and seeled by a licer the elevation data in the FEMA-issued or communement purposes.  Date Certificate Of Continuing feet meters meters meters feet meters	ieme G8 and G9.  Ised surveyor, engineer, or architect Comments area below.)  http://ssued BFE) or Zone AO.  Impliance/Occupancy Issued  (PR) Datum_  IPR) Datum_
G of this is an is an in A co	Evailon Certificate. Con information in Section Controlled by law to cortify ommunity official complete following information (flantumber and as-built lowest floor (in the color of as-built lowest floor of as-built lowest floor of as-built lowest floor (in the color of as-built lowest floor of as-built lowest flo	nv or ordinance to administer npiete the applicable item(s) a was taken from other docume elevation information. (Indicated Section E for a building too ma G4-G9) is provided for corollary of the Work Construction  New Construction  Including basement) of the building as the building ofter	the community's floodplained sign below. Check the entation that has been signate the source and date of alad in Zone A (without a numunity floodplain managed).  Substantial Improvementating	management ordinance measurement used in lined and seeled by a licer the elevation data in the FEMA-issued or communement purposes.  Date Certificate Of Continuing feet meters meters meters feet meters	ieme G8 and G9.  Ised surveyor, engineer, or architect Comments area below.)  http://ssued BFE) or Zone AO.  Impliance/Occupancy Issued  (PR) Datum_  IPR) Datum_
G of this is an is	Evailon Certificate. Con information in Section Controlled by law to cortify ommunity official complete following information (flantumber and as-built lowest floor (in the color of as-built lowest floor of as-built lowest floor of as-built lowest floor (in the color of as-built lowest floor of as-built lowest flo	nv or ordinance to administer npiete the applicable item(s) a was taken from other docume elevation information. (Indicated Section E for a building too ma G4-G9) is provided for corollary of the Work Construction  New Construction  Including basement) of the building as the building ofter	the community's floodplained sign befow. Check the entation that has been signate the source and date of alad in Zone A (without a numunity floodplain managed)    Gotom	management ordinance measurement used in lined and seeled by a licer the elevation data in the FEMA-issued or communement purposes.  Date Certificate Of Continuing feet meters meters meters feet meters	ieme G8 and G9.  Ised surveyor, engineer, or architect Comments area below.)  http://ssued BFE) or Zone AO.  Impliance/Occupancy Issued  (PR) Datum_  IPR) Datum_
G of this E The is an  A co The Sermit N This permit N This permit N Community N Community N Constants	Evailon Certificate. Con information in Section Controlled by law to cortify ommunity official complete following information (flantumber and as-built lowest floor (in the color of as-built lowest floor of as-built lowest floor of as-built lowest floor (in the color of as-built lowest floor of as-built lowest flo	nv or ordinance to administer npiete the applicable item(s) a was taken from other docume elevation information. (Indicated Section E for a building too ma G4-G9) is provided for corollary of the Work Construction  New Construction  Including basement) of the building as the building ofter	the community's floodplained sign befow. Check the entation that has been signate the source and date of alad in Zone A (without a numunity floodplain managed)    Gotom	management ordinance measurement used in lined and seeled by a licer the elevation data in the FEMA-issued or communement purposes.  Date Certificate Of Continuing feet meters meters meters feet meters	ieme G8 and G9.  Ised surveyor, engineer, or architect Comments area below.)  http://ssued BFE) or Zone AO.  Impliance/Occupancy Issued  (PR) Datum_  IPR) Datum_
G of this E is as A co	Evailon Certificate. Con information in Section Controlled by law to cortify ommunity official complete following information (flantumber and as-built lowest floor (in the color of as-built lowest floor of as-built lowest floor of as-built lowest floor (in the color of as-built lowest floor of as-built lowest flo	nv or ordinance to administer npiete the applicable item(s) a was taken from other docume elevation information. (Indicated Section E for a building too ma G4-G9) is provided for corollary of the Work Construction  New Construction  Including basement) of the building as the building ofter	the community's floodplained sign befow. Check the entation that has been signate the source and date of alad in Zone A (without a numunity floodplain managed)    Gotom	management ordinance measurement used in lined and seeled by a licer the elevation data in the FEMA-issued or communement purposes.  Date Certificate Of Continuing feet meters meters meters feet meters	ieme G8 and G9.  Ised surveyor, engineer, or architect Comments area below.)  http://ssued BFE) or Zone AO.  Impliance/Occupancy Issued  (PR) Datum_  IPR) Datum_


3 of 4

## Building Photographs See instructions for item A6.

Building Street Address (including Apt.		

ZIP Gode 42ろし

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page on the reverse.



FRANT MBIN

4. of 4