ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section	1 A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route at 1465 BAYSHORE DRIVE	Policy Number:	
City State ZIP Code ENGLEWOOD Florida 34223	e	Company NAIC Number
SECTION G - COMMUNITY INFORMATION	(OPTIONAL)	
The local official who is authorized by law or ordinance to administer the community's Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable it used in Items G8–G10. In Puerto Rico only, enter meters.	s floodplain mar em(s) and sign	nagement ordinance can complete below. Check the measurement
G1. The information in Section C was taken from other documentation that has engineer, or architect who is authorized by law to certify elevation information data in the Comments area below.)	on. (Indicate the	e source and date of the elevation
G2. A community official completed Section E for a building located in Zone A (or Zone AO.	without a FEMA	A-issued or community-issued BFE)
G3. The following information (Items G4–G10) is provided for community floodp	olain manageme	ent purposes.
G4. Permit Number 18-139772 BA G5. Date Permit Issued		Date Certificate of compliance/Occupancy Issued
G7. This permit has been issued for: New Construction Substantial Im	provement	
G8. Elevation of as-built lowest floor (including basement) of the building:	feet	meters Datum
G9. BFE or (in Zone AO) depth of flooding at the building site:	feet	meters Datum
G10. Community's design flood elevation:	feet	meters Datum
Local Official's Name Title		
Community Name Telephone		
Signature Date		
Comments (including type of equipment and location, per C2(e), if applicable)		The second secon
		Check here if attachments.

U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2018

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1–9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION				FOR INSUI	RANCE COMPANY USE	
A1. Building Owner's Name MARCUS P. AND TRUDIE D.	SMITH				Policy Num	ber:
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1465 BAYSHORE DRIVE					Company N	IAIC Number:
City ENGLEWOOD	VA. 11. 1		State Florida		ZIP Code 34223	
A3. Property Description (Lot LOT 838 ENGLEWOOD GARD				gal Description, et	c.)	
A4. Building Use (e.g., Reside	ntial, Non-Residential,	Addition	, Accessory,	etc.) Accessory	/ Structures	
A5. Latitude/Longitude: Lat. 2	26.997194°	Long	82.389038°	Horizonta	l Datum: NAD	1927 X NAD 1983
A6. Attach at least 2 photogra	phs of the building if the	e Certific	ate is being u	sed to obtain floo	d insurance.	
A7. Building Diagram Number	1B					
A8. For a building with a crawl	space or enclosure(s):					
a) Square footage of craw	space or enclosure(s)			0.00 sq ft		
b) Number of permanent f	lood openings in the cra	wlspace	e or enclosur	e(s) within 1.0 foot	above adjacent gra	ade 0
c) Total net area of flood of	penings in A8.b		0.00 sq ir	ı		
d) Engineered flood openi	ngs? 🗌 Yes 🗵 N	lo				
A9. For a building with an attac	hed garage:					
a) Square footage of attac	hed garage		1065.00 sq ft			
b) Number of permanent fi	ood openings in the atta	ached g	arage within	1.0 foot above adj	acent grade 6	
c) Total net area of flood o	penings in A9.b		768.00 sq	in		
d) Engineered flood openi	ngs? ⊠ Yes □ N	0				
	ECTION B - FLOOD II	NSURA	NCE RATE	MAP (FIRM) INF	ORMATION	
B1. NFIP Community Name & SARASOTA COUNTY FLORID	•		B2. County SARASOTA			B3. State Florida
B4. Map/Panel B5. Suffix Number	B6. FIRM Index Date	Effe	RM Panel ective/ vised Date	B8. Flood Zone(s)	B9. Base Flood E (Zone AO, use	levation(s) e Base Flood Depth)
12115C0432 F	11-04-2016	11-04-2		AE	12'	
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: ☐ FIS Profile ☐ FIRM ☐ Community Determined ☐ Other/Source:						
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other/Source:						
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Tyes X No						
Designation Date: CBRS OPA						
		-				:

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A.	FOR INSURANCE COMPANY USE			
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1465 BAYSHORE DRIVE	Policy Number:			
City State ZIP Code ENGLEWOOD Florida 34223	Company NAIC Number			
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY F	REQUIRED)			
 C1. Building elevations are based on: Construction Drawings* Building Under Const *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AF Complete Items C2.a–h below according to the building diagram specified in Item A7. In Pue Benchmark Utilized: NGS Z 234 	R/AE. AR/A1-A30. AR/AH. AR/AO.			
Indicate elevation datum used for the elevations in items a) through h) below. NGVD 1929 NAVD 1988 Other/Source: Datum used for building elevations must be the same as that used for the BFE.	Check the measurement used. 4.0			
a) Top of bottom floor (including basement, crawlspace, or enclosure floor) b) Top of the next higher floor	N/A feet meters			
c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab)	N/A ☐ feet ☐ meters N/A ☐ feet ☐ meters			
e) Lowest elevation of machinery or equipment servicing the building	14/A Litet Liteta			
(Describe type of equipment and location in Comments)	N/A feet meters			
f) Lowest adjacent (finished) grade next to building (LAG)	3.6 X feet meters			
g) Highest adjacent (finished) grade next to building (HAG)	3.9 🔀 feet 🗌 meters			
h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support	N/A feet meters			
SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTII				
This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by a land surveyor engineer, or architect authorized by a land surveyor engineer, or architect authorized by least efforts to interpret the data available to statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.	by law to certify elevation information. Iable. I understand that any false			
Were latitude and longitude in Section A provided by a licensed land surveyor? X Yes No				
Certifier's Name License Number RANDALL E. BRITT PLS 3979				
Title LAND SURVEYOR Company Name	faudall Fint			
BRITT SURVEYING INC. Address	RANDALL E. BRITT, PLS FLORIDA CERTIFICATE #3979			
606 CYPRESS AVE.	DATE: [2 11 2018			
City State ZIP Code VENICE Florida 34285				
Date Telephone (941) 493-1396	Ext.			
Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.				
Comments (including type of equipment and location, per C2(e), if applicable) THIS CERTIFICATE IS FOR ACCESSORY STRUCTURES: DETATCHED GARAGE AND STORAGE AREA.				
***A9c) REPRESENTS COMBINED AREA (772 SQ. FT. = GARAGE) + (296 SQ. FT. = STORAGE	E) = 1068 SQ. FT.			
6 TOTAL FLOOD OPENINGS (4 GARAGE, 2 STORAGE). FLOOD VENT FFNF05 (SEE ATTACHMENT) VENTS ON OPPOSING WALLS Source for latitude/longitude: 2018 aerial photograph from Sarasota County GIS website.				

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: in these spaces, copy the correspond	ing information from	Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and 1465 BAYSHORE DRIVE	d/or Bldg. No.) or P.O.	Route and Box No.	Policy Number:
l		ZIP Code 34223	Company NAIC Number
SECTION E BUILDING EL FOR ZON	EVATION INFORMA E AO AND ZONE A (REQUIRED)
For Zones AO and A (without BFE), complete Items E complete Sections A, B,and C. For Items E1–E4, use renter meters.	I–E5. If the Certificate natural grade, if availab	s intended to support a le. Check the measure	LOMA or LOMR-F request, ment used. In Puerto Rico only,
E1. Provide elevation information for the following and the highest adjacent grade (HAG) and the lowest aa) Top of bottom floor (including basement,	check the appropriate adjacent grade (LAG).	boxes to show whethe	r the elevation is above or below
crawlspace, or enclosure) is b) Top of bottom floor (including basement,		feet meter	
crawlspace, or enclosure) is E2. For Building Diagrams 6–9 with permanent flood of	penings provided in Se		
the next higher floor (elevation C2.b in the diagrams) of the building is			
E3. Attached garage (top of slab) is			s above or below the HAG.
E4. Top of platform of machinery and/or equipment servicing the building is	***	feet _ meter	s above or below the HAG.
E5. Zone AO only: If no flood depth number is available floodplain management ordinance? Yes	e, is the top of the bott No Duknown.	om floor elevated in ac The local official must o	cordance with the community's certify this information in Section G.
SECTION F - PROPERTY OW	NER (OR OWNER'S R	EPRESENTATIVE) CE	RTIFICATION
The property owner or owner's authorized representation community-issued BFE) or Zone AO must sign here. The property owner or owner's authorized representation of the property owner or owner's authorized representation.	ve who completes Sections statements in Section	ions A, B, and E for Zo	ne A (without a FEMA-issued or rect to the best of my knowledge.
Property Owner or Owner's Authorized Representative	s Name		
Address	City	Sta	ate ZIP Code
Signature	Date	Те	lephone
Comments			
			Check here if attachments.

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, co	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1465 BAYSHORE DRIVE			Policy Number:
City ENGLEWOOD	State Florida	ZIP Code 34223	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption FRONT VIEW

Clear Photo One



Photo Two Caption LEFT FRONT VIEW

Clear Photo Two

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, co	FOR INSURANCE COMPANY USE Policy Number:		
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1465 BAYSHORE DRIVE			
City	State	ZIP Code	Company NAIC Number
ENGLEWOOD	Florida	34223	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption FLOW THROUGH

Clear Photo One



Photo Two Caption FLOW THROUGH MFG

Clear Photo Two

Building Diagrams

The following diagrams illustrate various types of buildings. Compare the features of the building being certified with the features shown in the diagrams and select the diagram most applicable. Enter the diagram number in Item A7, the square footage of crawlspace or enclosure(s) and the area of flood openings in square inches in Items A8.a–c, the square footage of attached garage and the area of flood openings in square inches in Items A9.a–c, and the elevations in Items C2.a–h.

In A zones, the floor elevation is taken at the top finished surface of the floor indicated; in V zones, the floor elevation is taken at the bottom of the lowest horizontal structural member (see drawing in instructions for Section C).

DIAGRAM 1A

All slab-on-grade single- and multiple-floor buildings (other than split-level) and high-rise buildings, either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor is at or above ground level (grade) on at least 1 side.*




DIAGRAM 1B

All raised-slab-on-grade or slab-on-stem-wall-with-fill single- and multiple-floor buildings (other than split-level), either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor is at or above ground level (grade) on at least 1 side.*




DIAGRAM 2A

All single- and multiple-floor buildings with basement (other than split-level) and high-rise buildings with basement, either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor (basement or underground garage) is below ground level (grade) on all sides.*





DIAGRAM 2B

All single- and multiple-floor buildings with basement (other than split-level) and high-rise buildings with basement, either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor (basement or underground garage) is below ground level (grade) on all sides; most of the height of the walls is below ground level on all sides; and the door and area of egress are also below ground level on all sides.*



^{*} A floor that is below ground level (grade) on all sides is considered a basement even if the floor is used for living purposes, or as an office, garage, workshop, etc.



Most Widely Accepted and Trusted

ICC-ES Evaluation Report

ICC-ES | (800) 423-6587 | (562) 699-0543 | www.icc-es.org

ESR-3560

Reissued 09/2018 This report is subject to renewal 09/2019.

DIVISION: 08 00 00—OPENINGS

SECTION: 08 95 43—VENTS/FOUNDATION FLOOD VENTS

REPORT HOLDER:

FLOOD FLAPS®, LLC

EVALUATION SUBJECT:

FLOOD FLAPS® AUTOMATIC FLOOD VENTS: MODELS FFWF12; FFNF12; FFWF08; FFNF05; FFNF05



"2014 Recipient of Prestigious Western States Seismic Policy Council (WSSPC) Award in Excellence"

A Subsidiary of CODE COUNCIL

ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report.



specified in, those codes listed in Section 1.0 of this report, subject to the following conditions:

- 5.1 The Flood Flaps[®] automatic FVs must be installed in accordance with this report, the applicable code and the manufacturer's installation instructions. In the event of a conflict, the instructions in this report govern.
- 5.2 The Flood Flaps[®] automatic FVs must not be used in place of "breakaway walls" in coastal high hazard areas, but are permitted for use in conjunction with breakaway walls in other areas.

6.0 EVIDENCE SUBMITTED

Data in accordance with the ICC-ES Acceptance Criteria for Mechanically Operated Flood Vents (AC364), dated August 2015 (editorially revised October 2017).

7.0 IDENTIFICATION

7.1 The Flood Flaps® models recognized in this report are identified by a label bearing the manufacturer's name, the model number, and the evaluation report number (ESR-3560). 7.2 The report holder's contact information is the following:

FLOOD FLAPS®, LLC
POST OFFICE BOX 1003
ISLE OF PALMS, SOUTH CAROLINA 29451
(843) 881-0190
www.floodflaps.com
info@floodflaps.com

TABLE 1—FLOOD FLAP AUTOMATIC FLOOD VENT MODEL SIZES

MODEL NUMBER	MODEL DESIGNATION	ROUGH OPENING (Width X Height) (inches)	VENT SIZE (W X H X D) (inches)	ENCLOSED AREA COVERAGE (ft²)	NET FREE AREA OPENING ¹ (in ²)
FFWF12	Sealed Series	16 x 8	15 ⁵ / ₈ X 7 ³ / ₄ X 12	220	NA
FFNF12	Multi-Purpose	16 x 8	15 ⁵ / ₈ X 7 ³ / ₄ X 12	220	37
FFWF08	Sealed Series	16 x 8	15 ⁵ / ₈ x 7 ³ / ₄ x 8	220	NA
FFNF08	Multi-Purpose	16 x 8	15 ⁵ / ₈ x 7 ³ / ₄ x 8	220	37
FFWF05	Sealed Series	16 x 8	$15^{5}/_{8} \times 7^{3}/_{4} \times 5$	220	NA
FFNF05	Multi-Purpose	16 x 8	15 ⁵ / ₈ x 7 ³ / ₄ x 5	220	37

For **SI**: 1 inch = 25.4 mm; 1 f^{12} = 0.093 m^2




FIGURE 1—FLOOD FLAPS® AUTOMATIC FLOOD VENT

¹For under-floor ventilation only.



ICC-ES Evaluation Report

ESR-3560 FBC Supplement

Reissued September 2018

This report is subject to renewal September 2019.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00—OPENINGS

Section: 08 95 43—Vents/Foundation Flood Vents

REPORT HOLDER:

FLOOD FLAPS®, LLC

EVALUATION SUBJECT:

FLOOD FLAPS® AUTOMATIC FLOOD VENTS: MODELS FFWF12; FFNF12; FFWF08; FFNF08; FFWF05; FFNF05

1.0 REPORT PURPOSE AND SCOPE

Purpose:

The purpose of this evaluation report supplement is to indicate that Flood Flaps® automatic flood vents, recognized in ICC-ES master evaluation report ESR-3560, have also been evaluated for compliance with the codes noted below.

Applicable code editions:

- 2017 Florida Building Code—Building
- 2017 Florida Building Code—Residential

2.0 CONCLUSIONS

The Flood Flaps flood vents, described in Sections 2.0 through 7.0 of the master evaluation report ESR-3560, comply with the *Florida Building Code—Building and the Florida Building Code—Residential*, provided the design and installation are in accordance with the 2015 *International Building Code®* provisions noted in the master report.

Use of the Flood Flaps flood vents has also been found to be in compliance with the High-Velocity Hurricane Zone provisions of the Florida Building Code—Building and the Florida Building Code—Residential.

For products falling under Florida Rule 9N-3, verification that the report holder's quality-assurance program is audited by a quality-assurance entity approved by the Florida Building Commission for the type of inspections being conducted is the responsibility of an approved validation entity (or the code official, when the report holder does not possess an approval by the Commission).

This supplement expires concurrently with the master report, reissued September 2018.

