### OMB Control No. 1660-0008 Expiration Date: 06/30/2026

### U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

### ELEVATION CERTIFICATE IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON PAGES 9-19

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION	FOR INSURANCE COMPANY USE			
A1. Building Owner's Name: MHC WOS EXP LLC	Policy Number:			
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: 2052 CASITA DRIVE	Company NAIC Number:			
City: SARASOTA State: FL	ZIP Code: 34234			
A3. Property Description (e.g., Lot and Block Numbers or Legal Description) and/or Tax Parcel NumLOT 14 - PORTION OF PARCEL ID 0030110004	nber:			
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.): RESIDENTIAL	4			
A5. Latitude/Longitude: Lat. 27.361549N Long. 82.508798W Horizontal Datum:	IAD 1927 ⊠ NAD 1983 □ WGS 84			
A6. Attach at least two and when possible four clear photographs (one for each side) of the building				
A7. Building Diagram Number:8				
A8. For a building with a crawlspace or enclosure(s):				
a) Square footage of crawlspace or enclosure(s): 1,700.00 sq. ft.				
b) Is there at least one permanent flood opening on two different sides of each enclosed area?	Yes No N/A			
c) Enter number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot Non-engineered flood openings:0 Engineered flood openings:0				
d) Total net open area of non-engineered flood openings in A8.c: 0.00 sq. in.				
e) Total rated area of engineered flood openings in A8.c (attach documentation – see Instruction	ons): o.00 sq. ft.			
f) Sum of A8.d and A8.e rated area (if applicable – see Instructions): 0.00 sq. ft.				
A9. For a building with an attached garage:				
a) Square footage of attached garage: 480.00 sq. ft.				
b) Is there at least one permanent flood opening on two different sides of the attached garage?	P⊠Yes □ No □ N/A			
c) Enter number of permanent flood openings in the attached garage within 1.0 foot above adjacent Non-engineered flood openings:				
d) Total net open area of non-engineered flood openings in A9.c: sq. in.				
e) Total rated area of engineered flood openings in A9.c (attach documentation - see Instruction	ons): 485.00 sq. ft.			
f) Sum of A9.d and A9.e rated area (if applicable – see Instructions): 485.00 sq. ft.				
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFOF	RMATION			
B1.a. NFIP Community Name: SARASOTA COUNTY  B1.b. NFIP Community Idea	ntification Number: 125144			
B2. County Name: SARASOTA B3. State: FL B4. Map/Panel No.: 1	12115C0132 B5. Suffix: F			
B6. FIRM Index Date: 11/04/2016 B7. FIRM Panel Effective/Revised Date: 11/04/20	16			
B8. Flood Zone(s): AE B9. Base Flood Elevation(s) (BFE) (Zone AO, use E	Base Flood Depth): 32.0			
B10. Indicate the source of the BFE data or Base Flood Depth entered in Item B9:  ☐ FIS ☐ FIRM ☐ Community Determined ☐ Other:				
B11. Indicate elevation datum used for BFE in Item B9: ☐ NGVD 1929 ☒ NAVD 1988 ☐ Other	/Source:			
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes No Designation Date: CBRS OPA				
B13. Is the building located seaward of the Limit of Moderate Wave Action (LiMWA)?	No			

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON PAGES 9-19

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box	No.: F	OR INSU	RANCE C	OMPANY USE		
2052 CASITA DRIVE	— Р	olicy Numl	ber:			
City: SARASOTA State: FL ZIP Code: 34234	с	ompany N	IAIC Numb	oer:		
SECTION C - BUILDING ELEVATION INFORMATION (	SURVEY RE	QUIRED	1)			
C1. Building elevations are based on: Construction Drawings* Building Under *A new Elevation Certificate will be required when construction of the building is com		* 🛛 Fini	ished Cons	struction		
C2. Elevations – Zones A1–A30, AE, AH, AO, A (with BFE), VE, V1–V30, V (with BFE), A99. Complete Items C2.a–h below according to the Building Diagram specified in It Benchmark Utilized: NGS PID DL2171 Vertical Datum: EL=	em A7. In Pue	erto Rico o	1–A30, AF nly, enter	R/AH, AR/AO, meters.		
Indicate elevation datum used for the elevations in items a) through h) below.  ☐ NGVD 1929 ☑ NAVD 1988 ☐ Other:				2		
Datum used for building elevations must be the same as that used for the BFE. Conversion If Yes, describe the source of the conversion factor in the Section D Comments area.	on factor used		Yes 🖂	No asurement used:		
a) Top of bottom floor (including basement, crawlspace, or enclosure floor):	34.		feet	meters		
b) Top of the next higher floor (see Instructions):	36.	00 🛛	feet [	meters		
c) Bottom of the lowest horizontal structural member (see Instructions):						
d) Attached garage (top of slab):	00 🗵	feet	meters			
<ul> <li>e) Lowest elevation of Machinery and Equipment (M&amp;E) servicing the building (describe type of M&amp;E and location in Section D Comments area):</li> </ul>	36.	00 🖂	feet	meters		
f) Lowest Adjacent Grade (LAG) next to building:   Natural  Finished	32.	00 🖂	feet	meters		
g) Highest Adjacent Grade (HAG) next to building:   Natural  Finished	33.	00 🛛	feet	meters		
h) Finished LAG at lowest elevation of attached deck or stairs, including structural support:	33.	00 🖂	feet	meters		
SECTION D – SURVEYOR, ENGINEER, OR ARCHITE	CT CERTIFI	CATION				
This certification is to be signed and sealed by a land surveyor, engineer, or architect autinformation. I certify that the information on this Certificate represents my best efforts to it false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section	nterpret the da	te law to c ita availab	ertify eleva le. I under	ation stand that any		
Were latitude and longitude in Section A provided by a licensed land surveyor?   X Yes	☐ No					
☐ Check here if attachments and describe in the Comments area.						
Certifier's Name: RUSSELL STRAYER License Number: LS 6890						
Title: PRESIDENT						
Company Name: ATHCA SURVEYING INC.						
Address: 4813 ANDREW AVENUE		Pro:		70		
City: SARASOTA State: FL ZIP Code: 34	1233	055	FLORE	or : 5		
Signature: Russell Strayer Digitally signed by Russell Strayer Date: 2023.08.04 16:19:52 -04'00' Date: 08/04	1/2023	1, one	Sum	340 45		
Telephone: (941) 650-5400 Ext.: Email: RSTRAYER@ATHCASUR	e	1	Place Sea	l Here		
Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2)	insurance age	nt/compan	y, and (3) h	ouilding owner.		
Comments (including source of conversion factor in C2; type of equipment and leastion a	on CO or or d	Januaria di -				

Comments (including source of conversion factor in C2; type of equipment and location per C2.e; and description of any attachments): JOB #1059. BUILDING BOTTOM BEAM ELEVATION = 34.5. LOWEST MACHINERY USED WAS THE AIR CONDITIONER ON THE SIDE OF THE BUILDING. ELEVATIONS WERE DERIVED UTILIZING THE FDOT FPRN RTK NETWORK. NO ACCESS INSIDE BUILDING AT TIME OF SURVEY. THE FIVE (5) FLOOD VENTS WERE MODEL #FS-1608 WITH AN ENGINEERED OPENING OF 97 SQUARE FEET EACH PER THE ATTACHMENT. COORDINATES ARE FROM GPS OBSERSERVATIONS CONVERTED USING THE NOAA NGS COORDINATE CONVERSION TOOL.

	ad roderski i stolen samte komiter i de je je se kojime je se odan sodijenska (
	A STATE OF A STATE OF THE STATE
avolum and Inn <b>e</b> m Egil (1996, ast.) Be	o o portigira de la [1] como pepartir en una marti [1] como proposa con estrumento de la esta de la esta de la La cotambia promitada con la como como contrata de la martiga de la la esta la esta de entre de martino de la e
	A CALPANIA A CARTANIA A WAR A A MARKANIA MARKANIA MARKANIA MARKANIA MARKANIA MARKANIA MARKANIA MARKANIA MARKAN Markania Markania Ma Markania Markania Ma
	ကြားသည်။ သည်။ မြောင်းသည်။ မြောင်းသည်။ မြောင်းသည်။ မြောင်းသည် မြောင်းသည်။ မြောင်းသည်။ မြောင်းသည်။ မြောင်းသည်။ မ မြောင်းသည်။ မြောင်းသည်။ မြောင်းသည်။ မြောင်းသည်။ မြောင်းသည်။ မြောင်းသည်။ မြောင်းသည်။ မြောင်းသည်။ မြောင်းသည်။ မြ
State of the state	normalistic for the control and control and the control and th
Salata i su su su su <del>adi</del> ma un Salata i su su su su adi salata i su	to the state of th
state of the second of the	ing the second of the second o
	in the state of th
e dan dia mendingan dia da	i ilitaria de la paga da alta de la compania de la
· · · · · · · · · · · · · · · · · · ·	ing and the state of the state
	်ကြို့သော သုံးသည်။ သည်
a super the contribution of	्रकारण विकास किया विकास हो। अवस्थित क्षेत्र का अवस्था कर के विकास कर कर कर कर कर कर है। अने का अवस्था कर कर की
water state projection	(1) (1) (2) (2) (2) (2) (3) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4
	for the properties of the second of the expension of the parent of the second of the s
ا با در	
et e seksje tedare tekses och til seks t e seksje tedare tekses och til seks t e sekst och til sek	and the protection of the state of the state of the state of the state of the control of the state of the control of the state of the s
# 1	to entropy, in the common term is a continuous to the American term of the property of the continuous property of
	April 19 Communication of the first of the f
SAMUEC .	
AL SUN ZENE NEED TO THE NEED TO THE PERSON NEED TO	
0685 A	
	ECHEVALLE SALES EN HERRINA
STATE OF	and the second of the second o
CASE CONTRACTOR AND AND ADDRESS OF THE PARTY	
Adjaota Adjaota	
Adlao. F	
STATE OF PLORIDA PLORI	
The second secon	Control of the contro
The second secon	Control of the contro

### IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON PAGES 9-19

Building Street Address (including Apt., Unit, Suite, and/	or Bldg. No.)	or P.O. Route	and Bo	x No.:	FOR INSURA	NCE COMPANY USE	
2052 CASITA DRIVE  City: SARASOTA Sta	ate: FL	_ ZIP Code:	34234	1	Policy Number Company NAI		
SECTION E – BUILDING MEASUREMENT INFORMATION (SURVEY NOT REQUIRED)  FOR ZONE AO, ZONE AR/AO, AND ZONE A (WITHOUT BFE)							
For Zones AO, AR/AO, and A (without BFE), complete intended to support a Letter of Map Change request, center meters.							
Building measurements are based on: Construct *A new Elevation Certificate will be required when con					on*  Finished	d Construction	
E1. Provide measurements (C.2.a in applicable Buildi measurement is above or below the natural HAG			ing and	I check the a	ppropriate boxes	s to show whether the	
a) Top of bottom floor (including basement, crawlspace, or enclosure) is:	2 		feet	meters	above or	below the HAG.	
b) Top of bottom floor (including basement, crawlspace, or enclosure) is:	·	🗆	feet	meters	above or	below the LAG.	
E2. For Building Diagrams 6–9 with permanent flood next higher floor (C2.b in applicable	openings pro	ovided in Sect	on A Ite	ems 8 and/or	r 9 (see pages 1	-2 of Instructions), the	
Building Diagram) of the building is:		□	feet	meters	above or	below the HAG.	
E3. Attached garage (top of slab) is:	-		feet	meters	above or	below the HAG.	
E4. Top of platform of machinery and/or equipment servicing the building is:		🗆	feet	meters	above or	below the HAG.	
E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?   Yes  No  Unknown The local official must certify this information in Section G.							
SECTION F - PROPERTY OWNER (O	R OWNER'	S AUTHOR	ZED F	REPRESEN	TATIVE) CERT	TIFICATION	
The property owner or owner's authorized representat sign here. The statements in Sections A, B, and E are					one A (without B	FE) or Zone AO must	
Check here if attachments and describe in the Cor							
Property Owner or Owner's Authorized Representative	e Name:						
Address:							
City:				State:	ZIP Code:		
Signature:		Da	te:		_		
Telephone: Ext.: E	mail:						
Comments:							

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON PAGES 9-19

Building Street Address (including Apt., Unit, Suite	e, and/or Bldg. No.)	or P.O. Route and Box No.:	FOR INS	URANCE COMPANY USE
2052 CASITA DRIVE			Policy Nu	mber:
City: SARASOTA	State: FL	ZIP Code: <u>34234</u>	Company	NAIC Number:
SECTION G - COMMUNITY INFOR	MATION (RECO	MMENDED FOR COMMU	NITY OFFICIA	AL COMPLETION)
The local official who is authorized by law or ord Section A, B, C, E, G, or H of this Elevation Cer	dinance to administ tificate. Complete t	er the community's floodplain he applicable item(s) and sig	management on below when:	ordinance can complete
G1. The information in Section C was tal engineer, or architect who is authori elevation data in the Comments are	zed by state law to	umentation that has been sig certify elevation information.	ned and sealed (Indicate the so	by a licensed surveyor, ource and date of the
G2.a. A local official completed Section E E5 is completed for a building locate		ed in Zone A (without a BFE),	Zone AO, or Zo	one AR/AO, or when item
G2.b.   A local official completed Section H	for insurance purpo	oses.		
G3.	the local official de	escribes specific corrections t	o the informatio	n in Sections A, B, E and H.
G4.			agement purpo	ses.
G5. Permit Number: 23 109278	G6. Date F	Permit Issued: 3/9/2	1023	
G7. Date Certificate of Compliance/Occupar	ncy Issued:			
G8. This permit has been issued for: Ne	ew Construction	Substantial Improvement		
G9.a. Elevation of as-built lowest floor (including)	ng basement) of the	e [ fee	t meters	Datum:
G9.b. Elevation of bottom of as-built lowest ho member:	rizontal structural		t meters	Datum:
G10.a. BFE (or depth in Zone AO) of flooding a	t the building site:		t meters	Datum:
G10.b. Community's minimum elevation (or deprequirement for the lowest floor or lowes member:		ral	t meters	Datum:
G11. Variance issued?  Yes No I	f yes, attach docun	nentation and describe in the	Comments area	a.
The local official who provides information in Se correct to the best of my knowledge. If applicable	ection G must sign I	nere. I have completed the in	formation in Sec	ction G and certify that it is
Local Official's Name: Ember D	unn	Title:		
NFIP Community Name:				t
Telephone: Ext.:	Email:			
Address:		weetter sales and the control of the sales and the		
City:		State: _	ZIP C	Code:
Signature: 4mbu 0m	w	Date: 8/10/	2023	
Comments (including type of equipment and loc Sections A, B, D, E, or H):	cation, per C2.e; de	scription of any attachments;	and corrections	s to specific information in

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON PAGES 9-19

Building Street Address (including Ap	t., Unit, Suite, a	ind/or Bldg. No.) or F	P.O. Route and B	Sox No.:	FOR IN	SURANCE COMPANY USE
2052 CASITA DRIVE					Policy N	umber:
City: SARASOTA		State: FL	ZIP Code: 3423	34	Compan	y NAIC Number:
		S FIRST FLOOR EQUIRED) (FOR				ZONES
The property owner, owner's authori to determine the building's first floor nearest tenth of a foot (nearest tenth <i>Instructions</i> ) and the appropriate	height for insu n of a meter in	rance purposes. Se Puerto Rico). <b>Refe</b>	ections A, B, and rence the Found	l I must also t <i>dation Type</i>	pe complet Diagrams	ed. Enter heights to the (at the end of Section H
H1. Provide the height of the top of	the floor (as in	dicated in Foundat	on Type Diagrar	ms) above the	e Lowest A	djacent Grade (LAG):
a) For Building Diagrams 1A, floor (include above-grade floor subgrade crawlspaces or encloses.	s only for build		,	_	meters	above the LAG
<ul> <li>b) For Building Diagrams 2A, higher floor (i.e., the floor above enclosure floor) is:</li> </ul>				feet [	meters	above the LAG
H2. Is <b>all</b> Machinery and Equipmen H2 arrow (shown in the Founda  Tes No						
SECTION I - PROPER	TY OWNER	(OR OWNER'S A	UTHORIZED	REPRESEN	ITATIVE)	CERTIFICATION
The property owner or owner's authors, B, and H are correct to the best of indicate in Item G2.b and sign Section	f my knowledg					
Check here if attachments are pr	ovided (includ	ing required photos	) and describe e	ach attachme	ent in the C	Comments area.
Property Owner or Owner's Authoriz	ed Representa	ative Name:				
Address:					,	
City:				State:	ZIP	Code:
Signature:			Date:			
Telephone:	Ext.:	Email:				
Comments:						
-						

### IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON PAGES 9-19 BUILDING PHOTOGRAPHS

See Instructions for Item A6.	
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 2052 CASITA DRIVE	
City: SARASOTA State: FL ZIP Code: 34234	Policy Number:  Company NAIC Number:
Instructions: Insert below at least two and when possible four photographs showing each si able to take front and back pictures of townhouses/rowhouses). Identify all photographs wit "Right Side View," or "Left Side View." Photographs must show the foundation. When flood close-up photograph of representative flood openings or vents, as indicated in Sections A8	h the date taken and "Front View," "Rear View," openings are present, include at least one
Photo One	
Photo One Caption: FRONT	Clear Photo One



Photo Two

Photo Two Caption: RIGHT

Clear Photo Two

### IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON PAGES 9-19 BUILDING PHOTOGRAPHS

Continuation Page

Building Street Address (including Ap	ot., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:	FOR INSURANCE COMPANY USE
2052 CASITA DRIVE		Policy Number:
City: SARASOTA	State: FL ZIP Code: 34234	Company NAIC Number:

Insert the third and fourth photographs below. Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.



Photo Three

Photo Three Caption: REAR Clear Photo Three



Photo Four

Photo Four Caption: LEFT

Clear Photo Four

### FLOOD SOLUTIONS MODEL "FS"

## FEMA COMPLIANT, ICC CERTIFIED ENGINEERED FLOOD VENTS



# FEMA Compliant Engineered Flood Vents meet FEMA requirements when installed properly.

- Use at least 2 flood vents per enclosed area below flood grade, installed on at least two separate walls.
- The bottom of the flood vent opening must not be higher than 12 inches above the grade.
  - At least 1 square inch of engineered opening for every 1 square foot of enclosed space.
- ICC-ES CERTIFIED VENT

Qty	Model	Minimum Opening Required	Tip to Tip Dimensions	Engineered Opening Covers
	FS-1608	16" Wide x 8" High	18-1/2"W x 10-1/2"H	97 sq ft
	FS-1616	16" Wide x 16" High	18-1/2"W x 18-1/2"H	191 sq ft
	FS-1412	14-1/2"W x 12"H	17"W × 14-1/2"H	129 sq ft

 $\overline{\text{Frame}}$ : ALUMINUM; .050" minimum thickness, with square openings in front face, each opening is  $\mathcal{W}'' imes \mathcal{W}''$ Finish: each vent has a satin sanded finish. This finish may be field painted.



### FLOOD SOLUTIONS, LLC. One Industrial Park Drive Bldg. 27 Pelham NH, 03076 Toll Free: 1-800-325-9775 In NH: 603-595-522 Fax: 603-595-4778 www.floodsolutions.com

PROJECT	CONTRACTOR	DATE	