## ELEVATION CERTIFICATE

7N 10454.M.B

5.M.B. No. 3067-0077 Expires July 31, 1999

FEDERAL EMERGENCY MANAGEMENT AGENCY
NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the purchase premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

	SECTION A PR	OPERTY INFO	DRMATION	67891077	FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME			(3ª	A Pos	POLICY NUMBER
Bovis Hor			/ -	OFD.	COMPANY NAIC NUMBER 1008
STREET ADDRESS (Including Ap		Number) OR P.O. F	ROUTE AND BOX NUMBER	SEP 1998	Received
751 Ceda:	rcrest Court		S Co	Received	Construction &
	ne Oaks at W	oodland I	Park Phase Th	Instruction &	Property Stds
CITY	IE VANS AL II	oouluna 1	(A)	Operty Std STATE	ZIP CODE
Sarasota			130	Florida	34232
	SECTION B FI	OOD INSURA	ANCE RATE MAP (FIRE	M) INFORMATION	New State of
rovide the following from t	he proper FIRM (See	Instructions):	* *		
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
125144	0153	E	9/3/92	X	15.0
7. Indicate the elevation date	tum system used on t	he FIRM for Ba	ase Flood Elevations (B	FE): X NGVD '29	Other (describe on back)
3. For Zones A or V, where	no BFE is provided of	n the FIRM, ar	nd the community has e	stablished a BFE for	or this building site, indicate
the community's BFE: L	feet N	GVD (or other	FIRM datum-see Sect	ion B, Item 7).	
	SECTION	ON C BUILDI	NG ELEVATION INFO	RMATION	
of 17.0 fee  (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below (check one)  (d). FIRM Zone AO. The one) the highest grade	wilding's reference lever AE, AH, and A (with Bet NGVD (or other FIF VE, and V (with BFE) is at an elevation of BFE). The floor used the highest grade action of the highe	el _1 BFE). The top M datum—see . The bottom of the bott	of the reference level flater Section B, Item 7). of the lowest horizontal feet NGVD (or other Fince level from the selected diagram of depth number is available above reference level of the used in measuring thems to the datum systems.	structural member IRM datum—see Setted diagram is is is is the building ance? Yes elevations: NGN are elevations is differused on the FIRM	ed diagram is at an elevation  of the reference level from ection B, Item 7).
<ol> <li>The reference level eleval (NOTE: Use of construct case this certificate will on will be required once con</li> </ol>	tion drawings is only nly be valid for the bu	valid if the build ilding during th	ding does not yet have	the reference level	floor in place, in which tion Elevation Certificate
Section B, Item 7).	est grade immediately	adjacent to the	e building is: 11	6.0 feet NGVD	(or other FIRM datum-see
29	SI	ECTION D CO	OMMUNITY INFORMAT	ΓΙΟΝ	19
is n le "lowest floor" a floor" as defined by the c Date of the start of const	s defined in the commordinance is:	nunity's floodpl	lain management ordina NGVD (or other FIRM d	ance, the elevation	


## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

John C. Minder CERTIFIER'S NAME	4071	17
	LICENSE NUMBER (or Affix Seal)	
President	Minder and Associates COMPANY NAME	
345 Interstate Blvd. Sarasota,	The Control of Control	
SIGNATURE SIGNATURE	941-342-6232	ZIP
1	DATE PHONE	
popies should be made of this Certificate for: 1) c	community official, 2) insurance agent/company, and 3) building owner	er.
COMMENTS:		
,		



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.