8N08604

8N08609

O,M B No 3067-0077 Expires May 31, 1993

## **ELEVATION CERTIFICATE**

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

TENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management of distances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment of Heristory (LOMA or LOMR).

Instructions for completing this form can be found on the following page eyerty Stass

	instructions for cor	npleting this	form can be found on th	e following pa	Dent.
SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME	LER				POLICY NUMBER
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg, Number) OR P.O. ROUTE AND BOX NUMBER  5315 Cpc K Oak 54					COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and E	COLONIAL C	DAICS, U	NIT # 24, PLA-	Book 31	, Page 13
SAROSOTA				STATE	ZIP CCDE
	SECTION B FI	OOD INSUR	ANCE RATE MAP (FIRM)	INFORMATION	1
Provide the following from the	he proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use gepth)
125144	0154	E	SEPT. 3, 1992	AE	19.0
8. For Zones A or V, where	no BFE is provided o	n the FIRM, a	and the community has esta r FIRM datum-see Section	ablished a BFE n B, Item 7)	9 Other (describe on back) for this building site, indicate
	SECTI	ON C BUILD	ING ELEVATION INFORM	MATION	
ofZ_1 fee (b). FIRM Zones V1-V30,	et NGVD (or other FIF VE. and V (with BFE is at an elevation of t BFE). The floor use	RM datum—see  ). The bottom  d as the reference	e Section B, Item 7). of the lowest horizontal st feet NGVD (or other FIF ence level from the selecte	ructural membe	The state of the s
one) the highest grad	e adjacent to the build	ding. If no floo	om the selected diagram is od depth number is availab plain management ordinar	le, is the building	
under Comments on Pa the FIRM [see Section equation under Comme	ge 2). (NOTE: If the B, Item 7]. then conv nts on Page 2.)	elevation date ert the elevat	um used in measuring the ions to the datum system ι	elevations is dif used on the FIR	GVD '29 Other (describe ferent than that used on M and show the conversion
4. Elevation reference mar	rk used appears on F	IRM: Yes	XNo (See Instructions of	on Page 4)	
	ction drawings is only only be valid for the b	valid if the buuilding during	truction construction of uilding does not yet have the the course of construction.	e reference lev	
6. The elevation of the low Section B, Item 7).	vest grade immediate	y adjacent to	the building is: \ 8	.4 feet NGV	D (or other FIRM datum-see
		SECTION D	COMMUNITY INFORMAT	ON	
1. If the community official	I responsible for verify	ying building e	elevations specifies that the	reference leve	I indicated in Section C. Item 1
			tolain management ordinar		

floor" as defined by the ordinance is: \_

2. Date of the start of construction or substantial improvement

\_\_\_ feet NGVD (or other FIRM datum-see Section B, Item 7).


## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER WAVE		
CERTIFIER'S NAME	LICENSE NUMBER (or Affix Sea!)	
WILLIAM R. KNIGHT, JO	PSM # 4554	
TILE	COMPANY NAME	
PARTHER	BEC SURVEYING	
3986 FALIYER RD.	STATE STATE	423
SIGNATURE	3/23/99 PHONE (941) 921-6	429
Copies should be made of this Certificate for: 1) com	mmunity official, 2) Insurance agent/company, and 3) building owner.	
COMMENTS:		
2000 - 20		



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.