ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. FOR INSURANCE COMPANY USE Policy Number: 512 Croftsmar Circle City State ZIP Code Company NAIC Number **Nokomis** Florida 34275 SECTION G - COMMUNITY INFORMATION (OPTIONAL) The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8-G10. In Puerto Rico only, enter meters. G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.) G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) G3. The following information (Items G4–G10) is provided for community floodplain management purposes. G4. Permit Number G5. Date Permit Issued G6. Date Certificate of 0-163592B Compliance/Occupancy Issued G7. This permit has been issued for: New Construction

Substantial Improvement G8. Elevation of as-built lowest floor (including basement) of the building: feet meters Datum G9. BFE or (in Zone AO) depth of flooding at the building site: feet meters Datum G10. Community's design flood elevation: ☐ feet ☐ meters Datum Local Official's Name Title Community Name Telephone Signature Date Comments (including type of equipment and location, per C2(e), if applicable) Check here if attachments.

U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2022

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner

				mity official,	(2) insurar	ice agenvcompa	iny, and (3) building owne	
SECTION A – PROPERTY INFORMATION A1. Building Owner's Name					FOR INSU	FOR INSURANCE COMPANY USE		
Richard P. Cunningham & Deanne Cunningham				Policy Nur	Policy Number:			
A2. Building Street Address (in Box No. 512 Croftsmar Circle		ite, and/	or Bldg. No.)	or P.O. Ro	ute and	Company	NAIC Number:	
City			State			ZIP Code		
Nokomis			Florida			34275		
A3. Property Description (Lot a Mariners Point, Lot 3 PID# 01	and Block Numbers, 1 68100526	Tax Parc	el Number, L	egal Descri	ption, etc.)			
A4. Building Use (e.g., Resider	ntial, Non-Residential	, Additio	n, Accessory	etc.) R	esidential			
A5. Latitude/Longitude: Lat. 2			-82.468270°			stum: NAD	1927 X NAD 1983	
A6. Attach at least 2 photograp		_			toin flood in	מנעווו. 🔲 ואאט	1927 KI NAD 1903	
A7. Building Diagram Number	1B	10 001411	care is being	useu to op	tain lioca ii	isurance.		
A8. For a building with a crawls		•						
a) Square footage of crawl				A10A -	- 0			
				N/A s	•			
b) Number of permanent flo	ocu epenings in the c	rawispac	e or enclosu		1.0 foot ab	ove adjacent gr	ade N/A	
c) Total net area of flood op			N/A sqi	n				
d) Engineered flood opening	gs? 🗌 Yes 🗵	No						
A9. For a building with an attach	ed garage:							
a) Square footage of attach	ed garage		648.10 sq f	t				
b) Number of permanent flo					ove edieco	nt arada E		
c) Total net area of flood op					ove aujace	in grade 5		
	·		1000.00 sc	l iu				
d) Engineered flood opening	gs? ⊠ Yes 🔲 I	No						
SE	CTION B - FLOOD	INSLIDA	NCE PATE	MAD /EID	M MEOR	MATION		
DIVINITE Community Name & Co	ommunity Number		B2. County	Name	III) INFOR	WATION	B3. State	
Sarasole County 125144	, , , , , , , , , , , , , , , , , , , ,		Sarasota	Hailig			Florida	
B4. Map/Fanel B5. Suffix	B6. FIRM Index Date		I RM Panel active/	B8. Flood Zone(s)	B	9. Base Flood El	evation(s) Base Flood Depth)	
12115C0239 F	11-04-2016		vised Date				base Flood Depuil)	
		11-04-2	2010	AE	10	r		
B10. Indicate the source of the B	lase Flood Elevation	(BFE) da	ata or base flo	and death e	intered in I	om PO:		
☐ FIS Profile ☒ FIRM [Community Determined	nined [Other/Sou	rce:	antered III (em də.	·	
B11. Indicate elevation datum us					988 🔲	Other/Source:		
B12. Is the building located in a (Coastal Barrier Rese	ureae e	etom (CDDs)	\	hamat 5			
Designation Date:			Stem (CBRS)	alea or U	ierwise Pr	Olected Afea (O	PA)? Yes 🗵 No	
-MA Fa 000 0 00 (4040)								

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT:	In these spaces, copy the correspo	nding information	from Section A		on Date.	1101011001 00, 2022		
Building Street	t Address (including Apt., Unit, Suite, and/or Bldg, No.) or P.O. Route and Roy No.				FOR INSURANCE COMPANY USE Policy Number:			
312 Cloitsmar	Circle	2.03. 7.0.7 6.7	. o. Nodic and Box No.	Policy	Number.			
City Nokomis		State Florida	ZIP Code 34275	Compa	any NAIC	Number		
	SECTION C - BUILDIN	G ELEVATION INF	ORMATION (SUBVEY	PEOUIDE	-D)			
C1. Building		truction Drawings*			יטי			
	levation Certificate will be required wh	nen construction of t	Building Under Con	struction*	× Finis	shed Construction		
C2. Elevation Complete Benchma	ns – Zones A1–A30, AE, AH, A (with E e Items C2.a–h below according to the ark Utilized: BM# 5899 E, Elevation =	BFE), VE, V1–V30, Ve building diagram sp 14.27' Vertical	(with BFE), AR, AR/A, A pecified in Item A7. In Pu Datum: NAVD 1988	AR/AE, AR/ erto Rico o	A1–A30, anly, enter	AR/AH, AR/AO. meters.		
Indicate e	elevation datum used for the elevation	s in items a) through	h) below.					
	NGVD 1929 X NAVD 1988 7 0	ther/Source:						
Datum us	ed for building elevations must be the	same as that used	for the BFE.	Ch-	-1.41			
a) Top o	f bottom floor (including basement, cra	awlspace, or enclosu	ire floor)	11.2	ck the me	easurement used.		
	f the next higher floor			19.3	✓ feet	☐ meters		
	n of the lowest horizontal structural me	ember (V Zones only	4		★ feet	☐ meters		
d) Attach	ned garage (top of slab)	omber (v Zones om)		1001	★ feet	☐ meters		
e) Lowes	st elevation of machinery or equipmen ribe type of equipment and location in	t servicing the buildi	ng		⊠ feet	☐ meters		
	st adjacent (finished) grade next to bui				⊠ feet			
	st adjacent (finished) grade next to but	1071 (3) 1761	-			☐ meters		
h) Lowes	at adjacent grade at lowest elevation o		ding	11202239943	⊠ feet	☐ meters		
		OD ENGINEED O				☐ meters		
This certification I certify that the statement may	SECTION D – SURVEY on is to be signed and sealed by a land e information on this Certificate repres to be punishable by fine or imprisonmen	d surveyor, engineer	, or architect authorized			ation information.		
	and longitude in Section A provided by	11 direct 10 0.5. Col	ie, Section 1001.			e if attachments.		
Certifier's Nam Martin S. Britt	е	License Numb	per					
Title		LS 5538						
Surveyor & Ma	pper			nA	fort	2 L		
Company Nam					MI	DIE ON		
MSB Surveying	J, Inc.			1	550	S		
	enter Boulevard, Suite C			12	14	13001		
City Sarasota		State Florida	ZIP Code 34240	10	13	1200		
Signature	to Forth	Date 10-05-2021	Telephone (941) 341-9935	Ext. N/A	-			
Copy all pages of	of this Elevation Certificate and all attack	nments for (1) commi	unity official. (2) insurance	agent/com	nany and	(3) building owner		
Comments (incl Two story struct Evaluation Repo	uding type of equipment and location, ture. A5. determined by LABINS webs ort attached). C2.e) denotes the bottor r = 11.0', located in garage (see Photo	per C2(e), if applica ite. A9.b-d) denotes	ble)					
NOTE: 2 attachr	ments to this 6 Page document for ICC	C-ES Evaluation Rep	oort for Smart Vents and	Building Di	agram.			

ELEVATION CERTIFICATE

OMB No. 1660-0008

Expiration Date: November 30, 2022 IMPORTANT: In these spaces, copy the corresponding information from Section A. FOR INSURANCE COMPANY USE Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. Policy Number: 512 Croftsmar Circle City State ZIP Code Company NAIC Number **Nokomis** Florida 34275 SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawlspace, or enclosure) is feet meters above or below the HAG. b) Top of bottom floor (including basement, crawispace, or enclosure) is feet meters above or below the LAG. E2. For Building Diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 1-2 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is feet meters above or below the HAG. E3. Attached garage (top of slab) is feet meters above or below the HAG. E4. Top of platform of machinery and/or equipment servicing the building is feet meters above or below the HAG. E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown. The local official must certify this information in Section G. SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge. Property Owner or Owner's Authorized Representative's Name Address City State ZIP Code Signature Date Telephone Comments Check here if attachments.

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT !			Expiration Bate. November 30, 2022
IMPORTANT: In these spaces, co Building Street Address (including a 512 Croftsmar Circle	py the corresponding information Apt., Unit, Suite, and/or Bldg. No.)	or P.O. Route and Box No.	FOR INSURANCE COMPANY USE Policy Number:
City Nokomis	State Florida	ZIP Code 34275	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One Caption (10/05/2021) Front View

Clear Photo One




Photo Two Caption (10/05/2021) Right Side View with Elevated AC Unit.

Clear Photo Two

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT .	Continua	tion Page	Expiration Date: November 30, 2022
IMPORTANT: In these spaces, of Building Street Address (including 512 Croftsmar Circle	FOR INCURANCE COME		
City Nokomis	State Florida	ZIP Code 34275	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo Three Caption (10/05/2021) Rear & Left Side View with Elevated Pool Equipment & Spa Heater.

Clear Photo Three



Photo Four Caption (10/05/2021) Elevated Hot Water Heater in Garage

Clear Photo Four



ICC-ES Evaluation Report

ESR-2074

Reissued February 2021

This report is subject to renewal February 2023.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00-OPENINGS

Section: 08 95 43—Vents/Foundation Flood Vents

REPORT HOLDER:

SMART VENT PRODUCTS, INC.

EVALUATION SUBJECT:

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS: MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570; #1540-574; #1540-524; #1540-514 FLOOD VENT SEALING KIT #1540-526

1.0 EVALUATION SCOPE

Compliance with the following codes:

- 2018, 2015, 2012, 2009 and 2006 International Building Code[®] (IBC)
- 2018, 2015, 2012, 2009 and 2006 International Residential Code® (IRC)
- 2018 International Energy Conservation Code® (IECC)
- 2013 Abu Dhabi International Building Code (ADIBC)[†]

[†]The ADIBC is based on the 2009 IBC, 2009 IBC code sections referenced in this report are the same sections in the ADIBC.

Properties evaluated:

- Physical operation
- Water flow

2.0 USES

The Smart Vent[®] units are engineered mechanically operated flood vents (FVs) employed to equalize hydrostatic pressure on walls of enclosures subject to rising or falling flood waters. Certain models also allow natural ventilation.

3.0 DESCRIPTION

3.1 General:

When subjected to rising water, the Smart Vent® FVs internal floats are activated, then pivot open to allow flow in either direction to equalize water level and hydrostatic pressure from one side of the foundation to the other. The FV pivoting door is normally held in the closed position by a buoyant release device. When subjected to rising water, the buoyant release device causes the unit to unlatch, allowing the door to rotate out of the way and allow flow. The water level stabilizes, equalizing the lateral forces.

Each unit is fabricated from stainless steel. Smart Vent® Automatic Foundation Flood Vents are available in various models and sizes as described in Table 1. The SmartVENT® Stacking Model #1540-511 and FloodVENT® Stacking Model #1540-521 units each contain two vertically arranged openings per unit.

3.2 Engineered Opening:

The FVs comply with the design principle noted in Section 2.7.2.2 and Section 2.7.3 of ASCE/SEI 24-14 [Section 2.6.2.2 of ASCE/SEI 24-05 (2012, 2009, 2006 IBC and IRC)] for a maximum rate of rise and fall of 5.0 feet per hour (0.423 mm/s). In order to comply with the engineered opening requirement of ASCE/SEI 24, Smart Vent FVs must be installed in accordance with Section 4.0.

3.3 Ventilation:

The SmartVENT® Model #1540-510 and SmartVENT® Overhead Door Model #1540-514 both have screen covers with ¹/₄-inch-by-¹/₄-inch (6.35 by 6.35 mm) openings, yielding 51 square inches (32 903 mm²) of net free area to supply natural ventilation. The SmartVENT® Stacking Model #1540-511 consists of two Model #1540-510 units in one assembly, and provides 102 square inches (65 806 mm²) of net free area to supply natural ventilation. Other FVs recognized in this report do not offer natural ventilation.

3.4 Flood Vent Sealing Kit:

The Flood Vent Sealing Kit Model #1540-526 is used with SmartVENT® Model #1540-520. It is a Homasote 440 Sound Barrier® (ESR-1374) insert with 21 – 2-inch-by-2-inch (51 mm x 51 mm) squares cut in it. See Figure 4.

4.0 DESIGN AND INSTALLATION

4.1 SmartVENT® and FloodVENT®:

SmartVENT® and FloodVENT® are designed to be installed into walls or overhead doors of existing or new construction from the exterior side. Installation of the vents must be in accordance with the manufacturer's instructions, the applicable code and this report. Installation clips allow mounting in masonry and concrete walls of any thickness. In order to comply with the engineered opening design principle noted in Section 2.7.2.2 and 2.7.3 of ASCE/SEI 24-14 [Section 2.6.2.2 of ASCE/SEI 24-05 (2012, 2009, 2006 IBC and IRC)], the Smart Vent® FVs must be installed as follows:

- With a minimum of two openings on different sides of each enclosed area.
- With a minimum of one FV for every 200 square



feet (18.6 m2) of enclosed area, except that the SmartVENT® Stacking Model #1540-511 FloodVENT® Stacking Model #1540-521 must be installed with a minimum of one FV for every 400 square feet (37.2 m²) of enclosed area.

- Below the base flood elevation.
- With the bottom of the FV located a maximum of 12 inches (305.4 mm) above the higher of the final grade or floor and finished exterior grade immediately under each opening.

4.2 Flood Vent Sealing Kit

The Flood Vent Sealing Kit Model 1540-526 is used in conjunction with FloodVENT $^{\circ}$ Model #1540-520. When installed and tested in accordance with ASTM E283, the FV and Flood Vent Sealing Kit assembly have an air leakage rate of less than 0.2 cubic feet per minute per lineal foot (18.56 I/min per lineal meter) at a pressure differential of 1 pound per square foot (50 Pa) based on 12.58 lineal feet (3.8 lineal meters) contained by the Flood Vent Sealing Kit.

5.0 CONDITIONS OF USE

The Smart Vent® FVs described in this report comply with, or are suitable alternatives to what is specified in, those codes listed in Section 1.0 of this report, subject to the following conditions:

5.1 The Smart Vent® FVs must be installed in accordance with this report, the applicable code and the manufacturer's installation instructions. In the event of a conflict, the instructions in this report govern.

5.2 The Smart Vent® FVs must not be used in the place of "breakaway walls" in coastal high hazard areas, but are permitted for use in conjunction with breakaway walls in other areas.

6.0 EVIDENCE SUBMITTED

- 6.1 Data in accordance with the ICC-ES Acceptance Criteria for Mechanically Operated Flood Vents (AC364), dated August 2015 (editorially revised October 2017).
- 6.2 Test report on air infiltration in accordance with ASTM E283.

7.0 IDENTIFICATION

- 7.1 The Smart VENT® models and the Flood Vent Sealing Kit recognized in this report must be identified by a label bearing the manufacturer's name (Smartvent Products, Inc.), the model number, and the evaluation report number (ESR-2074).
- 7.2 The report holder's contact information is the following:

SMART VENT PRODUCTS, INC. 430 ANDBRO DRIVE, UNIT 1 PITMAN, NEW JERSEY 08071 (877) 441-8368

www.smartvent.com info@smartvent.com

TABL	F.	1	OD	FI	SIZ	FC
INDL	e Brow		\cup		314	

MODEL NUMBER	MODEL SIZE (in.)	COVERAGE (sq. ft.)	
1540-520		200	
1540-510		200	
1540-524		200	
1540-514		200	
		200	
		200	
		400	
	1540-520 1540-510	1540-520	

For SI: 1 inch = 25.4 mm; 1 square foot = m²




FIGURE 1-SMART VENT: MODEL 1540-510




FIGURE 2-SMART VENT MODEL 1540-520




FIGURE 3—SMART VENT: SHOWN WITH FLOOD DOOR PIVOTED OPEN




FIGURE 4-FLOOD VENT SEALING KIT



ICC-ES Evaluation Report

ESR-2074 CBC and CRC Supplement

Reissued February 2021

This report is subject to renewal February 2023.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00-OPENINGS

Section: 08 95 43-Vents/Foundation Flood Vents

REPORT HOLDER:

SMART VENT PRODUCTS, INC.

EVALUATION SUBJECT:

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS: MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570; #1540-574; #1540-524; #1540-514 FLOOD VENT SEALING KIT #1540-526

1.0 REPORT PURPOSE AND SCOPE

Purpose:

The purpose of this evaluation report supplement is to indicate that Smart Vent® Automatic Foundation Flood Vents, described in ICC-ES evaluation report ESR-2074, have also been evaluated for compliance with codes noted below.

Applicable code edition:

- 2016 California Building Code (CBC)
- 2016 California Residential Code (CRC)

2.0 CONCLUSIONS

2.1 CBC:

The Smart Vent® Automatic Foundation Flood Vents, described in Sections 2.0 through 7.0 of the evaluation report ESR-2074, comply with 2016 CBC Chapter 12, provided the design and installation are in accordance with the 2015 International Building Code® (IBC) provisions noted in the evaluation report and the additional requirements of CBC Chapters 12, 16 and 16A, as applicable.

2.2 CRC:

The Smart Vent® Automatic Foundation Flood Vents, described in Sections 2.0 through 7.0 of the evaluation report ESR-2074, comply with the 2016 CRC, provided the design and installation are in accordance with the 2015 International Residential Code® (IRC) provisions noted in the evaluation report.

This supplement expires concurrently with the evaluation report, reissued February 2021.





ICC-ES Evaluation Report

ESR-2074 FBC Supplement

Reissued February 2021

This report is subject to renewal February 2023.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00-OPENINGS

Section: 08 95 43-Vents/Foundation Flood Vents

REPORT HOLDER:

SMART VENT PRODUCTS, INC.

EVALUATION SUBJECT:

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS: MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570; #1540-574; #1540-524; #1540-514 FLOOD VENT SEALING KIT #1540-526

1.0 REPORT PURPOSE AND SCOPE

Purpose:

The purpose of this evaluation report supplement is to indicate that Smart Vent® Automatic Foundation Flood Vents, described in ICC-ES evaluation report ESR-2074, have also been evaluated for compliance with the codes noted below.

Applicable code editions:

- 2017 Florida Building Code—Building
- 2017 Florida Building Code—Residential

2.0 CONCLUSIONS

The Smart Vent® Automatic Foundation Flood Vents, described in Sections 2.0 through 7.0 of the evaluation report ESR-2074, comply with the Florida Building Code-Building and the FRC, provided the design and installation are in accordance with the 2015 International Building Code® provisions noted in the evaluation report.

Use of the Smart Vent® Automatic Foundation Flood Vents has also been found to be in compliance with the High-Velocity Hurricane Zone provisions of the Florida Building Code—Building and the Florida Building Code—Residential .

For products falling under Florida Rule 9N-3, verification that the report holder's quality assurance program is audited by a quality assurance entity approved by the Florida Building Commission for the type of inspections being conducted is the responsibility of an approved validation entity (or the code official when the report holder does not possess an approval by the Commission).

This supplement expires concurrently with the evaluation report, reissued February 2021.



Building Diagrams

The following diagrams illustrate various types of buildings. Compare the features of the building being certified with the features shown in the diagrams and select the diagram most applicable. Enter the diagram number in Item A7, the square footage of crawlspace or enclosure(s) and the area of flood openings in square inches in Items A8.a-c, the square footage of attached garage and the area of flood openings in square inches in Items A9.a-c, and the elevations in Items C2.a-h.

In A zones, the floor elevation is taken at the top finished surface of the floor indicated; in V zones, the floor elevation is taken at the bottom of the lowest horizontal structural member (see drawing in instructions for Section C).

DIAGRAM 1A

All slab-on-grade single- and multiple-floor buildings (other than split-level) and high-rise buildings, either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor is at or above ground level (grade) on at least 1 side.*




DIAGRAM 2A

All single- and multiple-floor buildings with basement (other than split-level) and high-rise buildings with basement, either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor (basement or underground garage) is below ground level (grade) on all sides.*




DIAGRAM 1B

All raised-slab-on-grade or slab-on-stem-wall-with-fill single- and multiple-floor buildings (other than split-level), either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor is at or above ground level (grade) on at least 1 side.*





DIAGRAM 2B

All single- and multiple-floor buildings with basement (other than split-level) and high-rise buildings with basement, either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor (basement or underground garage) is below ground level (grade) on all sides; most of the height of the walls is below ground level on all sides; and the door and area of egress are also below ground level on all sides.*



^{*} A floor that is below ground level (grade) on all sides is considered a basement even if the floor is used for living purposes, or as an office, garage, workshop, etc.