National Flood Insurance Program

# Elevation Certificate

and Instructions

**2023 EDITION** 



OMB Control No. 1660-0008 Expiration Date: 06/30/2026

#### **ELEVATION CERTIFICATE AND INSTRUCTIONS**

#### PAPERWORK REDUCTION ACT NOTICE

Public reporting burden for this data collection is estimated to average 3.75 hours per response. The burden estimate includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and submitting this form. You are not required to respond to this collection of information unless a valid OMB control number is displayed on this form. Send comments regarding the accuracy of the burden estimate and any suggestions for reducing the burden to: Information Collections Management, Department of Homeland Security, Federal Emergency Management Agency, 500 C Street SW, Washington, DC 20742, Paperwork Reduction Project (1660-0008). **NOTE: Do not send your completed form to this address.** 

#### **PRIVACY ACT STATEMENT**

Authority: Title 44 CFR § 61.7 and 61.8.

Principal Purpose(s): This information is being collected for the primary purpose of documenting compliance with National Flood Insurance Program (NFIP) floodplain management ordinances for new or substantially improved structures in designated Special Flood Hazard Areas. This form may also be used as an optional tool for a Letter of Map Amendment (LOMA), Conditional LOMA (CLOMA), Letter of Map Revision Based on Fill (LOMR-F), or Conditional LOMR-F (CLOMR-F), or for flood insurance rating purposes in any flood zone.

Routine Use(s): The information on this form may be disclosed as generally permitted under 5 U.S.C. § 552a(b) of the Privacy Act of 1974, as amended. This includes using this information as necessary and authorized by the routine uses published in DHS/ FEMA-003 – *National Flood Insurance Program Files System of Records Notice* 79 Fed. Reg. 28747 (May 19, 2014) and upon written request, written consent, by agreement, or as required by law.

**Disclosure:** The disclosure of information on this form is voluntary; however, failure to provide the information requested may impact the flood insurance premium through the NFIP. Information will only be released as permitted by law.

#### PURPOSE OF THE ELEVATION CERTIFICATE

The Elevation Certificate is an important administrative tool of the NFIP. It can be used to provide elevation information necessary to ensure compliance with community floodplain management ordinances, to inform the proper insurance premium, and to support a request for a LOMA, CLOMA, LOMR-F, or CLOMR-F.

The Elevation Certificate is used to document floodplain management compliance for Post-Flood Insurance Rate Map (FIRM) buildings, which are buildings constructed after publication of the FIRM, located in flood Zones A1–A30, AE, AH, AO, A (with Base Flood Elevation (BFE)), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO, and A99. It may also be used to provide elevation information for Pre-FIRM buildings or buildings in any flood zone.

As part of the agreement for making flood insurance available in a community, the NFIP requires the community to adopt floodplain management regulations that specify minimum requirements for reducing flood losses. One such requirement is for the community to obtain the elevation of the lowest floor (including basement) of all new and substantially improved buildings, and maintain a record of such information. The Elevation Certificate provides a way for a community to document compliance with the community's floodplain management ordinance.

Use of this certificate does not provide a waiver of the flood insurance purchase requirement. Only a LOMA or LOMR-F from the Federal Emergency Management Agency (FEMA) can amend the FIRM and remove the federal mandate for a lending institution to require the purchase of flood insurance. However, the lending institution has the option of requiring flood insurance even if a LOMA/LOMR-F has been issued by FEMA. The Elevation Certificate may be used to support a LOMA, CLOMA, LOMR-F, or CLOMR-F request. Lowest Adjacent Grade (LAG) elevations certified by a land surveyor, engineer, or architect, as authorized by state law, will be required if the certificate is used to support a LOMA, CLOMA, LOMR-F, or CLOMR-F request. A LOMA, CLOMA, LOMR-F, or CLOMR-F request must be submitted with either a completed FEMA MT-EZ or MT-1 application package, whichever is appropriate. If the certificate will only be completed to support a LOMA, CLOMA, LOMR-F, or CLOMR-F request, there is an option to document the certified LAG elevation on the Elevation Form included in the MT-EZ and MT-1 application.

This certificate is used only to certify building elevations. A separate certificate is required for floodproofing. Under the NFIP, non-residential buildings can be floodproofed up to or above the BFE. A floodproofed building is a building that has been designed and constructed to be watertight (substantially impermeable to floodwaters) below the BFE. Floodproofing of residential buildings is not permitted under the NFIP unless FEMA has granted the community an exception for residential floodproofed basements. The community must adopt standards for design and construction of floodproofed basements before FEMA will grant a basement exception. For both floodproofed non-residential buildings and residential floodproofed basements in communities that have been granted an exception by FEMA, a floodproofing certificate is required.

The expiration date on the form herein does not apply to certified and completed Elevation Certificates, as a completed Elevation Certificate does not expire, unless there is a physical change to the building that invalidates information in Section A Items A8 or A9, Section C, Section E, or Section H. In addition, this form is intended for the specific building referenced in Section A and is not invalidated by the transfer of building ownership.

Additional guidance can be found in FEMA Publication 467-1, Floodplain Management Bulletin: Elevation Certificate.

#### U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB Control No. 1660-0008 Expiration Date: 06/30/2026

## ELEVATION CERTIFICATE IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION	FOR INSURANCE COMPANY USE					
A1. Building Owner's Name: <u>Jeb Jones</u>	Policy Number:					
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: 4866 PRIMROSE PATH	Company NAIC Number:					
City: SARASOTA State: FL	ZIP Code: <u>34242</u>					
A3. Property Description (e.g., Lot and Block Numbers or Legal Description) and/or Tax Parcel NumLEGAL: LOT 5 BLK G HARMONY SUB						
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.): RESIDENTIAL						
A5. Latitude/Longitude: Lat. N 27.282058 Long. W 82.560843 Horiz. Datum: NAD 1927 NAD 1983 WGS 84						
A6. Attach at least two and when possible four clear color photographs (one for each side) of the building (see Form pages 7 and 8).						
A7. Building Diagram Number:7						
A8. For a building with a crawlspace or enclosure(s):						
a) Square footage of crawlspace or enclosure(s): 2883 sq. ft.						
b) Is there at least one permanent flood opening on two different sides of each enclosed area?	⊠ Yes □ No □ N/A					
c) Enter number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot Non-engineered flood openings:						
d) Total net open area of non-engineered flood openings in A8.c: 1575 sq. in.						
e) Total rated area of engineered flood openings in A8.c (attach documentation – see Instruction	ons):0 sq. ft.					
f) Sum of A8.d and A8.e rated area (if applicable – see Instructions):N/A sq. ft.						
A9. For a building with an attached garage:						
a) Square footage of attached garage: N/A sq. ft.						
b) Is there at least one permanent flood opening on two different sides of the attached garage?	Yes No No N/A					
<ul> <li>c) Enter number of permanent flood openings in the attached garage within 1.0 foot above adjation Non-engineered flood openings: N/A Engineered flood openings: N/A</li> </ul>	_					
d) Total net open area of non-engineered flood openings in A9.c:N/A sq. in.						
e) Total rated area of engineered flood openings in A9.c (attach documentation – see Instruction	ons): N/A sq. ft.					
f) Sum of A9.d and A9.e rated area (if applicable – see Instructions):N/A sq. ft.						
SECTION B – FLOOD INSURANCE RATE MAP (FIRM) INFOR	RMATION					
B1.a. NFIP Community Name: SARASOTA County Unincorporated Areas B1.b. NFIP Community Name:	munity Identification Number: 125144					
B2. County Name: SARASOTA B3. State: FL B4. Map/Panel No.: 1	2115C0141 B5. Suffix: G					
B6. FIRM Index Date: 03/27/2024 B7. FIRM Panel Effective/Revised Date: 03/27/202	24					
B8. Flood Zone(s): AE B9. Base Flood Elevation(s) (BFE) (Zone AO, use E	Base Flood Depth): 8.0'					
B10. Indicate the source of the BFE data or Base Flood Depth entered in Item B9:  ☐ FIS ☐ FIRM ☐ Community Determined ☐ Other:						
B11. Indicate elevation datum used for BFE in Item B9:   NGVD 1929   NAVD 1988  Other	/Source:					
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Prote Designation Date:	ected Area (OPA)?					
B13. Is the building located seaward of the Limit of Moderate Wave Action (LiMWA)?	No					

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box N	o.: FOF	FOR INSURANCE COMPANY USE					
4866 PRIMROSE PATH	Polic	Policy Number:					
City: SARASOTA State: FL ZIP Code: 34242	Com	Company NAIC Number:					
SECTION C - BUILDING ELEVATION INFORMATION (S	URVEY REQU	JIRED)					
C1. Building elevations are based on:   Construction Drawings*   Building Under   *A new Elevation Certificate will be required when construction of the building is comp	_	Finished Construction					
C2. Elevations – Zones A1–A30, AE, AH, AO, A (with BFE), VE, V1–V30, V (with BFE), Al A99. Complete Items C2.a–h below according to the Building Diagram specified in Item Benchmark Utilized: BM# DL1863 Vertical Datum: NAVE	m A7. In Puerto						
Indicate elevation datum used for the elevations in items a) through h) below.  ☐ NGVD 1929 ☑ NAVD 1988 ☐ Other:							
Datum used for building elevations must be the same as that used for the BFE. Conversion If Yes, describe the source of the conversion factor in the Section D Comments area.	n factor used?	☐ Yes ☒ No Check the measurement used:					
a) Top of bottom floor (including basement, crawlspace, or enclosure floor):	5.2						
b) Top of the next higher floor (see Instructions):	14.5						
c) Bottom of the lowest horizontal structural member (see Instructions):	N/A	☐ feet ☐ meters					
d) Attached garage (top of slab):	N/A	feet meters					
<ul> <li>e) Lowest elevation of Machinery and Equipment (M&amp;E) servicing the building (describe type of M&amp;E and location in Section D Comments area):</li> </ul>	5.2	⊠ feet □ meters					
f) Lowest Adjacent Grade (LAG) next to building:   Natural  Finished	4.1						
g) Highest Adjacent Grade (HAG) next to building: 🔲 Natural 🔀 Finished	4.3						
<ul> <li>h) Finished LAG at lowest elevation of attached deck or stairs, including structural support:</li> </ul>	4.1	⊠ feet ☐ meters					
SECTION D – SURVEYOR, ENGINEER, OR ARCHITEC	T CERTIFICA	TION					
This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by state law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.							
Were latitude and longitude in Section A provided by a licensed land surveyor?   ☐ Yes  ☐ No							
Check here if attachments and describe in the Comments area.							
Title: PSM							
Company Name: FLORIDA BUILDING & LAND SURVEYING CORP							
Address: 12555 BISCAYNE BLVD # 934		* Rlue #					
City: NORTH MIAMI State: FL ZIP Code: 33181							
Telephone: (877) 894-8001 Ext.: N/A Email:customerservice2@inspectionsandengineering.com							
Signature: Date: 10/30/2	No. 5718  No. 5718  Resident State Of FLORIDA MARTINIAN STATE OF FLORIDA MA						
Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.							
Comments (including source of conversion factor in C2; type of equipment and location per C2.e; and description of any attachments):							
MACHINERY SERVICING THE PROPERTY IS A CENTRAL A/C UNIT. Latitude/Longitude in A5 derived from LATLONG.NET							

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:	FOR INSURANCE COMPANY USE					
4866 PRIMROSE PATH	Policy Number:					
City: SARASOTA State: FL ZIP Code: 34242	Company NAIC Number:					
SECTION E – BUILDING MEASUREMENT INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO, ZONE AR/AO, AND ZONE A (WITHOUT BFE)						
For Zones AO, AR/AO, and A (without BFE), complete Items E1–E5. For Items E1–E4, use natural grade, if available. If the Certificate is intended to support a Letter of Map Change request, complete Sections A, B, and C. Check the measurement used. In Puerto Rico only, enter meters.						
Building measurements are based on: Construction Drawings* Building Under Construction* Finished Construction *A new Elevation Certificate will be required when construction of the building is complete.						
E1. Provide measurements (C.2.a in applicable Building Diagram) for the following and check the appropriate boxes to show whether the measurement is above or below the natural HAG and the LAG.						
a) Top of bottom floor (including basement, crawlspace, or enclosure) is:  feet meters	above or below the HAG.					
b) Top of bottom floor (including basement, crawlspace, or enclosure) is:  feet meters	above or below the LAG.					
E2. For Building Diagrams 6–9 with permanent flood openings provided in Section A Items 8 and/onext higher floor (C2.b in applicable Building Diagram) of the building is:						
Building Diagram) of the building is:  E3. Attached garage (top of slab) is:  [ feet [ meters	☐ above or ☐ below the HAG. ☐ above or ☐ below the HAG.					
E4. Top of platform of machinery and/or equipment						
E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in a						
SECTION F – PROPERTY OWNER (OR OWNER'S AUTHORIZED REPRESEN	ITATIVE) CERTIFICATION					
The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge  Check here if attachments and describe in the Comments area.						
Property Owner or Owner's Authorized Representative Name:						
Property Owner or Owner's Authorized Representative Name:						
	ZIP Code:					
Property Owner or Owner's Authorized Representative Name:  Address:	ZIP Code:					
Property Owner or Owner's Authorized Representative Name:  Address:  City:  Telephone:  Ext.: Email:						
Property Owner or Owner's Authorized Representative Name:  Address:  City:  Telephone:  Ext.:  Email:						
Property Owner or Owner's Authorized Representative Name:  Address:  City:  Telephone:  Ext.:  Email:  Date:						
Property Owner or Owner's Authorized Representative Name:  Address:  City:  Telephone:  Ext.:  Email:  Date:						
Property Owner or Owner's Authorized Representative Name:  Address:  City:  Telephone:  Ext.:  Email:  Date:						
Property Owner or Owner's Authorized Representative Name:  Address:  City:  Telephone:  Ext.:  Email:  Date:						
Property Owner or Owner's Authorized Representative Name:  Address:  City:  Telephone:  Ext.:  Email:  Date:						
Property Owner or Owner's Authorized Representative Name:  Address:  City:  Telephone:  Ext.:  Email:  Date:						

Building Street Address (including Apt., Unit, Suite, ar	nd/or B <b>l</b> dg. No.) o	r P.O. Route and B	ox No.:	FOR INS	URANCE COMPANY USE		
4866 PRIMROSE PATH				Policy Nur	Policy Number:		
City: SARASOTA	State: FL	_ ZIP Code: <u>342</u> 4	12	Company NAIC Number:			
SECTION G – COMMUNITY INFORMATION (RECOMMENDED FOR COMMUNITY OFFICIAL COMPLETION)							
The local official who is authorized by law or ordinal Section A, B, C, E, G, or H of this Elevation Certifica					rdinance can complete		
G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by state law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)							
G2.a. A local official completed Section E for a building located in Zone A (without a BFE), Zone AO, or Zone AR/AO, or when item E5 is completed for a building located in Zone AO.							
G2.b.   A local official completed Section H for i	nsurance purpos	ses.					
G3.	local official des	scribes specific cor	rections to t	the informatio	n in Sections A, B, E and H.		
G4.	1) is provided fo	or community flood	plain manag	ement purpos	ses.		
G5. Permit Number:	G6. Date Pe	ermit Issued:					
G7. Date Certificate of Compliance/Occupancy I	ssued:						
G8. This permit has been issued for: New C	Construction	Substantial Impro	vement				
G9.a. Elevation of as-built lowest floor (including building:	asement) of the		_	meters	Datum:		
G9.b. Elevation of bottom of as-built lowest horizo member:	ntal structural		_	meters	Datum:		
G10.a. BFE (or depth in Zone AO) of flooding at the	building site:		feet	meters	Datum:		
G10.b. Community's minimum elevation (or depth in requirement for the lowest floor or lowest ho member:		al	☐ feet	☐ meters	Datum:		
G11. Variance issued?  Yes  No If yes	s, attach docume	entation and descr	— — ibe in the Co	 omments area			
The local official who provides information in Section G must sign here. I have completed the information in Section G and certify that it is correct to the best of my knowledge. If applicable, I have also provided specific corrections in the Comments area of this section.							
Local Official's Name:		Title:					
NFIP Community Name:							
Address:							
City:							
Signature: Date:  Comments (including type of equipment and location, per C2.e; description of any attachments; and corrections to specific information in Sections A, B, D, E, or H):							

Building Street Address (including A	– Դpt., Unit, Suite, and/or Bldզ	g. No.) c	or P.O. Route and Box i	No.:	FOR IN	SURANCE COMPANY USE	
4866 PRIMROSE PATH					Policy Number:		
City: SARASOTA	State:	FL	_ ZIP Code: <u>34242</u> _		Company NAIC Number:		
SECTION H – BUILDING'S FIRST FLOOR HEIGHT INFORMATION FOR ALL ZONES (SURVEY NOT REQUIRED) (FOR INSURANCE PURPOSES ONLY)							
The property owner, owner's authorized representative, or local floodplain management official may complete Section H for all flood zones to determine the building's first floor height for insurance purposes. Sections A, B, and I must also be completed. Enter heights to the nearest tenth of a foot (nearest tenth of a meter in Puerto Rico). Reference the Foundation Type Diagrams (at the end of Section H Instructions) and the appropriate Building Diagrams (at the end of Section I Instructions) to complete this section.							
H1. Provide the height of the top of the floor (as indicated in Foundation Type Diagrams) above the Lowest Adjacent Grade (LAG):							
a) For Building Diagrams 1 floor (include above-grade floor crawlspaces or enclosure floor)	ors only for buildings with	bottom		] feet [	meters	above the LAG	
b) For Building Diagrams 2 higher floor (i.e., the floor abo enclosure floor) is:				] feet [	meters	above the LAG	
H2. Is <b>all</b> Machinery and Equipment servicing the building (as listed in Item H2 instructions) elevated to or above the floor indicated by the H2 arrow (shown in the Foundation Type Diagrams at end of Section H instructions) for the appropriate Building Diagram?  Yes No							
SECTION I – PROPE	ERTY OWNER (OR OW	NER'S	AUTHORIZED RE	PRESEN	ITATIVE)	CERTIFICATION	
The property owner or owner's au A, B, and H are correct to the bes indicate in Item G2.b and sign Se	t of my knowledge. Note: I						
Check here if attachments are	provided (including requir	ed phot	os) and describe each	attachme	ent in the C	omments area.	
Property Owner or Owner's Author	rized Representative Nam	ne:					
Address:							
City:			Si	tate:	ZIP	Code:	
Telephone:	Ext.: Email:						
Signature:			Date:				
Comments:						_	

### IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11 **BUILDING PHOTOGRAPHS**

See Instructions for Item A6.

uilding Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:		FOR INSURANCE COMPANY USE		
4866 PRIMROSE PATH				Policy Number:
City: SARASOTA	State:	FI	ZIP Code: 34242	Policy Number:
City. DAILAGOTA	StateZIFC		Company NAIC Number:	

Instructions: Insert below at least two and when possible four photographs showing each side of the building (for example, may only be able to take front and back pictures of townhouses/rowhouses). Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." Photographs must show the foundation. When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.



Photo One

Photo One Caption: FRONT VIEW 10/30/2025

Clear Photo One



Photo Two

Photo Two Caption: REAR VIEW 10/30/2025

Clear Photo Two

# ELEVATION CERTIFICATE IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11 BUILDING PHOTOGRAPHS

**Continuation Page** 

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:			FOR INSURANCE COMPANY USE	
4866 PRIMROSE PATH				Dollar Number
City: SARASOTA	State:	FL	_ ZIP Code: <u>34242</u>	Policy Number:  Company NAIC Number:

Insert the third and fourth photographs below. Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.



Photo Three

Photo Three Caption: SIDE VIEW 10/30/2025

Clear Photo Three



Photo Four

Photo Four Caption: SIDE VIEW 10/30/2025

Clear Photo Four