OMB Control No. 1660-0008 Expiration Date: 06/30/2026

#### ELEVATION CERTIFICATE AND INSTRUCTIONS

#### PAPERWORK REDUCTION ACT NOTICE

Public reporting burden for this data collection is estimated to average 3.75 hours per response. The burden estimate includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and submitting this form. You are not required to respond to this collection of information unless a valid OMB control number is displayed on this form. Send comments regarding the accuracy of the burden estimate and any suggestions for reducing the burden to: Information Collections Management, Department of Homeland Security, Federal Emergency Management Agency, 500 C Street SW, Washington, DC 20742, Paperwork Reduction Project (1660-0008). **NOTE: Do not send your completed form to this address.** 

#### PRIVACY ACT STATEMENT

Authority: Title 44 CFR § 61.7 and 61.8.

**Principal Purpose(s):** This information is being collected for the primary purpose of documenting compliance with National Flood Insurance Program (NFIP) floodplain management ordinances for new or substantially improved structures in designated Special Flood Hazard Areas. This form may also be used as an optional tool for a Letter of Map Amendment (LOMA), Conditional LOMA (CLOMA), Letter of Map Revision Based on Fill (LOMR-F), or Conditional LOMR-F (CLOMR-F), or for flood insurance rating purposes in any flood zone.

**Routine Use(s):** The information on this form may be disclosed as generally permitted under 5 U.S.C. § 552a(b) of the Privacy Act of 1974, as amended. This includes using this information as necessary and authorized by the routine uses published in DHS/ FEMA-003 – *National Flood Insurance Program Files System of Records Notice* 79 Fed. Reg. 28747 (May 19, 2014) and upon written request, written consent, by agreement, or as required by law.

**Disclosure:** The disclosure of information on this form is voluntary; however, failure to provide the information requested may impact the flood insurance premium through the NFIP. Information will only be released as permitted by law.

#### PURPOSE OF THE ELEVATION CERTIFICATE

The Elevation Certificate is an important administrative tool of the NFIP. It can be used to provide elevation information necessary to ensure compliance with community floodplain management ordinances, to inform the proper insurance premium, and to support a request for a LOMA, CLOMA, LOMR-F, or CLOMR-F.

The Elevation Certificate is used to document floodplain management compliance for Post-Flood Insurance Rate Map (FIRM) buildings, which are buildings constructed after publication of the FIRM, located in flood Zones A1–A30, AE, AH, AO, A (with Base Flood Elevation (BFE)), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO, and A99. It may also be used to provide elevation information for Pre-FIRM buildings or buildings in any flood zone.

As part of the agreement for making flood insurance available in a community, the NFIP requires the community to adopt floodplain management regulations that specify minimum requirements for reducing flood losses. One such requirement is for the community to obtain the elevation of the lowest floor (including basement) of all new and substantially improved buildings, and maintain a record of such information. The Elevation Certificate provides a way for a community to document compliance with the community's floodplain management ordinance.

Use of this certificate does not provide a waiver of the flood insurance purchase requirement. Only a LOMA or LOMR-F from the Federal Emergency Management Agency (FEMA) can amend the FIRM and remove the federal mandate for a lending institution to require the purchase of flood insurance. However, the lending institution has the option of requiring flood insurance even if a LOMA/LOMR-F has been issued by FEMA. The Elevation Certificate may be used to support a LOMA, CLOMA, LOMR-F, or CLOMR-F request. Lowest Adjacent Grade (LAG) elevations certified by a land surveyor, engineer, or architect, as authorized by state law, will be required if the certificate is used to support a LOMA, CLOMA, LOMR-F, or CLOMR-F request. A LOMA, CLOMA, LOMR-F, or CLOMR-F request must be submitted with either a completed FEMA MT-EZ or MT-1 application package, whichever is appropriate. If the certificate will only be completed to support a LOMA, CLOMA, LOMR-F, or CLOMR-F request, there is an option to document the certified LAG elevation on the Elevation Form included in the MT-EZ and MT-1 application.

This certificate is used only to certify building elevations. A separate certificate is required for floodproofing. Under the NFIP, non-residential buildings can be floodproofed up to or above the BFE. A floodproofed building is a building that has been designed and constructed to be watertight (substantially impermeable to floodwaters) below the BFE. Floodproofing of residential buildings is not permitted under the NFIP unless FEMA has granted the community an exception for residential floodproofed basements. The community must adopt standards for design and construction of floodproofed basements before FEMA will grant a basement exception. For both floodproofed non-residential buildings and residential floodproofed basements in communities that have been granted an exception by FEMA, a floodproofing certificate is required.

The expiration date on the form herein does not apply to certified and completed Elevation Certificates, as a completed Elevation Certificate does not expire, unless there is a physical change to the building that invalidates information in Section A Items A8 or A9, Section C, Section E, or Section H. In addition, this form is intended for the specific building referenced in Section A and is not invalidated by the transfer of building ownership.

Additional guidance can be found in FEMA Publication 467-1, Floodplain Management Bulletin: Elevation Certificate.

## U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB Control No. 1660-0008 Expiration Date: 06/30/2026

## **ELEVATION CERTIFICATE**

### **IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11**

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION	FOR INSURANCE COMPANY USE					
A1. Building Owner's Name: SARASOTA COUNTY	Policy Number:					
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: 910 APEX ROAD	Company NAIC Number:					
City: SARASOTA State: FL	ZIP Code: <u>34240</u>					
A3. Property Description (e.g., Lot and Block Numbers or Legal Description) and/or Tax Parcel NunADMINISTRATION BUILDING - SARASOTA COUNTY PARCEL ID #0237050004	nber:					
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.): NON-RESIDEN	NTIAL					
A5. Latitude/Longitude: Lat. 27.324740 N Long. 82.445032 W Horiz. Datum: NAD 1927 NAD 1983 WGS 84						
A6. Attach at least two and when possible four clear color photographs (one for each side) of the bu	uilding (see Form pages 7 and 8).					
A7. Building Diagram Number:1B						
A8. For a building with a crawlspace or enclosure(s):						
a) Square footage of crawlspace or enclosure(s): N/A sq. ft.						
b) Is there at least one permanent flood opening on two different sides of each enclosed area?	☐ Yes ☐ No     N/A					
c) Enter number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade:  Non-engineered flood openings: N/A Engineered flood openings: N/A						
d) Total net open area of non-engineered flood openings in A8.c:N/A sq. in.						
e) Total rated area of engineered flood openings in A8.c (attach documentation – see Instruction	ons): N/A sq. ft.					
f) Sum of A8.d and A8.e rated area (if applicable – see Instructions): N/A sq. ft.						
A9. For a building with an attached garage:						
a) Square footage of attached garage: N/A sq. ft.						
b) Is there at least one permanent flood opening on two different sides of the attached garage?	Yes No No N/A					
c) Enter number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade:  Non-engineered flood openings:N/A Engineered flood openings:N/A						
d) Total net open area of non-engineered flood openings in A9.c: N/A sq. in.						
e) Total rated area of engineered flood openings in A9.c (attach documentation – see Instruction	ons): N/A sq. ft.					
f) Sum of A9.d and A9.e rated area (if applicable – see Instructions): N/A sq. ft.						
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION						
B1.a. NFIP Community Name: SARASOTA COUNTY B1.b. NFIP Com	munity Identification Number: 125144					
B2. County Name: SARASOTA B3. State: FL B4. Map/Panel No.: 1	12115C0154 B5. Suffix: D					
B6. FIRM Index Date: 03/27/2024 B7. FIRM Panel Effective/Revised Date: 03/27/20	24					
B8. Flood Zone(s): A B9. Base Flood Elevation(s) (BFE) (Zone AO, use B	Base Flood Depth): 19.7'					
B10. Indicate the source of the BFE data or Base Flood Depth entered in Item B9:  ☐ FIS ☐ FIRM ☐ Community Determined ☐ Other:						
B11. Indicate elevation datum used for BFE in Item B9: 🔲 NGVD 1929 🔀 NAVD 1988 🔲 Other.	/Source:					
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Prote Designation Date:	ected Area (OPA)?					
B13. Is the building located seaward of the Limit of Moderate Wave Action (LiMWA)? 🔲 Yes 🔀	No					

#### **IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11**

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box	No.: FOR INSURANCE COMPANY USE					
910 APEX ROAD	Policy Number:					
City: SARASOTA State: FL ZIP Code: 34240	Company NAIC Number:					
SECTION C – BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)						
C1. Building elevations are based on:  Construction Drawings* Building Under A new Elevation Certificate will be required when construction of the building is construction.						
C2. Elevations – Zones A1–A30, AE, AH, AO, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO, A99. Complete Items C2.a–h below according to the Building Diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized: NGS PID#DM5163 EL=21.63 Vertical Datum: NAVD 88						
Indicate elevation datum used for the elevations in items a) through h) below.  ☐ NGVD 1929 ☑ NAVD 1988 ☐ Other:						
Datum used for building elevations must be the same as that used for the BFE. Convers If Yes, describe the source of the conversion factor in the Section D Comments area.	ion factor used?					
a) Top of bottom floor (including basement, crawlspace, or enclosure floor):	24.4 \times feet \times meters					
b) Top of the next higher floor (see Instructions):	N/A					
c) Bottom of the lowest horizontal structural member (see Instructions):	N/A					
d) Attached garage (top of slab):	N/A					
<ul> <li>e) Lowest elevation of Machinery and Equipment (M&amp;E) servicing the building (describe type of M&amp;E and location in Section D Comments area):</li> </ul>	24.1 🔀 feet 🗌 meters					
f) Lowest Adjacent Grade (LAG) next to building:   Natural  Finished	22.0 🔀 feet 🗌 meters					
g) Highest Adjacent Grade (HAG) next to building:   Natural  Finished	21.7 🔀 feet 🗌 meters					
<ul> <li>Finished LAG at lowest elevation of attached deck or stairs, including structural support:</li> </ul>	N/A feet meters					
SECTION D – SURVEYOR, ENGINEER, OR ARCHITE	CT CERTIFICATION					
This certification is to be signed and sealed by a land surveyor, engineer, or architect au information. I certify that the information on this Certificate represents my best efforts to false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section	interpret the data available. I understand that any					
Were latitude and longitude in Section A provided by a licensed land surveyor? ⊠ Yes ☐ No						
Check here if attachments and describe in the Comments area.						
Certifier's Name: RUSSELL STRAYER License Number: LS 6890						
Title: PROFFESSIONAL SURVEYOR						
Company Name: ATHCA SURVEYING INC.						
Address: 4813 ANDREW AVENUE SUITE 3						
City: SARASOTA State: FL ZIP Code: 34232						
Telephone: (941) 650-5400 Ext.: Email: INFO@ATHCASURVEYING.COM						
Signature: Digitally signed by Russell Strayer Date: 2025.11.19 22:32:05 -05'00' Date: 11/19/2025 Place Seal Here						
Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.						
Comments (including source of conversion factor in C2; type of equipment and location p JOB #501237. LOWEST MACHINER IS EQUIPMENT ROOM AT THE NORTH						

OF LATITUDE LONGITUDE IS WGS84. GOOGLE MAPS USED FOR LATITUDE LONGITUDE. NO VENTS OBSERVED

FEMA Form FF-206-FY-22-152 (formerly 086-0-33) (8/23)

AT TIME OF FIELD VISIT

### IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:	FOR INSURANCE COMPANY USE					
910 APEX ROAD	Policy Number:					
City: SARASOTA State: FL ZIP Code: 34240	Company NAIC Number:					
SECTION E – BUILDING MEASUREMENT INFORMATION (SURVEY FOR ZONE AO, ZONE AR/AO, AND ZONE A (WITHOUT	•					
For Zones AO, AR/AO, and A (without BFE), complete Items E1–E5. For Items E1–E4, use natural grade, if available. If the Certificate is intended to support a Letter of Map Change request, complete Sections A, B, and C. Check the measurement used. In Puerto Rico only, enter meters.						
Building measurements are based on: Construction Drawings* Building Under Construction*A new Elevation Certificate will be required when construction of the building is complete.	on* Finished Construction					
E1. Provide measurements (C.2.a in applicable Building Diagram) for the following and check the a measurement is above or below the natural HAG and the LAG.	ppropriate boxes to show whether the					
a) Top of bottom floor (including basement, crawlspace, or enclosure) is:	above or below the HAG.					
b) Top of bottom floor (including basement, crawlspace, or enclosure) is:	above or below the LAG.					
E2. For Building Diagrams 6–9 with permanent flood openings provided in Section A Items 8 and/o next higher floor (C2.b in applicable  Building Diagram) of the building is:	r 9 (see pages 1–2 of Instructions), the  ☐ above or ☐ below the HAG.					
E3. Attached garage (top of slab) is:	above or below the HAG.					
E4. Top of platform of machinery and/or equipment servicing the building is:	above or below the HAG.					
E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?   Yes No Unknown The local official must certify this information in Section G.						
SECTION F – PROPERTY OWNER (OR OWNER'S AUTHORIZED REPRESEN	TATIVE) CERTIFICATION					
The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge						
Check here if attachments and describe in the Comments area.  Property Owner or Owner's Authorized Representative Name:						
Address:						
City: State:	ZIP Code:					
Telephone: Ext.: Email:						
Signature: Date:						
Comments:						
Commonte.						

### IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Building Street Address (including Apt., Unit, Suite, a	and/or Bldg. No.) o	r P.O. Route and B	Box No.:	FOR INS	URANCE COMPANY USE	
910 APEX ROAD				Policy Nur	Policy Number:	
City: SARASOTA	State: FL	ZIP Code: <u>342</u> 4	10	Company NAIC Number:		
SECTION G - COMMUNITY INFORMA	ATION (RECOM	MENDED FOR	соммии	ITY OFFICIA	AL COMPLETION)	
The local official who is authorized by law or ordinasection A, B, C, E, G, or H of this Elevation Certific					rdinance can complete	
G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by state law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)						
G2.a. A local official completed Section E for a building located in Zone A (without a BFE), Zone AO, or Zone AR/AO, or when item E5 is completed for a building located in Zone AO.						
G2.b.   A local official completed Section H for	· insurance purpos	ses.				
G3.	e local official des	scribes specific co	rrections to t	he information	n in Sections A, B, E and H.	
G4.	311) is provided fo	r community flood	plain manag	ement purpos	ses.	
G5. Permit Number:	G6. Date Pe	ermit Issued:				
G7. Date Certificate of Compliance/Occupancy	lssued:					
G8. This permit has been issued for: New	Construction	Substantial Impro	ovement			
G9.a. Elevation of as-built lowest floor (including building:	basement) of the		_	☐ meters	Datum:	
G9.b. Elevation of bottom of as-built lowest horiz member:	ontal structural		_	meters	Datum:	
G10.a. BFE (or depth in Zone AO) of flooding at th	ne building site:		_	meters	Datum:	
G10.b. Community's minimum elevation (or depth requirement for the lowest floor or lowest hember:		al	☐ feet	☐ meters	Datum:	
G11. Variance issued?	es, attach docume	entation and descr	ー ー ibe in the Co	omments area		
The local official who provides information in Section G must sign here. I have completed the information in Section G and certify that it is correct to the best of my knowledge. If applicable, I have also provided specific corrections in the Comments area of this section.						
Local Official's Name:		Title:				
NFIP Community Name:						
Address:						
City:						
Signature:		Nate:				
Signature: Date:  Comments (including type of equipment and location, per C2.e; description of any attachments; and corrections to specific information in Sections A, B, D, E, or H):						

### IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:					FOR INSURANCE COMPANY USE	
910 APEX ROAD			: 04040	Policy Nu	umber:	
City: SARASOTA	State: <u> </u>	<u>L</u>	_ ZIP Code: <u>34240</u>	Company	y NAIC Number:	
SECTION H – BUILDING'S FIRST FLOOR HEIGHT INFORMATION FOR ALL ZONES (SURVEY NOT REQUIRED) (FOR INSURANCE PURPOSES ONLY)						
The property owner, owner's authorized representative, or local floodplain management official may complete Section H for all flood zones to determine the building's first floor height for insurance purposes. Sections A, B, and I must also be completed. Enter heights to the nearest tenth of a foot (nearest tenth of a meter in Puerto Rico). Reference the Foundation Type Diagrams (at the end of Section H Instructions) and the appropriate Building Diagrams (at the end of Section I Instructions) to complete this section.						
H1. Provide the height of the top of the floor (as indicated in Foundation Type Diagrams) above the Lowest Adjacent Grade (LAG):						
a) For Building Diagrams 1A, 1B, 3 floor (include above-grade floors only crawlspaces or enclosure floors) is:		ttom	n	meters	above the LAG	
b) <b>For Building Diagrams 2A, 2B, 4</b> higher floor (i.e., the floor above base enclosure floor) is:				meters	above the LAG	
H2. Is <b>all</b> Machinery and Equipment serv H2 arrow (shown in the Foundation T Yes No						
SECTION I - PROPERTY C	WNER (OR OWNE	ER'S	S AUTHORIZED REPRESE	NTATIVE) (	CERTIFICATION	
The property owner or owner's authorized A, B, and H are correct to the best of my indicate in Item G2.b and sign Section G.						
Check here if attachments are provide	d (including required	pho	tos) and describe each attachn	nent in the C	omments area.	
Property Owner or Owner's Authorized Ro	epresentative Name:					
Address:						
City:			State:	ZIP	Code:	
Telephone: Ex	t.: Email:					
Signature:			Date:			
Comments:						

## IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11 **BUILDING PHOTOGRAPHS**

See Instructions for Item A6.

	ing Apt., Unit, Suite, and/or Bldg. No.) o	or P.O. Route and Box No.:	FOR INSURANCE COMPANY USE
910 APEX ROAD City: SARASOTA	State: FL	ZIP Code: <u>34240</u>	Policy Number:
able to take front and back pid "Right Side View," or "Left Sid	ast two and when possible four photo ctures of townhouses/rowhouses). Ide e View." Photographs must show the centative flood openings or vents, as i	ntify all photographs with the dat foundation. When flood openings	e taken and "Front View," "Rear View,"
	Ph	oto One	
Photo One Caption: FRONT	VIEW		Clear Photo One

Photo Two

Photo Two Caption: NORTH VIEW

Clear Photo Two

FOR INSURANCE COMPANY USE

## IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11 **BUILDING PHOTOGRAPHS**

Continuation Page					
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:		FOR INSURANCE COMPANY USE			
910 APEX ROAD			Policy Number:		
City: SARASOTA	State: FL	ZIP Code: <u>34240</u>	Company NAIC Number:		
Insert the third and fourth photographs below. Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.					




Photo Three

Photo Three Caption: SOUTH VIEW Clear Photo Three



Photo Four

Clear Photo Four Photo Four Caption: REAR VIEW