

National Flood Insurance Program

Elevation Certificate and Instructions

2023 EDITION



FEMA

ELEVATION CERTIFICATE AND INSTRUCTIONS

PAPERWORK REDUCTION ACT NOTICE

Public reporting burden for this data collection is estimated to average 3.75 hours per response. The burden estimate includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and submitting this form. You are not required to respond to this collection of information unless a valid OMB control number is displayed on this form. Send comments regarding the accuracy of the burden estimate and any suggestions for reducing the burden to: Information Collections Management, Department of Homeland Security, Federal Emergency Management Agency, 500 C Street SW, Washington, DC 20742, Paperwork Reduction Project (1660-0008). **NOTE: Do not send your completed form to this address.**

PRIVACY ACT STATEMENT

Authority: Title 44 CFR § 61.7 and 61.8.

Principal Purpose(s): This information is being collected for the primary purpose of documenting compliance with National Flood Insurance Program (NFIP) floodplain management ordinances for new or substantially improved structures in designated Special Flood Hazard Areas. This form may also be used as an optional tool for a Letter of Map Amendment (LOMA), Conditional LOMA (CLOMA), Letter of Map Revision Based on Fill (LOMR-F), or Conditional LOMR-F (CLOMR-F), or for flood insurance rating purposes in any flood zone.

Routine Use(s): The information on this form may be disclosed as generally permitted under 5 U.S.C. § 552a(b) of the Privacy Act of 1974, as amended. This includes using this information as necessary and authorized by the routine uses published in DHS/ FEMA-003 – *National Flood Insurance Program Files System of Records Notice* 79 Fed. Reg. 28747 (May 19, 2014) and upon written request, written consent, by agreement, or as required by law.

Disclosure: The disclosure of information on this form is voluntary; however, failure to provide the information requested may impact the flood insurance premium through the NFIP. Information will only be released as permitted by law.

PURPOSE OF THE ELEVATION CERTIFICATE

The Elevation Certificate is an important administrative tool of the NFIP. It can be used to provide elevation information necessary to ensure compliance with community floodplain management ordinances, to inform the proper insurance premium, and to support a request for a LOMA, CLOMA, LOMR-F, or CLOMR-F.

The Elevation Certificate is used to document floodplain management compliance for Post-Flood Insurance Rate Map (FIRM) buildings, which are buildings constructed after publication of the FIRM, located in flood Zones A1–A30, AE, AH, AO, A (with Base Flood Elevation (BFE)), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO, and A99. It may also be used to provide elevation information for Pre-FIRM buildings or buildings in any flood zone.

As part of the agreement for making flood insurance available in a community, the NFIP requires the community to adopt floodplain management regulations that specify minimum requirements for reducing flood losses. One such requirement is for the community to obtain the elevation of the lowest floor (including basement) of all new and substantially improved buildings, and maintain a record of such information. The Elevation Certificate provides a way for a community to document compliance with the community's floodplain management ordinance.

Use of this certificate does not provide a waiver of the flood insurance purchase requirement. Only a LOMA or LOMR-F from the Federal Emergency Management Agency (FEMA) can amend the FIRM and remove the federal mandate for a lending institution to require the purchase of flood insurance. However, the lending institution has the option of requiring flood insurance even if a LOMA/LOMR-F has been issued by FEMA. The Elevation Certificate may be used to support a LOMA, CLOMA, LOMR-F, or CLOMR-F request. Lowest Adjacent Grade (LAG) elevations certified by a land surveyor, engineer, or architect, as authorized by state law, will be required if the certificate is used to support a LOMA, CLOMA, LOMR-F, or CLOMR-F request. A LOMA, CLOMA, LOMR-F, or CLOMR-F request must be submitted with either a completed FEMA MT-EZ or MT-1 application package, whichever is appropriate. If the certificate will only be completed to support a LOMA, CLOMA, LOMR-F, or CLOMR-F request, there is an option to document the certified LAG elevation on the Elevation Form included in the MT-EZ and MT-1 application.

This certificate is used only to certify building elevations. A separate certificate is required for floodproofing. Under the NFIP, non-residential buildings can be floodproofed up to or above the BFE. A floodproofed building is a building that has been designed and constructed to be watertight (substantially impermeable to floodwaters) below the BFE. Floodproofing of residential buildings is not permitted under the NFIP unless FEMA has granted the community an exception for residential floodproofed basements. The community must adopt standards for design and construction of floodproofed basements before FEMA will grant a basement exception. For both floodproofed non-residential buildings and residential floodproofed basements in communities that have been granted an exception by FEMA, a floodproofing certificate is required.

The expiration date on the form herein does not apply to certified and completed Elevation Certificates, as a completed Elevation Certificate does not expire, unless there is a physical change to the building that invalidates information in Section A Items A8 or A9, Section C, Section E, or Section H. In addition, this form is intended for the specific building referenced in Section A and is not invalidated by the transfer of building ownership.

Additional guidance can be found in FEMA Publication 467-1, *Floodplain Management Bulletin: Elevation Certificate*.

ELEVATION CERTIFICATE

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A – PROPERTY INFORMATION	FOR INSURANCE COMPANY USE
A1. Building Owner's Name: <u>MARTIN E MAS</u> A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: <u>653 LOS ALTOS</u>	Policy Number: _____ Company NAIC Number: _____
City: <u>NORTH PORT</u> State: <u>FL</u> ZIP Code: <u>34287</u>	
A3. Property Description (e.g., Lot and Block Numbers or Legal Description) and/or Tax Parcel Number: <u>Unit # 366 of La Casa, a Residential Cooperative, PID # 0791061366</u>	
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.): <u>RESIDENTIAL</u>	
A5. Latitude/Longitude: Lat. <u>27.036461</u> Long. <u>-82.269737</u> Horiz. Datum: <input type="checkbox"/> NAD 1927 <input type="checkbox"/> NAD 1983 <input checked="" type="checkbox"/> WGS 84	
A6. Attach at least two and when possible four clear color photographs (one for each side) of the building (see Form pages 7 and 8).	
A7. Building Diagram Number: <u>6</u>	
A8. For a building with a crawlspace or enclosure(s): a) Square footage of crawlspace or enclosure(s): <u>1,008</u> sq. ft. b) Is there at least one permanent flood opening on two different sides of each enclosed area? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A c) Enter number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade: Non-engineered flood openings: <u>N/A</u> Engineered flood openings: <u>N/A</u> d) Total net open area of non-engineered flood openings in A8.c: <u>N/A</u> sq. in. e) Total rated area of engineered flood openings in A8.c (attach documentation – see Instructions): <u>N/A</u> sq. ft. f) Sum of A8.d and A8.e rated area (if applicable – see Instructions): <u>N/A</u> sq. ft.	
A9. For a building with an attached garage: a) Square footage of attached garage: <u>N/A</u> sq. ft. b) Is there at least one permanent flood opening on two different sides of the attached garage? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A c) Enter number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade: Non-engineered flood openings: <u>N/A</u> Engineered flood openings: <u>N/A</u> d) Total net open area of non-engineered flood openings in A9.c: <u>N/A</u> sq. in. e) Total rated area of engineered flood openings in A9.c (attach documentation – see Instructions): <u>N/A</u> sq. ft. f) Sum of A9.d and A9.e rated area (if applicable – see Instructions): <u>N/A</u> sq. ft.	
SECTION B – FLOOD INSURANCE RATE MAP (FIRM) INFORMATION	
B1.a. NFIP Community Name: <u>Sarasota County Unincorporated Areas</u> B1.b. NFIP Community Identification Number: <u>125144</u>	
B2. County Name: <u>Sarasota</u> B3. State: <u>FL</u> B4. Map/Panel No.: <u>12115C0370</u> B5. Suffix: <u>G</u>	
B6. FIRM Index Date: <u>03/27/2024</u> B7. FIRM Panel Effective/Revised Date: <u>03/27/2024</u>	
B8. Flood Zone(s): <u>AE</u> B9. Base Flood Elevation(s) (BFE) (Zone AO, use Base Flood Depth): <u>9'</u>	
B10. Indicate the source of the BFE data or Base Flood Depth entered in Item B9: <input type="checkbox"/> FIS <input checked="" type="checkbox"/> FIRM <input type="checkbox"/> Community Determined <input type="checkbox"/> Other: _____	
B11. Indicate elevation datum used for BFE in Item B9: <input type="checkbox"/> NGVD 1929 <input checked="" type="checkbox"/> NAVD 1988 <input type="checkbox"/> Other/Source: _____	
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Designation Date: _____ <input type="checkbox"/> CBRS <input type="checkbox"/> OPA	
B13. Is the building located seaward of the Limit of Moderate Wave Action (LiMWA)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	

ELEVATION CERTIFICATE

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: 653 LOS ALTOS	FOR INSURANCE COMPANY USE
City: <u>NORTH PORT</u> State: <u>FL</u> ZIP Code: <u>34287</u>	Policy Number: _____
	Company NAIC Number: _____

SECTION C – BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

- C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction
*A new Elevation Certificate will be required when construction of the building is complete.
- C2. Elevations – Zones A1–A30, AE, AH, AO, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO, A99. Complete Items C2.a–h below according to the Building Diagram specified in Item A7. In Puerto Rico only, enter meters.
Benchmark Utilized: V 634 Vertical Datum: NAVD 88

Indicate elevation datum used for the elevations in items a) through h) below.

NGVD 1929 NAVD 1988 Other: _____

Datum used for building elevations must be the same as that used for the BFE. Conversion factor used? Yes No

If Yes, describe the source of the conversion factor in the Section D Comments area.

Check the measurement used:

- | | | |
|---|-------------|--|
| a) Top of bottom floor (including basement, crawlspace, or enclosure floor): | <u>10.6</u> | <input checked="" type="checkbox"/> feet <input type="checkbox"/> meters |
| b) Top of the next higher floor (see Instructions): | <u>N/A</u> | <input type="checkbox"/> feet <input type="checkbox"/> meters |
| c) Bottom of the lowest horizontal structural member (see Instructions): | <u>N/A</u> | <input type="checkbox"/> feet <input type="checkbox"/> meters |
| d) Attached garage (top of slab): | <u>N/A</u> | <input type="checkbox"/> feet <input type="checkbox"/> meters |
| e) Lowest elevation of Machinery and Equipment (M&E) servicing the building (describe type of M&E and location in Section D Comments area): | <u>10.5</u> | <input checked="" type="checkbox"/> feet <input type="checkbox"/> meters |
| f) Lowest Adjacent Grade (LAG) next to building: <input type="checkbox"/> Natural <input checked="" type="checkbox"/> Finished | <u>6.4</u> | <input checked="" type="checkbox"/> feet <input type="checkbox"/> meters |
| g) Highest Adjacent Grade (HAG) next to building: <input type="checkbox"/> Natural <input checked="" type="checkbox"/> Finished | <u>6.6</u> | <input checked="" type="checkbox"/> feet <input type="checkbox"/> meters |
| h) Finished LAG at lowest elevation of attached deck or stairs, including structural support: | <u>6.6</u> | <input checked="" type="checkbox"/> feet <input type="checkbox"/> meters |

SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by state law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

Were latitude and longitude in Section A provided by a licensed land surveyor? Yes No

Check here if attachments and describe in the Comments area.

Certifier's Name: TIMOTHY C SMITH License Number: P.S.M 4675


Title: PROFESSIONAL SURVEYORS AND MAPPER


Company Name: E&R LAND SURVEYOR LLC

Address: 248 BALD CYPRESS AVE

City: CLEWISTON State: FL ZIP Code: 33440

Telephone: (863) 599-2698 Ext.: _____ Email: INFO@ERLANDSURVEYORS.COM

Signature:  TIMOTHY C SMITH
2026.04.27 14:23:11 -04'00' Date: 04/23/2026



Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

Comments (including source of conversion factor in C2; type of equipment and location per C2.e; and description of any attachments):

Latitude and Longitude from <https://www.latlong.net/>
type of equipment and location per C2.e - AC located rear of home.
NGS - Data sheet attached.

ELEVATION CERTIFICATE

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: 653 LOS ALTOS	FOR INSURANCE COMPANY USE
City: NORTH PORT State: FL ZIP Code: 34287	Policy Number: _____
	Company NAIC Number: _____

SECTION E – BUILDING MEASUREMENT INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO, ZONE AR/AO, AND ZONE A (WITHOUT BFE)

For Zones AO, AR/AO, and A (without BFE), complete Items E1–E5. For Items E1–E4, use natural grade, if available. If the Certificate is intended to support a Letter of Map Change request, complete Sections A, B, and C. Check the measurement used. In Puerto Rico only, enter meters.

Building measurements are based on: Construction Drawings* Building Under Construction* Finished Construction
*A new Elevation Certificate will be required when construction of the building is complete.

- E1. Provide measurements (C.2.a in applicable Building Diagram) for the following and check the appropriate boxes to show whether the measurement is above or below the natural HAG and the LAG.
- a) Top of bottom floor (including basement, crawlspace, or enclosure) is: _____ feet meters above or below the HAG.
- b) Top of bottom floor (including basement, crawlspace, or enclosure) is: _____ feet meters above or below the LAG.
- E2. For Building Diagrams 6–9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 1–2 of Instructions), the next higher floor (C2.b in applicable Building Diagram) of the building is: _____ feet meters above or below the HAG.
- E3. Attached garage (top of slab) is: _____ feet meters above or below the HAG.
- E4. Top of platform of machinery and/or equipment servicing the building is: _____ feet meters above or below the HAG.
- E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown The local official must certify this information in Section G.

SECTION F – PROPERTY OWNER (OR OWNER'S AUTHORIZED REPRESENTATIVE) CERTIFICATION

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without BFE) or Zone AO must sign here. *The statements in Sections A, B, and E are correct to the best of my knowledge*

Check here if attachments and describe in the Comments area.

Property Owner or Owner's Authorized Representative Name: _____

Address: _____

City: _____ State: _____ ZIP Code: _____

Telephone: _____ Ext.: _____ Email: _____

Signature: _____ Date: _____

Comments: _____

ELEVATION CERTIFICATE

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: 653 LOS ALTOS	FOR INSURANCE COMPANY USE
City: NORTH PORT State: FL ZIP Code: 34287	Policy Number: _____ Company NAIC Number: _____

SECTION G – COMMUNITY INFORMATION (RECOMMENDED FOR COMMUNITY OFFICIAL COMPLETION)

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Section A, B, C, E, G, or H of this Elevation Certificate. Complete the applicable item(s) and sign below when:

- G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by state law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2.a. A local official completed Section E for a building located in Zone A (without a BFE), Zone AO, or Zone AR/AO, or when item E5 is completed for a building located in Zone AO.
- G2.b. A local official completed Section H for insurance purposes.
- G3. In the Comments area of Section G, the local official describes specific corrections to the information in Sections A, B, E and H.
- G4. The following information (Items G5–G11) is provided for community floodplain management purposes.
- G5. Permit Number: _____ G6. Date Permit Issued: _____
- G7. Date Certificate of Compliance/Occupancy Issued: _____
- G8. This permit has been issued for: New Construction Substantial Improvement
- G9.a. Elevation of as-built lowest floor (including basement) of the building: _____ feet meters Datum: _____
- G9.b. Elevation of bottom of as-built lowest horizontal structural member: _____ feet meters Datum: _____
- G10.a. BFE (or depth in Zone AO) of flooding at the building site: _____ feet meters Datum: _____
- G10.b. Community's minimum elevation (or depth in Zone AO) requirement for the lowest floor or lowest horizontal structural member: _____ feet meters Datum: _____
- G11. Variance issued? Yes No If yes, attach documentation and describe in the Comments area.

The local official who provides information in Section G must sign here. *I have completed the information in Section G and certify that it is correct to the best of my knowledge. If applicable, I have also provided specific corrections in the Comments area of this section.*

Local Official's Name: _____ Title: _____

NFIP Community Name: _____

Telephone: _____ Ext.: _____ Email: _____

Address: _____

City: _____ State: _____ ZIP Code: _____

Signature: _____ Date: _____

Comments (including type of equipment and location, per C2.e; description of any attachments; and corrections to specific information in Sections A, B, D, E, or H):

ELEVATION CERTIFICATE
IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11
BUILDING PHOTOGRAPHS

See Instructions for Item A6.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:
653 LOS ALTOS

City: NORTH PORT State: FL ZIP Code: 34287

FOR INSURANCE COMPANY USE

Policy Number: _____

Company NAIC Number: _____

Instructions: Insert below at least two and when possible four photographs showing each side of the building (for example, may only be able to take front and back pictures of townhouses/rowhouses). Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." Photographs must show the foundation. When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.



Photo One

Photo One Caption: FRONT VIEW 04/18/2026

Clear Photo One



Photo Two

Photo Two Caption: REAR VIEW 04/18/2026

Clear Photo Two

ELEVATION CERTIFICATE
IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11
BUILDING PHOTOGRAPHS

Continuation Page

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:
653 LOS ALTOS

City: NORTH PORT State: FL ZIP Code: 34287

FOR INSURANCE COMPANY USE

Policy Number: _____

Company NAIC Number: _____

Insert the third and fourth photographs below. Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.



Photo Three

Photo Three Caption: **LEFT SIDE VIEW 04/18/2026**

Clear Photo Three



Photo Four

Photo Four Caption: **RIGHT VIEW 04/18/2026**

Clear Photo Four

The NGS Data Sheet

See file [dsdata.pdf](#) for more information about the datasheet.

PROGRAM = datasheet95, VERSION = 8.12.5.19

Starting Datasheet Retrieval...

1 National Geodetic Survey, Retrieval Date = DECEMBER 18, 2024 22:07:40 EST

DJ3119 *****

DJ3119 TIDAL BM - This is a Tidal Bench Mark.

DJ3119 DESIGNATION - V 634

DJ3119 PID - DJ3119

DJ3119 STATE/COUNTY- FL/SARASOTA

DJ3119 COUNTRY - US

DJ3119 USGS QUAD - MYAKKA RIVER (2018)

DJ3119

DJ3119 *CURRENT SURVEY CONTROL

DJ3119

DJ3119* NAD 83(1986) POSITION- 27 02 52.33 (N) 082 16 32.39 (W) HD_HELD1

DJ3119* [NAVD 88](#) ORTHO HEIGHT - 3.327 (meters) 10.92 (feet) ADJUSTED

DJ3119

DJ3119 GEOID HEIGHT - -23.946 (meters) GEOID18

DJ3119 DYNAMIC HEIGHT - 3.322 (meters) 10.90 (feet) COMP

DJ3119 MODELED GRAVITY - 979,130.1 (mgal) NAVD 88

DJ3119

DJ3119 VERT ORDER - FIRST CLASS II

DJ3119

DJ3119.The horizontal coordinates were determined by differentially corrected

DJ3119.hand held GPS observations or other comparable positioning techniques

DJ3119.and have an estimated accuracy of +/- 3 meters.

DJ3119

DJ3119.The orthometric height was determined by differential leveling and

DJ3119.adjusted by the NATIONAL GEODETIC SURVEY

DJ3119.in May 2008.

DJ3119

DJ3119.Significant digits in the geoid height do not necessarily reflect accuracy.

DJ3119.GEOID18 height accuracy estimate available [here](#).

DJ3119

DJ3119.This Tidal Bench Mark is designated as VM 19923

DJ3119.by the [CENTER FOR OPERATIONAL OCEANOGRAPHIC PRODUCTS AND SERVICES](#).

DJ3119

DJ3119.Click [photographs](#) - Photos may exist for this station.

DJ3119

DJ3119.The dynamic height is computed by dividing the NAVD 88

DJ3119.geopotential number by the normal gravity value computed on the

DJ3119.Geodetic Reference System of 1980 (GRS 80) ellipsoid at 45

DJ3119.degrees latitude (g = 980.6199 gals.).

DJ3119

DJ3119.The modeled gravity was interpolated from observed gravity values.

DJ3119

DJ3119; North East Units Estimated Accuracy

DJ3119;SPC FL W - 300,737.8 172,652.2 MT (+/- 3 meters HH1 GPS)

DJ3119

DJ3119_U.S. NATIONAL GRID SPATIAL ADDRESS: 17RLK7348292377(NAD 83)

DJ3119

DJ3119 SUPERSEDED SURVEY CONTROL

DJ3119

DJ3119.No superseded survey control is available for this station.

DJ3119

DJ3119_MARKER: F = FLANGE-ENCASED ROD

DJ3119_SETTING: 49 = STAINLESS STEEL ROD W/O SLEEVE (10 FT.+)

DJ3119_STAMPING: V 634 2005

DJ3119_MARK LOGO: NGS

DJ3119_PROJECTION: RECESSED 3 CENTIMETERS
DJ3119_MAGNETIC: M = MARKER EQUIPPED WITH BAR MAGNET
DJ3119_STABILITY: B = PROBABLY HOLD POSITION/ELEVATION WELL
DJ3119_SATELLITE: THE SITE LOCATION WAS REPORTED AS SUITABLE FOR
DJ3119+SATELLITE: SATELLITE OBSERVATIONS - April 22, 2014
DJ3119_ROD/PIPE-DEPTH: 4.9 meters

DJ3119
DJ3119 HISTORY - Date Condition Report By
DJ3119 HISTORY - 20050917 MONUMENTED FLDEP
DJ3119 HISTORY - 20070914 GOOD FLDEP
DJ3119 HISTORY - 20080625 GOOD FLDEP
DJ3119 HISTORY - 20091201 GOOD FLDEP
DJ3119 HISTORY - 20140422 GOOD FLDEP

DJ3119
DJ3119 STATION DESCRIPTION

DJ3119'DESCRIBED BY FL DEPT OF ENV PRO 2005 (BPJ)
DJ3119'THE MARK IS ABOUT 1.2 MI WEST OF NORTHPORT IN SECTION 35, TOWNSHIP 39
DJ3119'SOUTH, RANGE 20 EAST.
DJ3119'
DJ3119'TO REACH THE MARK FROM THE JUNCTION OF U.S. HIGHWAY 41 AND STATE ROAD
DJ3119'776 SOUTH IN PORT CHARLOTTE, GO WEST ON U.S. HIGHWAY 41 FOR 6.85 MI TO
DJ3119'THE INTERSECTION OF SOUTH BISCAYNE DRIVE, CONTINUE WEST ON U.S.
DJ3119'HIGHWAY 41 FOR 1.7 MI TO THE WEST END OF THE SALT CREEK BRIDGE AND THE
DJ3119'MARK IN THE MEDIAN ON THE LEFT, A STAINLESS STEEL ROD DRIVEN TO
DJ3119'REFUSAL AT A DEPTH OF 16.0 FT WITH AN NGS LOGO CAP RECESSED 1 INCH
DJ3119'BELOW THE LEVEL OF THE GROUND AND LEVEL WITH U.S. HIGHWAY 41, THE
DJ3119'DATUM POINT IS RECESSED 4 INCHES BELOW THE LEVEL OF THE NGS LOGO CAP.
DJ3119'
DJ3119'LOCATED 33.3 FT SOUTH OF THE APPROXIMATE CENTERLINE OF U.S. HIGHWAY 41
DJ3119'NORTHBOUND, 31.8 FT NORTH OF THE APPROXIMATE CENTERLINE OF U.S.
DJ3119'HIGHWAY 41 SOUTHBOUND, 12.5 FT NORTH OF A METAL GUARDRAIL AND 1.0 FT
DJ3119'WEST OF A CARSONITE WITNESS POST.
DJ3119'
DJ3119'NOTE A MAGNET WAS PLACED INSIDE OF THE MARK.
DJ3119'

DJ3119'NOTE ACCESS TO THE DATUM POINT IS THROUGH A 5-INCH NGS LOGO CAP.

DJ3119 STATION RECOVERY (2007)

DJ3119
DJ3119'RECOVERY NOTE BY FL DEPT OF ENV PRO 2007 (BPJ)
DJ3119'RECOVERED AS DESCRIBED.

DJ3119
DJ3119 STATION RECOVERY (2008)

DJ3119
DJ3119'RECOVERY NOTE BY FL DEPT OF ENV PRO 2008 (BPJ)
DJ3119'RECOVERED AS DESCRIBED.

DJ3119
DJ3119 STATION RECOVERY (2009)

DJ3119
DJ3119'RECOVERY NOTE BY FL DEPT OF ENV PRO 2009 (BPJ)
DJ3119'RECOVERED AS DESCRIBED.

DJ3119
DJ3119 STATION RECOVERY (2014)

DJ3119
DJ3119'RECOVERY NOTE BY FL DEPT OF ENV PRO 2014 (BPJ)
DJ3119'RECOVERED AS DESCRIBED.

*** retrieval complete.
Elapsed Time = 00:00:03