U.S. DEPARTMENT OF HOMELAND SECURIY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

AL D. W. W.	A - PROPERTY INFOR	MATION		For Incurance Comment		
Donald Lane		For Insurance Company Use: Policy Number				
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. N 404 Estill Drive	l., 1	Company NAIC Number				
City State Nokomis Florida	ZIP Code					
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Portion of Section 36, Township 38 South, Range 18 East, Sara	34275 , Legal Description, etc.)					
A4. Building Use (e.g., Residential, Non-Residential, Addition, Acces A5. Latitude/Longitude: Lat. 27°07'41.6" N Long. 082°27'30.2 A6. Attach at least 2 photographs of the building if the Certificate is be A7. Building Diagram Number 1A A8. For a building with a crawlspace or enclosure(s): a) Square footage of crawlspace or enclosure(s) b) No. of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade c) Total net area of flood openings in A8.b d) Engineered flood openings? Yes No	ssory, etc.) Residential 2"W Horizontal Datum being used to obtain flood in A9. For a sq ft a) Square for b) No. of per within 1.0 sq in c) Total net a d) Engineere	building with ar otage of attach manent flood o foot above adj area of flood oped d flood opening	attached ged garage penings in acent gradenings in Age?	garage: <u>729</u> sq ft the attached garage e 0		
SECTION B - FLOOD INSURA	ANCE RATE MAP (FIRM	I) INFORMA	TION			
B1. NFIP Community Name & Community Number Sarasota County 125144	B2. County Name	asota		B3. State		
B4. Map/Panel B5. Suffix B6. FIRM Index Number Date 125144 0239 D 9-03-1992	B7. FIRM Panel Effective/Revised Date 05-01-1984	B8. Floo Zone(s) A12	d {	39. Base Flood Elevation(s) (Zone AO, use base flood depth) 11 Feet		
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. FIS Profile FIRM Community Determined Other (Describe) B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe) B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes No Designation Date CBRS OPA SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)						
SECTION C - BUILDING FI FV	ATION INCOME.					
C1 Building elevations are based as			QUIRED)			
C1. Building elevations are based on: Construction Drawings*	☐ Building Under C			ished Construction		
A new Elevation Certificate will be required when construction of the bui C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (waccording to the building diagram specified in Item A7. Use the same data Benchmark Utilized NGS J-634 Vertical Datum N.G.V.D. 29 Indicate elevation datum used for the elevations in items a) through by head	Building Under Colliding is complete. with BFE), AR, AR/A, AR/AE turn as the BFE.	onstruction	⊠ Fin	AO. Complete Items C2.a-h below		
A new Elevation Certificate will be required when construction of the bui C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (waccording to the building diagram specified in Item A7. Use the same data Benchmark Utilized NGS J-634 Vertical Datum N.G.V.D. 29 Indicate elevation datum used for the elevations in Items a) through h) be Datum used for building elevations must be the same as that used for the	□ Building Under Colliding is complete. with BFE), AR, AR/A, AR/AE turn as the BFE. elow. ☑ NGVD 1929 □ NA BFE.	onstruction	☑ Fin	AO. Complete Items C2.a-h below		
A new Elevation Certificate will be required when construction of the bui C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (waccording to the building diagram specified in Item A7. Use the same data Benchmark Utilized NGS J-634 Vertical Datum N.G.V.D. 29 Indicate elevation datum used for the elevations in items a) through by head	□ Building Under Colliding is complete. with BFE), AR, AR/A, AR/AE tum as the BFE. Blow. ☑ NGVD 1929 □ NA BFE.	onstruction E, AR/A1-A30, A VD 1988 □ Ot ☑ fe	⊠ Fin AR/AH, AR/ her/Source Cet □	AO. Complete Items C2.a-h below Check the measurements used. meters (Puerto Rico only)		
A new Elevation Certificate will be required when construction of the bui C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (waccording to the building diagram specified in Item A7. Use the same data Benchmark Utilized NGS J-634 Vertical Datum N.G.V.D. 29 Indicate elevation datum used for the elevations in items a) through h) be Datum used for building elevations must be the same as that used for the a) Top of bottom floor (including basement, crawlspace, or enclosure) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only	Building Under Colding is complete. with BFE), AR, AR/A, AR/AE tum as the BFE. BIOW. NGVD 1929 NA BFE. Bre floor) 12.1	onstruction E, AR/A1-A30, A VD 1988 □ Ot □ fe	⊠ Fin	AO. Complete Items C2.a-h below Check the measurements used. meters (Puerto Rico only) meters (Puerto Rico only)		
A new Elevation Certificate will be required when construction of the bui C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (waccording to the building diagram specified in Item A7. Use the same data Benchmark Utilized NGS J-634 Vertical Datum N.G.V.D. 29 Indicate elevation datum used for the elevations in items a) through h) be Datum used for building elevations must be the same as that used for the a) Top of bottom floor (including basement, crawlspace, or enclosure) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only d) Attached garage (top of slab)	Building Under Colding is complete. with BFE), AR, AR/A, AR/AE turn as the BFE. Blow. NGVD 1929 NA BFE. Brefloor) 12.1	Onstruction E, AR/A1-A30, A VD 1988 □ Of □ fe □ fe	⊠ Fin AR/AH, AR/ her/Source Cet □	AO. Complete Items C2.a-h below Check the measurements used. Meters (Puerto Rico only) meters (Puerto Rico only) meters (Puerto Rico only)		
A new Elevation Certificate will be required when construction of the bui C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (waccording to the building diagram specified in Item A7. Use the same data Benchmark Utilized NGS J-634 Vertical Datum N.G.V.D. 29 Indicate elevation datum used for the elevations in items a) through h) be Datum used for building elevations must be the same as that used for the a) Top of bottom floor (including basement, crawlspace, or enclosure) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the (Describe type of equipment and location in Comments) Lowest adjacent (finished) grade next to building (LAG)	□ Building Under Colding is complete. with BFE), AR, AR/A, AR/AE turn as the BFE. Blow. □ NGVD 1929 □ NA BFE. Ire floor) 12.1	Onstruction E, AR/A1-A30, A VD 1988	AR/AH, AR/ her/Source cet cet cet cet cet cet cet ce	AO. Complete Items C2.a-h below Check the measurements used. meters (Puerto Rico only)		
A new Elevation Certificate will be required when construction of the bui C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (waccording to the building diagram specified in Item A7. Use the same data Benchmark Utilized NGS J-634 Vertical Datum N.G.V.D. 29 Indicate elevation datum used for the elevations in items a) through h) be Datum used for building elevations must be the same as that used for the a) Top of bottom floor (including basement, crawlspace, or enclosure) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent grade at lowest elevation of deck or stairs in	Building Under Colding is complete. with BFE), AR, AR/A, AR/AE turn as the BFE. Blow. NGVD 1929 NA BFE. Bre floor) 12.1 y) 11.7 building 11.0 11.5	Onstruction E, AR/A1-A30, A VD 1988 □ Of □ fe □ fe □ fe □ fe □ fe	AR/AH, AR/ her/Source eet eet eet eet eet eet eet ee	AO. Complete Items C2.a-h below Check the measurements used. Meters (Puerto Rico only)		
A new Elevation Certificate will be required when construction of the bui C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (waccording to the building diagram specified in Item A7. Use the same data Benchmark Utilized NGS J-634 Vertical Datum N.G.V.D. 29 Indicate elevation datum used for the elevations in items a) through h) be Datum used for building elevations must be the same as that used for the a) Top of bottom floor (including basement, crawlspace, or enclosure) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent grade at lowest elevation of deck or stairs, in structural support	Building Under Colliding is complete. with BFE), AR, AR/A, AR/AE turn as the BFE. Plow. MRVD 1929 NA PBFE. Ire floor) 12.1 W) 11.7 building 11.4 11.0 11.5 including 11.0	onstruction F, AR/A1-A30, A VD 1988	AR/AH, AR/ her/Source cet cet cet cet cet cet cet c	AO. Complete Items C2.a-h below Check the measurements used. Meters (Puerto Rico only)		
A new Elevation Certificate will be required when construction of the bui C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (waccording to the building diagram specified in Item A7. Use the same data Benchmark Utilized NGS J-634 Vertical Datum N.G.V.D. 29 Indicate elevation datum used for the elevations in items a) through h) be Datum used for building elevations must be the same as that used for the Datum used for building elevations must be the same as that used for the Datum used for building elevations must be the same as that used for the Datum used for building elevations must be the same as that used for the Datum used for building elevations must be the same as that used for the Datum used for building elevations must be the same as that used for the Datum used for building elevations must be the same as that used for the Datum used for building elevations must be the same as that used for the Datum used for building elevation of the lowest horizontal structural member (V Zones only d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, is structural support SECTION D - SURVEYOR, ENG This certification is to be signed and sealed by a land surveyor, engineer, of information. I certify that the information on this Certificate represents my I understand that any false statement may be punishable by fine or imprised Check here if comments are provided on back of form. Were legation of the building elevation of the building (Lace) legation of lega	Building Under Colding is complete. with BFE), AR, AR/A, AR/AE turn as the BFE. Blow. NGVD 1929 NA BFE. Bre floor) 12.1 building 11.7 building 11.0 11.0 CINEER, OR ARCHITEC or architect authorized by la	onstruction AR/A1-A30, A VD 1988	AR/AH, AR/ her/Source cet cet cet cet cet cet cet c	AO. Complete Items C2.a-h below Check the measurements used. Meters (Puerto Rico only)		
A new Elevation Certificate will be required when construction of the bui C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (waccording to the building diagram specified in Item A7. Use the same data Benchmark Utilized NGS J-634 Vertical Datum N.G.V.D. 29 Indicate elevation datum used for the elevations in items a) through h) be Datum used for building elevations must be the same as that used for the Datum used for building elevations must be the same as that used for the a) Top of bottom floor (including basement, crawlspace, or enclosured b) Top of the next higher floor C) Bottom of the lowest horizontal structural member (V Zones only d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, instructural support SECTION D - SURVEYOR, ENG This certification is to be signed and sealed by a land surveyor, engineer, of information. I certify that the information on this Certificate represents my information. I certify that the information on this Certificate represents my information. I certify that the information on this Certificate represents my information. I certify that the information on this Certificate represents my information. I certify that the information on this Certificate represents my information. I certify that the information on this Certificate represents my information. I certify that the information on this Certificate represents my information. I certify that the information on this Certificate represents my information. I certify that the information on this Certificate represents my information. I certify that the information on this Certificate represents my information. I certify that the information on this Certificate represents my information. I certify that the information on this Certif	Building Under Colliding is complete. with BFE), AR, AR/A, AR/AE turn as the BFE. Plow. NGVD 1929 NA BFE. Plow in the	onstruction AR/A1-A30, A VD 1988	AR/AH, AR/ her/Source cet cet cet cet cet cet cet c	Check the measurements used. Therefore, the measur		
A new Elevation Certificate will be required when construction of the bui C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (waccording to the building diagram specified in Item A7. Use the same data Benchmark Utilized NGS J-634 Vertical Datum N.G.V.D. 29 Indicate elevation datum used for the elevations in items a) through h) be Datum used for building elevations must be the same as that used for the Datum used for building elevations must be the same as that used for the Datum used for building elevations must be the same as that used for the Datum used for building elevations must be the same as that used for the Datum used for building elevations must be the same as that used for the Datum used for building elevations must be the same as that used for the Datum used for building elevations must be the same as that used for the Datum used for building elevation of the lowest higher floor a) Top of bottom floor (including basement, crawlspace, or enclosured by Datum used for the lowest higher floor c) Bottom of the lowest horizontal structural member (V Zones only d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, is structural support SECTION D - SURVEYOR, ENG This certification is to be signed and sealed by a land surveyor, engineer, of information. I certify that the information on this Certificate represents my if I understand that any false statement may be punishable by fine or imprise the I understand that any false statement may be punishable by fine or imprise I understand that any false statement may be punishable by fine or imprise I understand that any false statement may be punishable by fine or imprise I licensed Check here if comments are provided on back of form. Check here if comments are pro	Building Under Colliding is complete. with BFE), AR, AR/A, AR/AE turn as the BFE. Blow. NGVD 1929 NA BFE. Below. 12.1 Building 11.7 building 11.6 BINEER, OR ARCHITECT or architect authorized by labest efforts to interpret the onment under 18 U.S. Codatitude and longitude in Section 19 Na License Number	onstruction AR/A1-A30, A VD 1988	AR/AH, AR/ her/Source cet cet cet cet cet cet cet c	Check the measurements used. The meters (Puerto Rico only)		
A new Elevation Certificate will be required when construction of the bui C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (waccording to the building diagram specified in Item A7. Use the same data Benchmark Utilized NGS J-634 Vertical Datum N.G.V.D. 29 Indicate elevation datum used for the elevations in items a) through h) be Datum used for building elevations must be the same as that used for the Datum used for building elevations must be the same as that used for the Datum used for building elevations must be the same as that used for the Datum used for building elevations must be the same as that used for the Datum used for building elevations must be the same as that used for the Datum used for building elevations must be the same as that used for the Datum used for building elevations must be the same as that used for the Datum used for building elevations must be the same as that used for the Datum used for building elevation of the lowest horizontal structural member (V Zones only d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, is structural support SECTION D - SURVEYOR, ENG This certification is to be signed and sealed by a land surveyor, engineer, of information. I certify that the information on this Certificate represents my I understand that any false statement may be punishable by fine or imprised incensed. Check here if comments are provided on back of form. Were leading the punishable by fine or imprised incensed. Check here if attachments Company Name	Building Under Colliding is complete. with BFE), AR, AR/A, AR/AE turn as the BFE. Plow. MIGVD 1929 INA BFE. Plow In Inc. Plow In	onstruction AR/A1-A30, A VD 1988	AR/AH, AR/ her/Source cet cet cet cet cet cet cet c	Check the measurements used. The meters (Puerto Rico only)		

		tion A	For Insurance Company Use:
//PORTANT: In these spaces, co	ppy the corresponding information from Section 1997 the Corresponding information 1997 the C	No.	Policy Number
uilding Street Address (including Apt., 404 Estill Drive	Unit, Suite, and/or Bldg. No.) or P.O. Route and Box	Zip Code	Company NAIC Number
Malanaia	Florida	34275	
Nokomis SECTION D) - SURVEYOR, ENGINEER, OR ARCHITECT	CERTIFICATION (CO	NTINUED)
both sides of this Elevation Certificat	te for (1) community official, (2) insurance agent/comp	pany, and (3) building own	lei.
comments Lowest elevation of mac	chinery is the A/C pad.		
	- /		
nature Munfled	Date 1/6/2015		
		RED) FOR ZONE AO	AND ZONE A (WITHOUT BEE)
Zenes AO and A (without BFE), com	ATION INFORMATION (SURVEY NOT REQUIPMENT OF THE PROPERTY NOT REPORT OF THE PROPERTY NOT REPORT OF THE PROPERTY NOT PROPERTY NOT TH	pport a LOMA or LOMR-F	request, complete Sections X, 5,
C. For Items E1-E4, use natural grad	plete Items E1-E5. If the Certificate is intended to sup le, if available. Check the measurement used. In Pue	thether the elevation is ab	ove or below the highest adjacent
	following and check the appropriate boxes to show w	modifier are a series	
de (HAG) and the lowest adjacent gra-	nt, crawlspace, or enclosure) is feet	: ☐ meters ☐ above	or Delow the LAG.
ron of bottom floor (including basemer	III, Clawispace, or encountry	s and/or 9 (see pages 8-9	of instruction, the next higher moor
E2. For Building Diagrams 6-9 with pe	uilding is	ove or U below the HA	.G.
	uilding is feet _ meters _ above or _ to equipment servicing the building is		
Top of platform of machinery and/or	equipment servicing the building is		the community's floodulain managemen
	when is qualished is the top of the bottom floor ele-	vated in accordance with	the community's noodplain managemen
linance? Yes No Un	known. The local official must certify this information	IN SECTION G.	TEICATION
SECTION	F -PROPERTY OWNER (OR OWNER'S REP	T for Zone A (without a F	FMA-issued or community-issued BFE) o
e property owner or owner's authorize ne AO must sign here. <i>The statemen</i>	F -PROPERTY OWNER (OR OWNER'S REP ed representative who completes Sections A, B, and E ts in Sections A, B, and E are correct to the best of m	y knowledge.	
Property Owner's or Owner's Author			
	City	State	ZIP Code
Address	Date	Telephone	
Signature			
Comments			
			☐ Check here if attachment
	SECTION G -COMMUNITY INFORMAT	ION (OPTIONAL)	
	SECTION G -COMMUNITY INFORMAT aw or ordinance to administer the community's floodp polete the applicable item(s) and sign below. Check t	olain management ordinar	nce can complete Sections A, B, C (or E),
he local official who is authorized by lo	aw or ordinance to administer the community's floodp nplete the applicable item(s) and sign below. Check t	the measurement used in	Items G8 and G9.
1 The information in Section C wa	as taken from other documentation that had been alough	tion data in the Comments	s area below.)
uthorized by law to certify elevation inf	as taken from other documentation that has been signature formation. (Indicate the source and date of the elevated Section E for a building located in Zone A (without a	FEMA-issued or commu	nity-issued BFE) or Zone AO.
: ff-i-l completes	A Section E for a building located in Zono / (
3. The following information (Item)	ns G4-G9) is provided for community floodplain manage	On Data Contificate Of C	Compliance/Occupancy Issued
G4. Permit Number	G5. Date Permit Issued	G6. Date Certificate Of	50mphanes, e e e p a m 5
•		rovement	
	Canada Canada Constantial Imni	10 A CHI CHI	
67. This permit has been issued for:	□ New Construction □ Substantial Impr	☐ feet ☐ meters (PR)	Datum
se Elevation of as-built lowest floor (in	ncluding basement) of the building:	☐ feet ☐ meters (PR) ☐ feet ☐ meters (PR)	Datum
68. Elevation of as-built lowest floor (in 69. BFE or (in Zone AO) depth of flood	ncluding basement) of the building: [ding at the building site: [☐ feet ☐ meters (PR)	Datum
68. Elevation of as-built lowest floor (in 69. BFE or (in Zone AO) depth of flood	ncluding basement) of the building: [ding at the building site: [ion:	☐ feet ☐ meters (PR) ☐ feet ☐ meters (PR)	Datum
68. Elevation of as-built lowest floor (in 69. BFE or (in Zone AO) depth of flooc 610. Community's design flood elevati	ncluding basement) of the building: [ding at the building site: [☐ feet ☐ meters (PR) ☐ feet ☐ meters (PR)	Datum
68. Elevation of as-built lowest floor (in 69. BFE or (in Zone AO) depth of flood 610. Community's design flood elevati Local Official's Name	ncluding basement) of the building: [ding at the building site: [ion:	☐ feet ☐ meters (PR) ☐ feet ☐ meters (PR) ☐ feet ☐ meters (PR	Datum
G8. Elevation of as-built lowest floor (in G9. BFE or (in Zone AO) depth of flood G10. Community's design flood elevati Local Official's Name Community Name	ncluding basement) of the building: [ding at the building site: [ion: Title	☐ feet ☐ meters (PR) ☐ feet ☐ meters (PR) ☐ feet ☐ meters (PR	Datum
	ncluding basement) of the building: [ding at the building site: [ion: Title Telephore	☐ feet ☐ meters (PR) ☐ feet ☐ meters (PR) ☐ feet ☐ meters (PR	Datum
G8. Elevation of as-built lowest floor (in G9. BFE or (in Zone AO) depth of flood G10. Community's design flood elevati Local Official's Name Community Name	ncluding basement) of the building: [ding at the building site: [ion: Title Telephore	☐ feet ☐ meters (PR) ☐ feet ☐ meters (PR) ☐ feet ☐ meters (PR	Datum
38. Elevation of as-built lowest floor (in 39. BFE or (in Zone AO) depth of flood G10. Community's design flood elevati Local Official's Name Community Name Signature	ncluding basement) of the building: [ding at the building site: [ion: Title Telephore	☐ feet ☐ meters (PR) ☐ feet ☐ meters (PR) ☐ feet ☐ meters (PR	Datum

Building Photographs See Instructions for Item A6.

	233 1110	ractions for item Ab.	
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.		For Insurance Company Use:	
404 Estill Drive City City			Policy Number
Nokomis	State	Zip Code	
Florida		34275	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "rear View"; and if required "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page on the reverse.



Front View



Rear View



Left Side View Photographs Date Taken 1/6/2015



Right Side View Job # 14-1084