National Flood Insurance Program

Elevation Certificate

and Instructions

2023 EDITION



OMB Control No. 1660-0008 Expiration Date: 06/30/2026

ELEVATION CERTIFICATE AND INSTRUCTIONS

PAPERWORK REDUCTION ACT NOTICE

Public reporting burden for this data collection is estimated to average 3.75 hours per response. The burden estimate includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and submitting this form. You are not required to respond to this collection of information unless a valid OMB control number is displayed on this form. Send comments regarding the accuracy of the burden estimate and any suggestions for reducing the burden to: Information Collections Management, Department of Homeland Security, Federal Emergency Management Agency, 500 C Street SW, Washington, DC 20742, Paperwork Reduction Project (1660-0008). **NOTE: Do not send your completed form to this address.**

PRIVACY ACT STATEMENT

Authority: Title 44 CFR § 61.7 and 61.8.

Principal Purpose(s): This information is being collected for the primary purpose of documenting compliance with National Flood Insurance Program (NFIP) floodplain management ordinances for new or substantially improved structures in designated Special Flood Hazard Areas. This form may also be used as an optional tool for a Letter of Map Amendment (LOMA), Conditional LOMA (CLOMA), Letter of Map Revision Based on Fill (LOMR-F), or Conditional LOMR-F (CLOMR-F), or for flood insurance rating purposes in any flood zone.

Routine Use(s): The information on this form may be disclosed as generally permitted under 5 U.S.C. § 552a(b) of the Privacy Act of 1974, as amended. This includes using this information as necessary and authorized by the routine uses published in DHS/ FEMA-003 – *National Flood Insurance Program Files System of Records Notice* 79 Fed. Reg. 28747 (May 19, 2014) and upon written request, written consent, by agreement, or as required by law.

Disclosure: The disclosure of information on this form is voluntary; however, failure to provide the information requested may impact the flood insurance premium through the NFIP. Information will only be released as permitted by law.

PURPOSE OF THE ELEVATION CERTIFICATE

The Elevation Certificate is an important administrative tool of the NFIP. It can be used to provide elevation information necessary to ensure compliance with community floodplain management ordinances, to inform the proper insurance premium, and to support a request for a LOMA, CLOMA, LOMR-F, or CLOMR-F.

The Elevation Certificate is used to document floodplain management compliance for Post-Flood Insurance Rate Map (FIRM) buildings, which are buildings constructed after publication of the FIRM, located in flood Zones A1–A30, AE, AH, AO, A (with Base Flood Elevation (BFE)), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO, and A99. It may also be used to provide elevation information for Pre-FIRM buildings or buildings in any flood zone.

As part of the agreement for making flood insurance available in a community, the NFIP requires the community to adopt floodplain management regulations that specify minimum requirements for reducing flood losses. One such requirement is for the community to obtain the elevation of the lowest floor (including basement) of all new and substantially improved buildings, and maintain a record of such information. The Elevation Certificate provides a way for a community to document compliance with the community's floodplain management ordinance.

Use of this certificate does not provide a waiver of the flood insurance purchase requirement. Only a LOMA or LOMR-F from the Federal Emergency Management Agency (FEMA) can amend the FIRM and remove the federal mandate for a lending institution to require the purchase of flood insurance. However, the lending institution has the option of requiring flood insurance even if a LOMA/LOMR-F has been issued by FEMA. The Elevation Certificate may be used to support a LOMA, CLOMA, LOMR-F, or CLOMR-F request. Lowest Adjacent Grade (LAG) elevations certified by a land surveyor, engineer, or architect, as authorized by state law, will be required if the certificate is used to support a LOMA, CLOMA, LOMR-F, or CLOMR-F request. A LOMA, CLOMA, LOMR-F, or CLOMR-F request must be submitted with either a completed FEMA MT-EZ or MT-1 application package, whichever is appropriate. If the certificate will only be completed to support a LOMA, CLOMA, LOMR-F, or CLOMR-F request, there is an option to document the certified LAG elevation on the Elevation Form included in the MT-EZ and MT-1 application.

This certificate is used only to certify building elevations. A separate certificate is required for floodproofing. Under the NFIP, non-residential buildings can be floodproofed up to or above the BFE. A floodproofed building is a building that has been designed and constructed to be watertight (substantially impermeable to floodwaters) below the BFE. Floodproofing of residential buildings is not permitted under the NFIP unless FEMA has granted the community an exception for residential floodproofed basements. The community must adopt standards for design and construction of floodproofed basements before FEMA will grant a basement exception. For both floodproofed non-residential buildings and residential floodproofed basements in communities that have been granted an exception by FEMA, a floodproofing certificate is required.

The expiration date on the form herein does not apply to certified and completed Elevation Certificates, as a completed Elevation Certificate does not expire, unless there is a physical change to the building that invalidates information in Section A Items A8 or A9, Section C, Section E, or Section H. In addition, this form is intended for the specific building referenced in Section A and is not invalidated by the transfer of building ownership.

Additional guidance can be found in FEMA Publication 467-1. Floodplain Management Bulletin: Elevation Certificate,

U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB Control No. 1660-0008 Expiration Date: 06/30/2026

ELEVATION CERTIFICATE

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION	FOR INSURANCE COMPANY USE			
A1. Building Owner's Name:	Policy Number:			
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:	Company NAIC Number:			
City: State:	ZIP Code:			
A3. Property Description (e.g., Lot and Block Numbers or Legal Description) and/or Tax Parcel Nur	nber:			
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.):				
A5. Latitude/Longitude: Lat. Long. Horiz. Datum:				
A6. Attach at least two and when possible four clear color photographs (one for each side) of the bu				
A7. Building Diagram Number:				
A8. For a building with a crawlspace or enclosure(s):				
a) Square footage of crawlspace or enclosure(s): sq. ft.				
b) Is there at least one permanent flood opening on two different sides of each enclosed area?	Yes No N/A			
c) Enter number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot Non-engineered flood openings: Engineered flood openings:				
d) Total net open area of non-engineered flood openings in A8.c: sq. in.				
e) Total rated area of engineered flood openings in A8.c (attach documentation – see Instruction	ons): sq. ft.			
f) Sum of A8.d and A8.e rated area (if applicable – see Instructions): sq. ft.				
A9. For a building with an attached garage:				
a) Square footage of attached garage: sq. ft.				
b) Is there at least one permanent flood opening on two different sides of the attached garage?	P ☐ Yes ☐ No ☐ N/A			
c) Enter number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade: Non-engineered flood openings: Engineered flood openings:				
d) Total net open area of non-engineered flood openings in A9.c: sq. in.				
e) Total rated area of engineered flood openings in A9.c (attach documentation – see Instruction	ons): sq. ft.			
f) Sum of A9.d and A9.e rated area (if applicable – see Instructions): sq. ft.				
SECTION B – FLOOD INSURANCE RATE MAP (FIRM) INFORMATION				
B1.a. NFIP Community Name: B1.b. NFIP Com	munity Identification Number:			
B2. County Name: B3. State: B4. Map/Panel No.: _	B5. Suffix:			
B6. FIRM Index Date: B7. FIRM Panel Effective/Revised Date:	<u> </u>			
B8. Flood Zone(s): B9. Base Flood Elevation(s) (BFE) (Zone AO, use B	Base Flood Depth):			
B10. Indicate the source of the BFE data or Base Flood Depth entered in Item B9: ☐ FIS ☐ FIRM ☐ Community Determined ☐ Other:				
B11. Indicate elevation datum used for BFE in Item B9:	/Source:			
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protocological Designation Date:	ected Area (OPA)? Yes No			
B13. Is the building located seaward of the Limit of Moderate Wave Action (LiMWA)?	No			

Building Street Address (including Apt., Unit, Suite	, and/or Bldg. No	o.) or P.O. Route and Box	No.:	FOR INSURANCE COMPANY USE
				Policy Number:
City:	State:	ZIP Code:		Company NAIC Number:
SECTION C – BUILD	DING ELEVAT	ION INFORMATION	(SURVEY	REQUIRED)
C1. Building elevations are based on: Con *A new Elevation Certificate will be required				ion*
C2. Elevations – Zones A1–A30, AE, AH, AO, A A99. Complete Items C2.a–h below accordi	ing to the Buildir	ng Diagram specified in I	ltem A7. In F	Puerto Rico only, enter meters.
Benchmark Utilized:				
Indicate elevation datum used for the elevations NGVD 1929 NAVD 1988 Othe		ugh h) below.		
Datum used for building elevations must be the solution of the conversion factorial factorial for the conversion factorial fac			ion factor us	sed? Yes No Check the measurement used:
a) Top of bottom floor (including basement,	crawlspace, or	enclosure floor):		feet meters
b) Top of the next higher floor (see Instructi	ions):			☐ feet ☐ meters
c) Bottom of the lowest horizontal structura	I member (see I	nstructions):		feet meters
d) Attached garage (top of slab):				feet meters
e) Lowest elevation of Machinery and Equip (describe type of M&E and location in Se				feet meters
f) Lowest Adjacent Grade (LAG) next to bu	ıilding: 🔲 Natı	ural 🗌 Finished		feet meters
g) Highest Adjacent Grade (HAG) next to b	uilding: Nat	ural 🗌 Finished		☐ feet ☐ meters
h) Finished LAG at lowest elevation of attac support:	ched deck or sta	airs, including structural		feet meters
SECTION D – SUR	VEYOR, ENG	INEER, OR ARCHITE	ECT CERTI	IFICATION
SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by state law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.				
 Were latitude and longitude in Section A provide	d by a licensed	land surveyor?	s 🗌 No	
Check here if attachments and describe in the	e Comments are	ea.		
Certifier's Name:	Lie	cense Number:		- ROSE
Title:				IN TENEVISION OF THE PROPERTY
Company Name:				
Address:				
City:				
				STATE OF STATE OF
28 /		Date:		S/ONAL EN
Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.				
Comments (including source of conversion facto	or in C2; type of	equipment and location p	per C2.e; an	nd description of any attachments):
-		·		

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:		Box No.:	FOR INSURANCE COMPANY USE
			Policy Number:
City: State: ZIP Code:			Company NAIC Number:
SECTION E – BUILDING MEASUREM FOR ZONE AO, ZONE A			
For Zones AO, AR/AO, and A (without BFE), complete Items E intended to support a Letter of Map Change request, complete enter meters.			
Building measurements are based on:			on* Finished Construction
E1. Provide measurements (C.2.a in applicable Building Diagon measurement is above or below the natural HAG and the		nd check the a	ppropriate boxes to show whether the
a) Top of bottom floor (including basement, crawlspace, or enclosure) is:	feet	meters	above or below the HAG.
b) Top of bottom floor (including basement, crawlspace, or enclosure) is:	feet	meters	above or below the LAG.
E2. For Building Diagrams 6–9 with permanent flood openings next higher floor (C2.b in applicable			
Building Diagram) of the building is: E3. Attached garage (top of slab) is:	teet	☐ meters	☐ above or ☐ below the HAG. ☐ above or ☐ below the HAG.
E4. Top of platform of machinery and/or equipment		☐ meters	
servicing the building is:	feet	☐ meters	above or below the HAG.
E5. Zone AO only: If no flood depth number is available, is the floodplain management ordinance? Yes No			ccordance with the community's ust certify this information in Section G.
SECTION F – PROPERTY OWNER (OR OWN	ER'S AUTHORIZED	REPRESEN	TATIVE) CERTIFICATION
The property owner or owner's authorized representative who sign here. The statements in Sections A, B, and E are correct			one A (without BFE) or Zone AO must
Check here if attachments and describe in the Comments	-	ougo	
Property Owner or Owner's Authorized Representative Name:			·
Address:			
City:		State:	ZIP Code:
Telephone: Ext.: Email:			
Signatura	Date		
Signature:Comments:	Date		
Comments.			

SECTION G - COMMUNITY INFORMATION (RECOMMENDED FOR COMMUNITY OFFICIAL COMPLETION) The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Section A, B, C, E, G, or H of this Elevation Certificate. Complete the applicable lem(s) and sign below when: G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, elevation data in the Comments area below.) G2.a. A local official completed Section E for a building located in Zone A (without a BFE). Zone AO, or Zone AR/AO, or when item Efs is completed for a building located in Zone AO, G2.b. A local official completed Section B the local official describes specific corrections to the information in Sections A, B, E, and H. G2.b. The following information (fitems G5-G11) is provided for community Bodplain management purposes. G3. In the Comments area of Section G, the local official describes specific corrections to the information in Sections A, B, E, and H. G4. The following information (fitems G5-G11) is provided for community Bodplain management purposes. G5. Parmit Number: G6. Data Permitt Issued: G7. Data Certificate of Compliance/Occupancy Issued: G8. Blevation of as-built lowest floor (including basement) of the building: Get meters Datum: G9.a. Elevation of as-built lowest floor (including basement) of the building: Get meters Datum: G10.b. Community's minimum elevation (or depth in Zone AO) or flooding at the building site: Get meters Datum: G10.b. Community's minimum elevation (or depth in Zone AO) or flooding at the building site: Title: The local official who provides information in Section G must sign here. I have completed the information in Section G and certify that it is correct to the best of my knowledge. If applicable, I have also provided specific corrections in the Comments area of this section. FG1F Comments (including type of equipment and locatio	Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.0	O. Route and Box No.:	FOR INSURANCE COMPANY USE			
SECTION G - COMMUNITY INFORMATION (RECOMMENDED FOR COMMUNITY OFFICIAL COMPLETION) The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Section A, B, C, E, G, or H of this Elevation Certificate. Complete the applicable item(s) and sign below when: G1.			Policy Number:			
The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Section A, B, C, E, G, or H of this Elevation Certificate. Complete the applicable item(s) and sign below when: G1.	City: State: ZI	P Code:	Company NAIC Number:			
Section A, B, C, E, G, or H of this Elevation Certificate. Complete the applicable item(s) and sign below when: G1.	SECTION G - COMMUNITY INFORMATION (RECOMME	ENDED FOR COMMUNIT	TY OFFICIAL COMPLETION)			
engineer, or architect who is authorized by state law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.) G2.a. A local official completed Section E for a building located in Zone A (without a BFE), Zone AO, or Zone AR/AO, or when item E5 is completed for a building located in Zone AO. G2.b. A local official completed Section H for insurance purposes. G3. In the Comments area of Section G, the local official describes specific corrections to the information in Sections A, B, E and H. G4. The following information (Items G5–G11) is provided for community floodplain management purposes. G5. Permit Number: G6. Date Permit Issued: G7. Date Certificate of Compliance/Occupancy Issued: G8. This permit has been issued for: New Construction Substantial Improvement G9.a. Elevation of as-built lowest floor (including basement) of the building: feet meters Datum: G9.b. Elevation of bottom of as-built lowest horizontal structural feet meters Datum: G10.a. BFE (or depth in Zone AO) of flooding at the building site: feet meters Datum: G10.b. Community's minimum elevation (or depth in Zone AO) requirement for the lowest floor or lowest horizontal structural feet meters Datum: G11. Variance issued? Yes No If yes, attach documentation and describe in the Comments area. The local official who provides information in Section G must sign here. I have completed the information in Section G and certify that it is correct to the best of my knowledge. If applicable, I have also provided specific corrections in the Comments area of this section. Local Official's Name: Title: Email: Address: City: State: ZIP Code: Comments (including type of equipment and location, per C2.e; description of any attachments; and corrections to specific information in						
E5 is completed for a building located in Zone AO. G2.b.	engineer, or architect who is authorized by state law to certi					
G3.		Zone A (without a BFE), Zo	ne AO, or Zone AR/AO, or when item			
G4.	G2.b. A local official completed Section H for insurance purposes.					
G5. Permit Number:	G3. In the Comments area of Section G, the local official describ	es specific corrections to th	e information in Sections A, B, E and H.			
G7. Date Certificate of Compliance/Occupancy Issued: G8. This permit has been issued for: New Construction Substantial Improvement G9.a. Elevation of as-built lowest floor (including basement) of the building: feet meters Datum: G9.b. Elevation of bottom of as-built lowest horizontal structural member: feet meters Datum: G10.a. BFE (or depth in Zone AO) of flooding at the building site: feet meters Datum: G10.b. Community's minimum elevation (or depth in Zone AO) requirement for the lowest floor or lowest horizontal structural member: G11. Variance issued? Yes No If yes, attach documentation and describe in the Comments area. The local official who provides information in Section G must sign here. I have completed the information in Section G and certify that it is correct to the best of my knowledge. If applicable, I have also provided specific corrections in the Comments area of this section. Local Official's Name: Title: NFIP Community Name: Title: NFIP Community Name: Ext:: Email: Address: City: State: ZIP Code: Signature: Date: Date: Comments and corrections to specific information in	G4.	mmunity floodplain manage	ment purposes.			
G8. This permit has been issued for: New Construction Substantial Improvement G9.a. Elevation of as-built lowest floor (including basement) of the building:	G5. Permit Number: G6. Date Permi	t Issued:				
G9.a. Elevation of as-built lowest floor (including basement) of the building:	G7. Date Certificate of Compliance/Occupancy Issued:	·				
building:	G8. This permit has been issued for: \square New Construction \square Su	bstantial Improvement				
member:	` , , ,	feet	meters Datum:			
G10.b. Community's minimum elevation (or depth in Zone AO) requirement for the lowest floor or lowest horizontal structural member: G11. Variance issued? Yes No If yes, attach documentation and describe in the Comments area. The local official who provides information in Section G must sign here. I have completed the information in Section G and certify that it is correct to the best of my knowledge. If applicable, I have also provided specific corrections in the Comments area of this section. Local Official's Name: Title: NFIP Community Name: Telephone: Ext.: Email: Address: State: ZIP Code: Signature: Date: Comments (including type of equipment and location, per C2.e; description of any attachments; and corrections to specific information in		feet	meters Datum:			
requirement for the lowest floor or lowest horizontal structural member:	G10.a. BFE (or depth in Zone AO) of flooding at the building site:	feet	meters Datum:			
G11. Variance issued?	requirement for the lowest floor or lowest horizontal structural	. ☐ feet	meters Datum			
correct to the best of my knowledge. If applicable, I have also provided specific corrections in the Comments area of this section. Local Official's Name: Title: NFIP Community Name: Email: Telephone:	G11. Variance issued? ☐ Yes ☐ No If yes, attach documenta	tion and describe in the Cor				
NFIP Community Name: Telephone: Ext.: Email: Address: City: State: ZIP Code: Signature: Date: Comments (including type of equipment and location, per C2.e; description of any attachments; and corrections to specific information in	The local official who provides information in Section G must sign here. I have completed the information in Section G and certify that it is					
Telephone: Ext.: Email: Address: State: ZIP Code: Signature: Date: Comments (including type of equipment and location, per C2.e; description of any attachments; and corrections to specific information in	Local Official's Name:	Title:				
Telephone: Ext.: Email: Address: State: ZIP Code: Signature: Date: Comments (including type of equipment and location, per C2.e; description of any attachments; and corrections to specific information in	NFIP Community Name:					
City: State: ZIP Code: Signature: Date: Comments (including type of equipment and location, per C2.e; description of any attachments; and corrections to specific information in						
Signature: Date: Comments (including type of equipment and location, per C2.e; description of any attachments; and corrections to specific information in	Address:		·			
Comments (including type of equipment and location, per C2.e; description of any attachments; and corrections to specific information in	City:	State:	ZIP Code:			
Comments (including type of equipment and location, per C2.e; description of any attachments; and corrections to specific information in						

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:		FOR INSURANCE COMPANY USE		
		Policy Number:		
City:	State: Z	IP Code:	Company NAIC Number:	
	_DING'S FIRST FLOOR H 'NOT REQUIRED) (FOR I			
The property owner, owner's authorized representative, or local floodplain management official may complete Section H for all flood zones to determine the building's first floor height for insurance purposes. Sections A, B, and I must also be completed. Enter heights to the nearest tenth of a foot (nearest tenth of a meter in Puerto Rico). Reference the Foundation Type Diagrams (at the end of Section H Instructions) and the appropriate Building Diagrams (at the end of Section I Instructions) to complete this section.				
H1. Provide the height of the top of the flo	oor (as indicated in Foundatio	on Type Diagrams) above the	Lowest Adjacent Grade (LAG):	
a) For Building Diagrams 1A, 1B, 3 floor (include above-grade floors only crawlspaces or enclosure floors) is:		feet [meters above the LAG	
b) For Building Diagrams 2A, 2B, 4 higher floor (i.e., the floor above base enclosure floor) is:		feet [meters above the LAG	
H2. Is all Machinery and Equipment serv H2 arrow (shown in the Foundation T Yes No				
SECTION I – PROPERTY O	WNER (OR OWNER'S AI	JTHORIZED REPRESEN	TATIVE) CERTIFICATION	
The property owner or owner's authorized A, B, and H are correct to the best of my bindicate in Item G2.b and sign Section G.				
Check here if attachments are provide	d (including required photos)	and describe each attachme	nt in the Comments area.	
Property Owner or Owner's Authorized Re	epresentative Name:		·	
Address:				
City:		State:	ZIP Code:	
Telephone: Ex	ct Email:			
Signature:		Date:		
Comments:				

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11 **BUILDING PHOTOGRAPHS**

See Instructions for Item A6.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:		FOR INSURANCE COMPANY USE	
City:	State:	ZIP Code:	Policy Number: Company NAIC Number:

Instructions: Insert below at least two and when possible four photographs showing each side of the building (for example, may only be able to take front and back pictures of townhouses/rowhouses). Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." Photographs must show the foundation. When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.



Photo One

Photo One Caption: Front view, 12/18/2024

Clear Photo One



Photo Two

Photo Two Caption: Rear view, 12/18/2024

Clear Photo Two

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11 **BUILDING PHOTOGRAPHS**

Continuation Page

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:		FOR INSURANCE COMPANY USE	
City:	State:	ZIP Code:	Policy Number:

Insert the third and fourth photographs below. Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.



Photo Three

Photo Three Caption: Installed flood vents, 12/18/2024

Clear Photo Three




Photo Four

Photo Four Caption: Smart Vent label, 12/18/2024

Clear Photo Four

National Flood Hazard Layer FIRMette





Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

Without Base Flood Elevation (BFE) With BFE or Depth Zone AE, AO, AH, VE, AR SPECIAL FLOOD HAZARD AREAS Regulatory Floodway

> 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X **Future Conditions 1% Annual**

Chance Flood Hazard Zone X Area with Reduced Flood Risk due to Levee, See Notes, Zone X OTHER AREAS OF Area with Flood Risk due to Levee Zone D FLOOD HAZARD

> NO SCREEN Area of Minimal Flood Hazard Zone X Effective LOMRs

OTHER AREAS Area of Undetermined Flood Hazard Zone D GENERAL - - - Channel, Culvert, or Storm Sewer STRUCTURES IIIIII Levee, Dike, or Floodwall

> 20.2 Cross Sections with 1% Annual Chance 17.5 Water Surface Elevation **Coastal Transect** Base Flood Elevation Line (BFE)

Limit of Study **Jurisdiction Boundary Coastal Transect Baseline** OTHER **Profile Baseline FEATURES Hydrographic Feature**

Unmapped

Digital Data Available No Digital Data Available MAP PANELS


> The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 12/23/2024 at 1:58 AM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

Sarasota County Property Appraiser



Esri Community Maps Contributors, University of South Florida, Manatee County Government, Sarasota County GIS, FDEP, © OpenStreetMap,