U.S. DEPARTMENT OF HOMELAND SECURIY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

FEMA Form 086-0-33 (7/12)

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

***		SECTION	PPODE	TY INFORM	ATION		Basi	neileanca/	Sompany (66.3
							y Number		Sels and S	
Sean Sander & Maureen Sander; Hamsher Homes, Inc.					175.7L-33		All the second			
A2. Building Street Addres		nit, Suite, and/or Bldg. No	.) or P.O. Ro	ute and Box No).		Gom	pany/NAIC	Number	
1940 Forked Creek D		01-10		ZIP Code				() () () () ()		
City ENGLEWOOD		State orida		ZIP Code 223						
A3. Property Description (L	ot and Block Numb		Legal Descri							
A4. Building Use (e.g., F	Residential, Non-Res	sidential, Addition, Acces	sory, etc.) R							
A5. Latitude/Longitude: Lat. 27°00'10.6" N. Long. 082°22'56.1" W. Horizontal Datum: ☐ NAD 1927 ☒ NAD 1983										
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.										
A7. Building Diagram Number <u>1B</u> A8. For a building with a crawlspace or enclosure(s): A9. For a building with an attached garage:										
A8. For a building with a crawlspace or enclosure(s): A9. For a building with an attached garage: a) Square footage of crawlspace or enclosure(s) N/A sq ft a) Square footage of attached garage 886						sq ft				
b) No. of permanent				b) No. of perm					rage	
	n 1.0 foot above adj		. .		oot above a			<u>14</u>	<u> </u>	
c) Total net area of f	-	-	sq in	c) Total net ar			_	<u>984</u>		sq in
d) Engineered flood	openings? 🔲 Y	res ⊠ No		d) Engineered	l flood openi	ngs?	Yes	⊠ No		
	SECTIO	N B - FLOOD INSURA	NCE RATE	E MAP (FIRM) INFORM	ATION				
B1. NFIP Community Na Sa	ame & Community N rasota County 1251		B2. Cour	nty Name Sara	sota		В	3. State	FL	
B4. Map/Panel	B5. Suffix	B6. FIRM Index	87. FI	RM Panel	B8. Flo	hon	B9. B	ase Flood	Elevation(s	(Zone
Number		Date	Effective/I	Revised Date	Zone	(s)		AO, use ba	ase flood de	
125144-0344	E	09/03/1992	09	/03/1992	AE			12	Feet	
B10. Indicate the source of	the Base Flood Ele	evation (BFE) data or base	e flood depth	entered in Item	B9.					
☐ FIS Profile	⊠ FIRM [☐ Community Determine	d 🔲	Other (Describe	9)	- 4 .				
B11. Indicate elevation date	um used for BFE in	Item B9: NGVD 19	29 □ N	AVD 1988	Other (D	Describe)				
B12. Is the building located	in a Coastal Barrie	r Resources System (CB	RS) area or (Otherwise Prote	cted Area (0	OPA)?] Yes	⊠ No		
Designation Date		□св	RS 🗆]OPA						
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)										
	SECTION	IC - BUILDING ELEV	ATION INF	ORMATION (SURVEY I	REQUIRE	D)			
C1. Building elevations are		Construction Drawings*		ORMATION (REQUIRE	_	ed Construc	ction	
~	based on:	Construction Drawings*	☐ Bu	ilding Under Co			_	ed Construc	ation	
C1. Building elevations are *A new Elevation Certificat C2. Elevations – Zones A1 according to the building di	based on: e will be required when the control of t	Construction Drawings* hen construction of the buith BFE), VE, V1-V30, V (☐ Bu uilding is com with BFE), Al	uilding Under Co plete. R, AR/A, AR/AE	onstruction*	×	Finishe			-h below
A new Elevation Certificate C2. Elevations – Zones A1	based on: e will be required when the control of t	Construction Drawings hen construction of the buith BFE), VE, V1-V30, V (item A7. In Puerto Rico o	☐ Bu uilding is com with BFE), Al	uilding Under Co plete. R, AR/A, AR/AE	onstruction*	×	Finishe			-h below
A new Elevation Certificate C2. Elevations – Zones A1- according to the building di Benchmark Utilized: N.G.S Indicate elevation datum us	based on: e will be required whealer. A30, AE, AH, A (with agram specified in 1. AG9485 Vertical sed for the elevation	Construction Drawings then construction of the buith BFE), VE, V1-V30, V (tem A7. In Puerto Rico of Datum: N.G.V.D. 29 To in items a) through h) b	☐ Bu uilding is com with BFE), Al only, enter me selow. ☑ NG	uilding Under Co plete. R, AR/A, AR/AE eters.	enstruction*	⊠ 0, AR/AH,	Finishe			-h below
A new Elevation Certificate C2. Elevations – Zones A1 according to the building di	based on: e will be required whealer. A30, AE, AH, A (with agram specified in 1. AG9485 Vertical sed for the elevation	Construction Drawings then construction of the buith BFE), VE, V1-V30, V (tem A7. In Puerto Rico of Datum: N.G.V.D. 29 To in items a) through h) b	☐ Bu uilding is com with BFE), Al only, enter me selow. ☑ NG	uilding Under Co plete. R, AR/A, AR/AE eters.	enstruction*	⊠ 0, AR/AH,	Finishe	. Complete	e Items C2.a	
A new Elevation Certificate C2. Elevations – Zones A1 according to the building di Benchmark Utilized: N.G.S Indicate elevation datum us Datum used for building ele	based on: e will be required wheap. A30, AE, AH, A (with agram specified in 1 and 1.00 and	Construction Drawings then construction of the buith BFE), VE, V1-V30, V (tem A7. In Puerto Rico of Datum: N.G.V.D. 29 as in items a) through h) be same as that used for the	□ Bu uilding is com with BFE), Al only, enter me nelow. ☑ NG ne BFE.	uilding Under Co plete. R, AR/A, AR/AE eters. VD 1929 □ NA	enstruction* AR/A1-A3	⊠ 0, AR/AH,] Other/So	Finishe AR/AO	. Complete		
A new Elevation Certificate C2. Elevations – Zones A1 according to the building di Benchmark Utilized: N.G.S Indicate elevation datum us Datum used for building ele a) Top of bottom floor	based on: e will be required wheap. A30, AE, AH, A (with agram specified in Item. AG9485 Vertical seed for the elevation evations must be the per (including basement)	Construction Drawings then construction of the buith BFE), VE, V1-V30, V (tem A7. In Puerto Rico of Datum: N.G.V.D. 29 To in items a) through h) b	□ Bu uilding is com with BFE), Al only, enter me nelow. ☑ NG ne BFE.	uilding Under Co plete. R, AR/A, AR/AE eters. VD 1929 NA	enstruction* AR/A1-A3 AVD 1988	☑ 0, AR/AH, Other/So feet	Finished AR/AO urce: Chec	. Complete	e Items C2.a	
A new Elevation Certificate C2. Elevations – Zones A1 according to the building di Benchmark Utilized: N.G.S Indicate elevation datum us Datum used for building ele a) Top of bottom floo b) Top of the next his	based on: e will be required whealer. e will be required whealer. e was a second on the second of the elevation wattons must be the or (including basements).	Construction Drawings then construction of the buith BFE), VE, V1-V30, V (tem A7. In Puerto Rico of Datum: N.G.V.D. 29 as in items a) through h) be same as that used for the	☐ Bu uilding is com with BFE), Al only, enter me selow. ☑ NG le BFE. sure floor)	uilding Under Co plete. R, AR/A, AR/AE eters. VD 1929 NA 12.4 N/A.	enstruction* E, AR/A1-A3 AVD 1988	O, AR/AH, Other/So feet feet	Finishe AR/AO. urce: Chee	. Complete ck the mean meters meters	e Items C2.a	
A new Elevation Certificate C2. Elevations – Zones A1- according to the building di Benchmark Utilized: N.G.S Indicate elevation datum us Datum used for building ele a) Top of bottom floo b) Top of the next his c) Bottom of the lowe	based on: e will be required whealer A30, AE, AH, A (with agram specified in Lands AG9485 Vertical sed for the elevations must be the cortion of the cortion	Construction Drawings then construction of the buith BFE), VE, V1-V30, V (tem A7. In Puerto Rico of Datum: N.G.V.D. 29 as in items a) through h) be same as that used for the	☐ Bu uilding is com with BFE), Al only, enter me selow. ☑ NG le BFE. sure floor)	uilding Under Co plete. R, AR/A, AR/AE eters. VD 1929	enstruction* AVD 1988	O, AR/AH, Other/So feet feet feet feet	AR/AO	. Complete	e Items C2.a	
A new Elevation Certificate C2. Elevations – Zones A1 according to the building di Benchmark Utilized: N.G.S Indicate elevation datum us Datum used for building ele a) Top of bottom floo b) Top of the next his c) Bottom of the lowed d) Attached garage	based on: e will be required whealer and the second of the elevation wations must be the or (including basement of the second of the elevation	Construction Drawings then construction of the but ith BFE), VE, V1-V30, V (Item A7. In Puerto Rico of Datum: N.G.V.D. 29 as in items a) through h) be e same as that used for the ent, crawlspace, or enclose tural member (V Zones or	☐ Bu uilding is com with BFE), Al only, enter me selow. ☒ NG se BFE. sure floor)	uilding Under Co plete. R, AR/A, AR/AE eters. VD 1929 NA \(\frac{12.4}{N/A}.\) \(\frac{N/A}{8.4}\)	enstruction* E, AR/A1-A3 AVD 1988	O, AR/AH, Other/So feet feet feet feet feet	Finishe AR/AO urce: Chec	ck the mean meters meters meters meters meters	e Items C2.a	
A new Elevation Certificate C2. Elevations – Zones A1- according to the building di Benchmark Utilized: N.G.S Indicate elevation datum us Datum used for building ele a) Top of bottom floo b) Top of the next his c) Bottom of the low d) Attached garage (e) Lowest elevation	based on: e will be required whealer A30, AE, AH, A (with agram specified in Land AG9485 Vertical sed for the elevations must be the control of the control	Construction Drawings then construction of the butth BFE), VE, V1-V30, V (tem A7. In Puerto Rico of Datum: N.G.V.D. 29 as in items a) through h) be same as that used for the ent, crawlspace, or enclosural member (V Zones or equipment servicing the	☐ Bu Jilding is com With BFE), Al Johly, enter me John Market BELOW. MAR BELOW. SOME BELOW. SOME BELOW. SOME BELOW. SOME BUILDING BUIL	uilding Under Co plete. R, AR/A, AR/AE eters. VD 1929	enstruction* AVD 1988	O, AR/AH, Other/So feet feet feet feet	AR/AO	. Complete	e Items C2.a	
A new Elevation Certificate C2. Elevations – Zones A1 according to the building di Benchmark Utilized: N.G.S Indicate elevation datum us Datum used for building ele a) Top of bottom floo b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of	based on: e will be required whealer and the second of the elevation wations must be the or (including basement of the second of the elevation	Construction Drawings then construction of the butth BFE), VE, V1-V30, V (tem A7. In Puerto Rico of Datum: N.G.V.D. 29 as in items a) through h) be a same as that used for the ent, crawlspace, or enclosural member (V Zones or equipment servicing thation in Comments)	☐ Bu Jilding is com With BFE), Al Johly, enter me John Market BELOW. MAR BELOW. SOME BELOW. SOME BELOW. SOME BELOW. SOME BUILDING BUIL	uilding Under Co plete. R, AR/A, AR/AE eters. VD 1929 NA \(\frac{12.4}{N/A}.\) \(\frac{N/A}{8.4}\)	enstruction* E, AR/A1-A3 AVD 1988	O, AR/AH, Other/So feet feet feet feet feet	Finishe AR/AO urce: Chec	ck the mean meters meters meters meters meters	e Items C2.a	
A new Elevation Certificate C2. Elevations – Zones A1 according to the building di Benchmark Utilized: N.G.S Indicate elevation datum us Datum used for building ele a) Top of bottom floo b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (based on: e will be required whealer and the sed for the elevation relations must be the properties of the sed for the elevation relations must be the sed for the elevations must be the properties of the sed for the elevations must be the sed for the elevations must be the properties of the sed for the sed for the elevation of the sed for t	Construction Drawings then construction of the butth BFE), VE, V1-V30, V (tem A7. In Puerto Rico of Datum: N.G.V.D. 29 as in items a) through h) be same as that used for the ent, crawlspace, or enclosural member (V Zones or equipment servicing thation in Comments) to building (LAG)	☐ Bu Jilding is com With BFE), Al Johly, enter me John Market BELOW. MAR BELOW. SOME BELOW. SOME BELOW. SOME BELOW. SOME BUILDING BUIL	uilding Under Co plete. R, AR/A, AR/AE eters. VD 1929 NA 12.4 N/A. N/A. 8.4 12.1	E, AR/A1-A3	O, AR/AH, Other/So feet feet feet feet feet feet	Finishe AR/AO urce: Chec	ck the mean meters meters meters meters meters meters	e Items C2.a	
A new Elevation Certificate C2. Elevations – Zones A1 according to the building di Benchmark Utilized: N.G.S Indicate elevation datum us Datum used for building ele a) Top of bottom floo b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (g) Highest adjacent	based on: e will be required whealth and the second of the elevation wations must be the control of the second of	Construction Drawings then construction of the butth BFE), VE, V1-V30, V (tem A7. In Puerto Rico of Datum: N.G.V.D. 29 as in items a) through h) be same as that used for the ent, crawlspace, or enclosural member (V Zones or equipment servicing thation in Comments) to building (LAG)	□ Bu Jilding is com with BFE), Al Johly, enter me Delow. ☑ NG De	uilding Under Co plete. R, AR/A, AR/AE eters. VD 1929 NA \(\frac{12.4}{N/A}\). \(\frac{N/A}{12.1}\).	Onstruction* E, AR/A1-A3 AVD 1988	O, AR/AH, Other/So feet feet feet feet feet feet feet fe	Finishe AR/AO	ck the mean meters meters meters meters meters meters	e Items C2.a	
A new Elevation Certificate C2. Elevations – Zones A1 according to the building di Benchmark Utilized: N.G.S Indicate elevation datum us Datum used for building ele a) Top of bottom floo b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (g) Highest adjacent	based on: e will be required whealer and has been also b	Construction Drawings then construction of the buith BFE), VE, V1-V30, V (tem A7. In Puerto Rico of Datum: N.G.V.D. 29 as in items a) through h) be same as that used for the ent, crawlspace, or enclosural member (V Zones or equipment servicing thation in Comments) to building (LAG) et to building (HAG) evation of deck or stairs	□ Bu Jilding is com with BFE), Al John of the control Below. ☑ NG Below. ☑ NG Below. ☑ NG Below. ☑ India Below. India	uilding Under Co plete. R, AR/A, AR/AE eters. VD 1929 □ NA 12.4 N/A. N/A. 8.4 12.1 7.0 8.1 6.3	E, AR/A1-A3	O, AR/AH, Other/So feet feet feet feet feet feet feet fe	AR/AO	ck the mean meters meters meters meters meters meters meters meters	e Items C2.a	
A new Elevation Certificate C2. Elevations – Zones A1 according to the building di Benchmark Utilized: N.G.S Indicate elevation datum us Datum used for building ele a) Top of bottom floo b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (g) Highest adjacent structural support	based on: e will be required wheat A30, AE, AH, A (with a specified in law and a specified in law at the sed for the elevations wations must be the specified in the sed for the elevations wations must be the specified in the specified and specified in the speci	Construction Drawings then construction of the builth BFE), VE, V1-V30, V (Item A7. In Puerto Rico of Datum: N.G.V.D. 29 as in items a) through h) be same as that used for the ent, crawlspace, or enclosural member (V Zones or equipment servicing thation in Comments) at to building (LAG) example of the example of the building (HAG) evation of deck or stairs	□ Bu Jilding is com with BFE), Al only, enter me pelow. ☑ NG pe BFE. sure floor) hly) pe building n, including	uilding Under Co plete. R, AR/A, AR/AE eters. VD 1929 NA 12.4 N/A. N/A. 8.4 12.1 7.0 8.1 6.3	E, AR/A1-A3	O, AR/AH, Other/So feet feet feet feet feet feet feet fe	AR/AO	ck the mean meters meters meters meters meters meters meters meters	e Items C2.a	
A new Elevation Certificate C2. Elevations – Zones A1 according to the building di Benchmark Utilized: N.G.S Indicate elevation datum us Datum used for building ele a) Top of bottom floo b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (g) Highest adjacent h) Lowest adjacent structural support	based on: e will be required whealed and specified in I. AG9485 Vertical sed for the elevation wations must be the or (including baseme gher floor est horizontal struct (top of slab) of machinery or equipment and locations finished) grade next grade at lowest element and specific sed of the second struct (finished) grade next grade at lowest element and sealed by SECTIO gned and sealed by	Construction Drawings then construction of the builth BFE), VE, V1-V30, V (Item A7. In Puerto Rico of Datum: N.G.V.D. 29 as in items a) through h) be same as that used for the ent, crawlspace, or enclosural member (V Zones or equipment servicing thation in Comments) to building (LAG) et to building (HAG) evation of deck or stairs DN D - SURVEYOR, Election of the surveyor, enginee	□ Bu Jilding is com with BFE), Al only, enter me delow. ☑ NG de BFE. sure floor) hly) de building n, including NGINEER, (r, or architect	uilding Under Coplete. R, AR/A, AR/AE eters. VD 1929 □ NA 12.4 N/A. N/A. 2.0 8.1 6.3 OR ARCHITE tauthorized by its possible in the control of the c	E, AR/A1-A3 AVD 1988	O, AR/AH, Other/So feet feet feet feet feet feet feet fe	AR/AO	ck the mean meters meters meters meters meters meters meters meters	e Items C2.a	
A new Elevation Certificate C2. Elevations – Zones A1 according to the building di Benchmark Utilized: N.G.S Indicate elevation datum us Datum used for building ele a) Top of bottom floo b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (g) Highest adjacent h) Lowest adjacent structural support This certification is to be signiformation. I certify that the I understand that any false	based on: e will be required wheat of the levations are the levations was better the levations are the	Construction Drawings then construction of the builth BFE), VE, V1-V30, V (Item A7. In Puerto Rico of Datum: N.G.V.D. 29 as in items a) through h) be a same as that used for the ent, crawlspace, or enclosural member (V Zones or equipment servicing thation in Comments) at to building (LAG) at to building (HAG) evation of deck or stairs ON D - SURVEYOR, EI a land surveyor, enginee is Certificate represents in punishable by fine or imp	□ Bu Jilding is com with BFE), Al Johny, enter me Delow. ☑ NG De	uilding Under Coplete. R, AR/A, AR/AE eters. VD 1929 □ NA 12.4 N/A. N/A. 12.1 7.0 8.1 6.3 OR ARCHITE t authorized by is to interpret the order 18 U.S. Coe	CT CERTIIlaw to certify e data availade, Section	O, AR/AH, Other/So feet feet feet feet feet feet feet fe	AR/AO	ck the mean meters meters meters meters meters meters meters meters	e Items C2.a	
A new Elevation Certificate C2. Elevations – Zones A1 according to the building di Benchmark Utilized: N.G.S Indicate elevation datum us Datum used for building ele a) Top of bottom floo b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (g) Highest adjacent (g) Highest adjacent structural support This certification is to be signiformation. I certify that the I understand that any false Check here if comme	based on: e will be required wheat A30, AE, AH, A (with a with a	Construction Drawings then construction of the builth BFE), VE, V1-V30, V (Item A7. In Puerto Rico of Datum: N.G.V.D. 29 as in items a) through h) be same as that used for the ent, crawlspace, or enclosural member (V Zones or equipment servicing thation in Comments) at to building (LAG) at to building (LAG) evation of deck or stairs DN D - SURVEYOR, Elemants and surveyor, enginee is Certificate represents in punishable by fine or impuscaled.	□ Bu Juilding is com with BFE), Al Inly, enter me Pelow. ☑ NG Pe BFE. Sure floor) The building NGINEER, (Tr, or architect Trisonment und e latitude and	uilding Under Complete. R, AR/A, AR/AE eters. VD 1929 □ NA 12.4 N/A. N/A. 8.4 12.1 7.0 8.1 6.3 OR ARCHITE It authorized by its to interpret the der 18 U.S. Coold longitude in Se	CT CERTII law to certify e data availade, Section A provenients.	O, AR/AH, Other/So feet feet feet feet feet feet feet fe	AR/AO	ck the mean meters meters meters meters meters meters meters meters meters	e Items C2.a	
A new Elevation Certificate C2. Elevations – Zones A1 according to the building di Benchmark Utilized: N.G.S Indicate elevation datum us Datum used for building ele a) Top of bottom floo b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (g) Highest adjacent (g) Highest adjacent structural support This certification is to be sig information. I certify that the I understand that any false Check here if comme. Check here if attachm	based on: e will be required wheat A30, AE, AH, A (with a with a	Construction Drawings then construction of the builth BFE), VE, V1-V30, V (Item A7. In Puerto Rico of Datum: N.G.V.D. 29 as in items a) through h) be same as that used for the ent, crawlspace, or enclosural member (V Zones or equipment servicing thation in Comments) at to building (LAG) at to building (LAG) evation of deck or stairs DN D - SURVEYOR, Elemants and surveyor, enginee is Certificate represents in punishable by fine or impuscaled.	□ Bu Juilding is com with BFE), Al anly, enter me pelow. ☑ NG pe	uilding Under Coplete. R, AR/A, AR/AE eters. VD 1929 □ NA 12.4 N/A. N/A. 12.1 7.0 8.1 6.3 OR ARCHITE t authorized by is to interpret the order 18 U.S. Coe	CT CERTII law to certify e data availade, Section A provenients.	O, AR/AH, Other/So feet feet feet feet feet feet feet fe	AR/AO	ck the mean meters meters meters meters meters meters meters meters meters	surements	
A new Elevation Certificate C2. Elevations – Zones A1 according to the building di Benchmark Utilized: N.G.S Indicate elevation datum us Datum used for building ele a) Top of bottom floo b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (g) Highest adjacent (g) Highest adjacent structural support This certification is to be signiformation. I certify that the I understand that any false information in the commendation of the commendation of the certifier's Name Alan K. F	based on: e will be required wheat A30, AE, AH, A (with a specified in 1 and A69485. Vertical seed for the elevations wations must be the elevations must be elevations must be elevated by a specific must be elevated and sealed by the information on this are provided on tents.	Construction Drawings then construction of the buith BFE), VE, V1-V30, V (tem A7. In Puerto Rico of Datum: N.G.V.D. 29 as in items a) through h) be same as that used for the ent, crawlspace, or enclosural member (V Zones or equipment servicing that on in Comments) at to building (LAG) at to building (LAG) evation of deck or stairs ON D - SURVEYOR, Eleman Surveyor, enginee is Certificate represents in punishable by fine or impusion of the punishable by fine or impusion of the punishable by fine or impusion of the punishable by licer licer	□ Bu Juilding is com with BFE), Al anly, enter me pelow. ☑ NG pe	uilding Under Complete. R, AR/A, AR/AE eters. VD 1929 □ NA 12.4 N/A. N/A. 8.4 12.1 7.0 8.1 6.3 DR ARCHITE It authorized by Its sto interpret the ider 18 U.S. Cod Iongitude in Seveyor? ☑ Yes	CT CERTII law to certify e data availade, Section A provenients.	O, AR/AH, Other/So feet feet feet feet feet feet feet fe	AR/AO	ck the mean meters meters meters meters meters meters meters meters	surements	
A new Elevation Certificate C2. Elevations – Zones A1 according to the building di Benchmark Utilized: N.G.S Indicate elevation datum us Datum used for building ele a) Top of bottom floo b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (g) Highest adjacent (g) Highest adjacent (h) Lowest adjacent (the certification is to be signiformation. I certify that the I understand that any false I check here if comme Check here if attachm Certifier's Name Alan K. F	based on: e will be required wheat A30, AE, AH, A (with a specified in 1 and A69485. Vertical seed for the elevations wations must be the control of the co	Construction Drawings then construction of the buith BFE), VE, V1-V30, V (tem A7. In Puerto Rico of Datum: N.G.V.D. 29 as in items a) through h) be a same as that used for the ent, crawlspace, or enclosural member (V Zones or equipment servicing the equipment servicing the to building (LAG) at to building (LAG) evation of deck or stairs ON D - SURVEYOR, Elemant Surveyor, engineer is Certificate represents in punishable by fine or impunishable by fine or impunishable of the company Name	□ Bu Jilding is com with BFE), Al pelow. ☑ NG pelow.	uilding Under Colplete. R, AR/A, AR/AE eters. VD 1929 □ NA 12.4 N/A. N/A. 8.4 12.1 7.0 8.1 6.3 OR ARCHITE t authorized by less to interpret the der 18 U.S. Cold longitude in Seveyor? ☑ Yes Number 3941	CT CERTII law to certify def, Section A protes No	O, AR/AH, Other/So feet feet feet feet feet feet feet fe	AR/AO	ck the mean meters meters meters meters meters meters meters meters	surements	
A new Elevation Certificate C2. Elevations – Zones A1 according to the building di Benchmark Utilized: N.G.S Indicate elevation datum us Datum used for building ele a) Top of bottom floo b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (g) Highest adjacent (g) Highest adjacent (h) Lowest adjacent (the Lowest adjacent (commendation of the low structural support This certification is to be signiformation. I certify that the I understand that any false Check here if commendation of the certifier's Name Alan K. F Title Professional Survey	based on: e will be required wheat of the elevation of th	Construction Drawings then construction of the buith BFE), VE, V1-V30, V (tem A7. In Puerto Rico of Datum: N.G.V.D. 29 as in items a) through h) be a same as that used for the ent, crawlspace, or enclose tural member (V Zones or equipment servicing thation in Comments) at to building (LAG) at to building (HAG) evation of deck or stairs ON D - SURVEYOR, El a land surveyor, enginee is Certificate represents in punishable by fine or impusion back of form. Company Name Van B	□ Bu Jilding is com with BFE), Al anly, enter me pelow. ☑ NG pe BFE. sure floor) hly) he building NGINEER, Ger, or architect ny best efforts risonment und License uskirk/Fish &	uilding Under Coplete. R, AR/A, AR/AE eters. VD 1929 □ NA 12.4 N/A. N/A. 8.4 12.1 7.0 8.1 6.3 OR ARCHITE t authorized by is to interpret the older 18 U.S. Coold longitude in Section 18 U.S. Coold longitude III U.S. Coold longit	CT CERTIIllaw to certifing edat availade, section A proves.	O, AR/AH, Other/So feet feet feet feet feet feet feet fe	AR/AO	ck the mean meters meters meters meters meters meters meters meters	surements	
A new Elevation Certificate C2. Elevations – Zones A1 according to the building di Benchmark Utilized: N.G.S Indicate elevation datum us Datum used for building ele a) Top of bottom floo b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (g) Highest adjacent (g) Highest adjacent (h) Lowest adjacent (the certification is to be signiformation. I certify that the I understand that any false I check here if comme Check here if attachm Certifier's Name Alan K. F	based on: e will be required wheat of the elevation of th	Construction Drawings then construction of the buith BFE), VE, V1-V30, V (tem A7. In Puerto Rico of Datum: N.G.V.D. 29 as in items a) through h) be a same as that used for the ent, crawlspace, or enclose tural member (V Zones or equipment servicing thation in Comments) at to building (LAG) at to building (HAG) evation of deck or stairs ON D - SURVEYOR, El a land surveyor, enginee is Certificate represents in punishable by fine or impusion back of form. Company Name Van B	□ Bu Jilding is com with BFE), Al Johny, enter me Below. ☑ NG Be BFE. Sure floor) All By MGINEER, (Tr, or architect The latitude and License State State Flori	uilding Under Coplete. R, AR/A, AR/AE eters. VD 1929 □ NA 12.4 N/A. N/A. 8.4 12.1 7.0 8.1 6.3 OR ARCHITE t authorized by its to interpret the older 18 U.S. Coold longitude in Seveyor? ☑ Yellows Number 3941 Associates, Inc. da	CT CERTII law to certify def, Section A protes No	O, AR/AH, Other/So feet feet feet feet feet feet feet fe	AR/AO	ck the mean meters meters meters meters meters meters meters meters	surements	
A new Elevation Certificate C2. Elevations – Zones A1- according to the building di Benchmark Utilized: N.G.S Indicate elevation datum us Datum used for building ele a) Top of bottom floo b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (g) Highest adjacent (g) Highest adjacent (g) Highest adjacent (the Lowest adjacent (g) Highest adjacent (h) Lowest adjacent (formation. I certify that the I understand that any false Check here if comme Certifier's Name Alan K. F Title Professional Survey Address	based on: e will be required wheat A30, AE, AH, A (with a specified in Item A50, AE, AH, A (with a specified in Item A50, AE, AH, A (with a specified in Item A50, AE, AH, A (with a specified in Item A50, AE, AH, A (with a specified in Item A50, AE, AH, AH, AH, AH, AH, AH, AH, AH, AH, AH	Construction Drawings then construction of the buith BFE), VE, V1-V30, V (tem A7. In Puerto Rico of Datum: N.G.V.D. 29 as in items a) through h) be a same as that used for the ent, crawlspace, or enclose tural member (V Zones or equipment servicing thation in Comments) at to building (LAG) at to building (HAG) evation of deck or stairs ON D - SURVEYOR, El a land surveyor, enginee is Certificate represents in punishable by fine or impusion back of form. Company Name Van B	□ Bu Jilding is com with BFE), Al anly, enter me pelow. ☑ NG pe BFE. Sure floor) hly) he building NGINEER, (r, or architect ny best efforts risonment un e latitude and License uskirk/Fish & State	uilding Under Coplete. R, AR/A, AR/AE eters. VD 1929 □ NA 12.4 N/A. N/A. 8.4 12.1 7.0 8.1 6.3 OR ARCHITE t authorized by its to interpret the older 18 U.S. Coold longitude in Seveyor? ☑ Yellows Number 3941 Associates, Inc. da	CT CERTII law to certify data availade, Section ection A proves No	O, AR/AH, Other/So feet feet feet feet feet feet feet fe	AR/AO	ck the mean meters meters meters meters meters meters meters meters	surements	

	See	reverse side for continuation		ني .	
IMPORTANT: In these spa	ces, copy the corresponding i	nformation from Secti	on A.	For Insurance Compa	ny Use
Building Street Address (includi 1940 Forked Creek Drive	ng Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box N	0.	Policy Number:	
City ENGLEWOOD	State Florida		Zip Code 34223	Company NAIC Numb	er:
	TION D - SURVEYOR, ENGINE Certificate for (1) community official,				
Comments The flood open	ings in section A9.c) do not have lour levation of the hot water heater is 12	vered vent covers or grates			ng is the
Signature	To D	ate 2/11/2016		1	
For Zones AO and A (without BFE	ELEVATION INFORMATION (SE), complete Items E1-E5. If the Cert all grade, if available. Check the me	ificate is intended to suppo	ort a LOMA or LOMR	-F request, complete Sections A	
grade (HAG) and the lowest adjac a) Top of bottom floor (including bat b) Top of bottom floor (including bat E2. For Building Diagrams 6-9 delevation C2.b in the diagrams) of E3. Attached garage (top of slab)	asement, crawlspace, or enclosure) is asement, crawlspace, or enclosure) is with permanent flood openings prov	is N/A.	meters above of above of above of above of above of above the HAC the HAC.	or below the HAG. or below the LAG. e9 of instruction, the next higher G.	
	pth number is available, is the top Unknown. The local official must			h the community's floodplain n	nanageme
SEC	TION F -PROPERTY OWNER (OR OWNER'S REPRES	SENTATIVE) CER	TIFICATION	
	ements in Sections A, B, and E are of Authorized Representative's Name	correct to the best of my kr	owledge.	78-10 (Mar. 128) (Mar. 128)	
Address	(City	State	ZIP Code	
Signature		Date	Telephone	Tales -	
Comments				:	7
Declaration of				☐ Check here if a	ttachment
	SECTION G -COMM	UNITY INFORMATION	(OPTIONAL)		
and G of this Elevation Certificate. G1. The information in Section authorized by law to certify elevations A community official comp	I by law or ordinance to administer the Complete the applicable item(s) and C was taken from other documentate on information. (Indicate the source ableted Section E for a building located (Items G4-G9) is provided for communication.	d sign below. Check the m ion that has been signed a and date of the elevation d d in Zone A (without a FEM	easurement used in nd sealed by a licens ata in the Comments A-issued or commur	Items G8 and G9. sed surveyor, engineer, or archi area below.)	
G4. Permit Number <u>N/A</u>	G5. Date Permit Issued N/A	G6.	Date Certificate Of C	ompliance/Occupancy Issued <u>N/A</u>	
67. This permit has been issued for 68. Elevation of as-built lowest floo 69. BFE or (in Zone AO) depth of f 610. Community's design flood ele	or (including basement) of the buildin looding at the building site:	Substantial Improvem g: N/A. ☐ feet N/A. ☐ feet N/A. ☐ feet	☐ meters Da ☐ meters Da	tum <u>N/A</u> tum <u>N/A</u> tum <u>N/A</u>	
Local Official's Name		Title			the second
Community Name		Telephone	176	la,	-
Signature	1	Date	111		
Comments				1. 4	-A'
				☐ Check here if atta	chments


Building Photographs See Instructions for Item A6.

			For Insurance Company Use	
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1940 Forked Creek Drive			Policy Number:	
City	State	Zip Code	Company NAIC Number:	
ENGLEWOOD	Florida	34223		

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "rear View"; and if required "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page on the reverse.




Front View



Left Side View Photographs Date Taken 2/10/2016



Rear View



Right Side View Job # 14-1360