9NO5286

ELEVATION CERTIFICATE FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077 Expires July 31, 1999

TTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to proe elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine
me proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA OF LOMR). You are not
required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following pages. SECTION A PROPERTY INFORMATION FOR INSURANCE COMPANY US POLICY NUMBER BUILDING OWNER'S NAME STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER

CONSTRUCTED

C FLORENCE L. STRAUBE COMPANY NAIC NUMBER Toperty Stds OTHER DESCRIPTION (Lot and Block Numbers, etc.) Received Construction & 32, BLOCK 7, SARASOTA BEACH Property Cobe STAT FLORIDA **SARASOTA** SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION Provide the following from the proper FIRM (See Instructions): 6. BASE FLOOD ELEVATION 4. DATE OF FIRM INDEX 5. FIRM ZONE 3 SUFFI 1. COMMUNITY NUMBER 2. PANEL NUMBER (in AO Zones, use depth) 5/1/82 A12 125144 0143 D 7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): VGVD'29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate feet NGVD (or other FIRM datum-see Section B, Item 7). the community's BFE: SECTION C BUILDING ELEVATION INFORMATION Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 2(a). FIRM Zones AI -A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation 10.5 feet NGVD (or other FIRM datum-see Section B, Item 7). (b). FIRM Zones V1 -V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from feet NGVD (or other FIRM datum-see Section B, Item 7). the selected diagram, is at an elevation of (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is | below (check one) the highest grade adjacent to the building. . | feet above or below (check (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance? | Yes | No | Unknown 3. Indicate the elevation datum system used in determining the above reference level elevations: W NGVD '29 🔳 Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 71, then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.) The reference level elevation is based on: actual construction construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.) feet NGVD (or other FIRM datum-see 6. The elevation of the lowest grade immediately adjacent to the building is: Section B, Item 7). SECTION ID COMMUNITY INFORMATION . If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest feet NGVD (or other FIRM datum-see Section B, Item 7). floor" as defined by the ordinance is:

2. Date of the start of construction or substantial improvement


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation immatted by state or local law to certify elevation immatted by state or local law to certify elevation immatted by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1 00 1.

		LICENSE NUMBER (or Affix Seal)	LICENSE NUMBER (or Affix Seal)			
ROBERT G. BRUCE			#4519			
ROBE	RI G. BROCK	COURANY NAME				
TITLE		COMPANY NAME				
OWNER		RED STAKE SURVEYORS, INC		STATE	ZIP	
ADDRESS		CITY		FLORIDA	34241	
7123 PROCTO	-101.10	SARASOTA PHONE				
Copies should be made	ie of this Certific	ate for: 1) community official, 2) insurance agent/comp	pany, and	3) building ow	mer.	
F1.000		VERIFIED AT COUNTY F.E.M.A. CONTROL OF				
COMMENTS:			18			



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones,

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.