U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB Control No. 1660-0008 Expiration Date: 06/30/2026

ELEVATION CERTIFICATE

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11
Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION FOR INSURANCE COMPANY USE A1. Building Owner's Name: GRW LTD Policy Number: A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: Company NAIC Number: 1340 N TAMIAMI TRL City: NOKOMIS State: FL ZIP Code: 34275 A3. Property Description (e.g., Lot and Block Numbers or Legal Description) and/or Tax Parcel Number: PID: 0165020001, DESCRIP O.R. BK 933 - PG544 & O.R. BK 933 - PG553 A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.): RESIDENTIAL A5. Latitude/Longitude: Lat. 27° 08′ 38,79″ N Long. 82° 27′ 23,54″ W Horiz. Datum: ☐ NAD 1927 ☒ NAD 1983 ☐ WGS 84 A6. Attach at least two and when possible four clear color photographs (one for each side) of the building (see Form pages 7 and 8). A7. Building Diagram Number: A8. For a building with a crawlspace or enclosure(s): a) Square footage of crawlspace or enclosure(s): N/A b) Is there at least one permanent flood opening on two different sides of each enclosed area? \square Yes \square No \bowtie N/A c) Enter number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade: Non-engineered flood openings: N/A Engineered flood openings: d) Total net open area of non-engineered flood openings in A8.c: N/A sq. in. e) Total rated area of engineered flood openings in A8.c (attach documentation – see Instructions): N/A sq. ft. f) Sum of A8.d and A8.e rated area (if applicable – see Instructions): N/A sq. ft. A9. For a building with an attached garage: a) Square footage of attached garage: N/A sq. ft. b) Is there at least one permanent flood opening on two different sides of the attached garage? \square Yes \square No \bowtie N/A c) Enter number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade: Non-engineered flood openings: N/A Engineered flood openings: d) Total net open area of non-engineered flood openings in A9.c: N/A sq. in. e) Total rated area of engineered flood openings in A9.c (attach documentation – see Instructions): N/A sq. ft. f) Sum of A9.d and A9.e rated area (if applicable – see Instructions): N/A sq. ft. SECTION B – FLOOD INSURANCE RATE MAP (FIRM) INFORMATION B1.a. NFIP Community Name: Sarasota County B1.b. NFIP Community Identification Number: 125144 B2. County Name: Sarasota B3. State: FL B4. Map/Panel No.: 12115C/0239 B5. Suffix: G B6. FIRM Index Date: 03/27/2024 B7. FIRM Panel Effective/Revised Date: 03/27/2024 B8. Flood Zone(s): AE, X B9. Base Flood Elevation(s) (BFE) (Zone AO, use Base Flood Depth): 8.0', N/A B10. Indicate the source of the BFE data or Base Flood Depth entered in Item B9: ☐ FIS ☐ FIRM ☐ Community Determined ☐ Other: B11. Indicate elevation datum used for BFE in Item B9: ☐ NGVD 1929 ☒ NAVD 1988 ☐ Other/Source: B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? \square Yes \bowtie No Designation Date:

CBRS
OPA B13. Is the building located seaward of the Limit of Moderate Wave Action (LiMWA)? Yes No.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box	No.: FOR INSURANCE COMPANY USE					
1340 N TAMIAMI TRL	Policy Number:					
City: NOKOMIS State: FL ZIP Code: 34275	Company NAIC Number:					
SECTION C – BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)					
C1. Building elevations are based on: Construction Drawings* Building Under A new Elevation Certificate will be required when construction of the building is com						
C2. Elevations – Zones A1–A30, AE, AH, AO, A (with BFE), VE, V1–V30, V (with BFE), A99. Complete Items C2.a–h below according to the Building Diagram specified in It Benchmark Utilized: N 727 Vertical Datum: NAV	em A7. In Puerto Rico only, enter meters.					
Indicate elevation datum used for the elevations in items a) through h) below. ☐ NGVD 1929 ☐ NAVD 1988 ☐ Other:						
Datum used for building elevations must be the same as that used for the BFE. Conversion If Yes, describe the source of the conversion factor in the Section D Comments area.	on factor used? Yes No Check the measurement used:					
a) Top of bottom floor (including basement, crawlspace, or enclosure floor):	10.6 🛛 feet 🗌 meters					
b) Top of the next higher floor (see Instructions):	N/A feet meters					
c) Bottom of the lowest horizontal structural member (see Instructions):	N/A feet meters					
d) Attached garage (top of slab):	N/A feet meters					
e) Lowest elevation of Machinery and Equipment (M&E) servicing the building (describe type of M&E and location in Section D Comments area):	8.8 🛛 feet 🗌 meters					
f) Lowest Adjacent Grade (LAG) next to building: Natural Finished	7.8 🛛 feet 🗌 meters					
g) Highest Adjacent Grade (HAG) next to building: Natural Finished	7.9 🛛 feet 🗌 meters					
h) Finished LAG at lowest elevation of attached deck or stairs, including structural support:	8.3 🛛 feet 🗌 meters					
SECTION D – SURVEYOR, ENGINEER, OR ARCHITE	CT CERTIFICATION					
This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by state law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.						
Were latitude and longitude in Section A provided by a licensed land surveyor?	□No					
⊠ Check here if attachments and describe in the Comments area.						
Certifier's Name: GUSTAVO INTERIAN License Number: PSM 646	51					
Title: PROFESSIONAL SURVEYOR AND MAPPER						
Company Name: LYNX SURVEYORS CORP						
1						
City: LAUREL State: FL ZIP Code: 34272						
Telephone: (833) 721-2907 Ext.: Email: contact@lynxsurveyors.co	SIAIF OF					
Signature: Date: 01/21	/2025					
Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2)						
Comments (including source of conversion factor in C2; type of equipment and location portificate issued for Mobile Home Unit address: 253 San Carlos St, Nokomis, For concrete lattice; A5) Determine by GPS RTK NCCS received; Attached a Buildin FEMA website; C2 e) for Central A/C System placed at rear side of building, me C2 f) g) on ground & driveway determine by GPS RTK NCCS received; C2 -ORDER No: LS250036	L 34275, placed on piers with opened glocation in FIRMette capture, source asured on top concrete pad;					

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:	FOR INSURANCE COMPANY USE				
1340 N TAMIAMI TRL	Policy Number:				
City: NOKOMIS State: FL ZIP Code: 34275	Company NAIC Number:				
SECTION E – BUILDING MEASUREMENT INFORMATION (SURVE) FOR ZONE AO, ZONE AR/AO, AND ZONE A (WITHOU	•				
For Zones AO, AR/AO, and A (without BFE), complete Items E1–E5. For Items E1–E4, use natural grade, if available. If the Certificate is intended to support a Letter of Map Change request, complete Sections A, B, and C. Check the measurement used. In Puerto Rico only, enter meters.					
Building measurements are based on: Construction Drawings* Building Under Construction* Finished Construction *A new Elevation Certificate will be required when construction of the building is complete.					
E1. Provide measurements (C.2.a in applicable Building Diagram) for the following and check the measurement is above or below the natural HAG and the LAG.	appropriate boxes to show whether the				
a) Top of bottom floor (including basement, crawlspace, or enclosure) is:	s above or below the HAG.				
b) Top of bottom floor (including basement, crawlspace, or enclosure) is:	s above or below the LAG.				
E2. For Building Diagrams 6–9 with permanent flood openings provided in Section A Items 8 and next higher floor (C2.b in applicable Building Diagram) of the building is:	<u> </u>				
E3. Attached garage (top of slab) is:					
E4. Top of platform of machinery and/or equipment servicing the building is:	s				
E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes Unknown The local official must certify this information in Section G.					
SECTION F – PROPERTY OWNER (OR OWNER'S AUTHORIZED REPRESE	NTATIVE) CERTIFICATION				
The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge Check here if attachments and describe in the Comments area.					
Property Owner or Owner's Authorized Representative Name:					
Address:					
City: State:	ZIP Code:				
Telephone: Ext.: Email:					
Signature: Date:					
Comments:					

Building Street Address (including Apt., Unit, Suite,	and/or Bldg. No.) c	or P.O. Route and B	Box No.:	FOR INS	URANCE COMPANY USE
1340 N TAMIAMI TRL			Policy Nur	Policy Number:	
City: NOKOMIS	_ State:FL	_ ZIP Code: <u>3427</u>	75	Company NAIC Number:	
SECTION G - COMMUNITY INFORM	IATION (RECO	MENDED FOR	COMMUN	ITY OFFICIA	AL COMPLETION)
The local official who is authorized by law or ordir Section A, B, C, E, G, or H of this Elevation Certif					rdinance can complete
G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by state law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)					
G2.a. A local official completed Section E for a building located in Zone A (without a BFE), Zone AO, or Zone AR/AO, or when item E5 is completed for a building located in Zone AO.					
G2.b. A local official completed Section H fo	r insurance purpo	ses.			
G3.	ne local official de	scribes specific co	rrections to t	he information	n in Sections A, B, E and H.
G4.	311) is provided fo	or community flood	plain manag	ement purpos	ses.
G5. Permit Number:	G6. Date P	ermit Issued:			
G7. Date Certificate of Compliance/Occupance	y Issued:				
G8. This permit has been issued for: New	/ Construction	Substantial Impro	ovement		
G9.a. Elevation of as-built lowest floor (including building:	ງ basement) of the		_	meters	Datum:
G9.b. Elevation of bottom of as-built lowest horiz member:	zontal structural		_	meters	Datum:
G10.a. BFE (or depth in Zone AO) of flooding at t	he building site:		feet	meters	Datum:
G10.b. Community's minimum elevation (or depth requirement for the lowest floor or lowest member:		al	☐ feet	☐ meters	Datum:
G11. Variance issued? Yes No If y	es, attach docum	entation and descr	 ibe in the Co	omments area	a.
The local official who provides information in Section G must sign here. I have completed the information in Section G and certify that it is correct to the best of my knowledge. If applicable, I have also provided specific corrections in the Comments area of this section.					
Local Official's Name:		Title:			
NFIP Community Name:					
Address:					
City:					
Signature:					
Comments (including type of equipment and locat Sections A, B, D, E, or H):	tion, per C2.e; des	scription of any atta	achments; aı	nd corrections	to specific information in
·					

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:			FOR INSURANCE COMPANY USE		
1340 N TAMIAMI TRL			Policy Number:		
City: NOKOMIS State: FL ZIP Code: 34275					
	NG'S FIRST FLOOR HEI T REQUIRED) (FOR INS				
The property owner, owner's authorized representative, or local floodplain management official may complete Section H for all flood zones to determine the building's first floor height for insurance purposes. Sections A, B, and I must also be completed. Enter heights to the nearest tenth of a foot (nearest tenth of a meter in Puerto Rico). Reference the Foundation Type Diagrams (at the end of Section H Instructions) and the appropriate Building Diagrams (at the end of Section I Instructions) to complete this section.					
H1. Provide the height of the top of the floor (as indicated in Foundation Type Diagrams) above the Lowest Adjacent Grade (LAG):					
a) For Building Diagrams 1A, 1B, 3, and floor (include above-grade floors only for because floors) is:		feet [meters above the LAG		
b) For Building Diagrams 2A, 2B, 4, and higher floor (i.e., the floor above basemen enclosure floor) is:		feet [☐ meters ☐ above the LAG		
H2. Is all Machinery and Equipment servicing H2 arrow (shown in the Foundation Type I					
SECTION I – PROPERTY OWN	ER (OR OWNER'S AUTI	HORIZED REPRESEN	TATIVE) CERTIFICATION		
The property owner or owner's authorized representative who completes Sections A, B, and H must sign here. <i>The statements in Sections A, B, and H are correct to the best of my knowledge</i> . Note: If the local floodplain management official completed Section H, they should indicate in Item G2.b and sign Section G.					
☐ Check here if attachments are provided (inc	cluding required photos) and	d describe each attachme	nt in the Comments area.		
Property Owner or Owner's Authorized Repres	sentative Name:				
Address:					
City:			ZIP Code:		
Telephone: Ext.: _	Email:				
Signature:		Date:			
Comments:			_		

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11 **BUILDING PHOTOGRAPHS**

See Instructions for Item A6.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:			FOR INSURANCE COMPANY USE	
1340 N TAMIAMI TRL			Policy Number:	
City: NOKOMIS	State:	FL	ZIP Code: 34275	
				Company NAIC Number:

Instructions: Insert below at least two and when possible four photographs showing each side of the building (for example, may only be able to take front and back pictures of townhouses/rowhouses). Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." Photographs must show the foundation. When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.



Photo One

Photo One Caption: FRONT VIEW (01-14-2025)

Clear Photo One



Photo Two

Photo Two Caption: REAR VIEWS (01-14-2025)

Clear Photo Two

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11 **BUILDING PHOTOGRAPHS**

Continuation Page

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:			FOR INSURANCE COMPANY USE	
1340 N TAMIAMI TRL City: NOKOMIS	State:_	FL	ZIP Code: <u>34275</u>	Policy Number:

Insert the third and fourth photographs below. Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.



Photo Three

Photo Three Caption: LEFT SIDE VIEW (01-14-2025)

Clear Photo Three




Photo Four

Photo Four Caption: RIGHT SIDE VIEW (01-14-2025)

Clear Photo Four


National Flood Hazard Layer FIRMette





Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT



This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The pin displayed on the map is an approximate point selected by the user and does not represent

an authoritative property location.

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 1/21/2025 at 5:18 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.