U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

IMPORTANT: Follow the instructions on pages 1–9.

OMB No. 1660-0008

Expiration Date: July 31, 2015

SECTION A – PROPERTY INFORMATION					FOR INSURANCE COMPANY USE		
A1. Building Owner's Name DARLENE STETLER				Policy Number:			
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1640 LAKEVIEW PLACE					Company NAIC	Number:	
City ENGLEWOOD			State	e _{FL}		ZIP Code 3422	23
A3. Property Description LOT 9, LONGLAKE EST	TATES, PLAT BOOK	K 11, PAGE 28.					
A5. Latitude/Longitude:	Lat. <u>26 DEC</u> otographs of the b	esidential, Addition, Acc 3. 56'48.10" N Lo puilding if the Certificate	ong. <u>82 DEG. 20</u>			Datum: 🗌 N	AD 1927 🔀 NAD 1983
_	A8. For a building with a crawlspace or enclosure(s): A9. For a building with an attached garage:						242.0
b) No. of permanen	b) No. of permanent flood openings in the crawlspace or b) Number of permanent flood openings in the attached garage						ngs in the attached garage
c) Total net area of		, ,	N/A sq in		otal net area of floo	-	
d) Engineered flood	openings?	Yes 🗵 No		d) Er	ngineered flood op	enings?	Yes 🛮 No
	SEC	TION B – FLOOD IN	SURANCE RATE	MAP (FIR	M) INFORMATION	ON	
B1. NFIP Community Nan UNINCORPO	ne & Community NORATED AREAS 1	Jumber 25144	B2. County Nam	е	SARASOTA		B3. State FL
B4. Map/Panel Number	B5. Suffix	B6. FIRM Index Date	B7. FIRM Panel Revised Dat		B8. Flood Zone(s	,	e Flood Elevation(s) (Zone use base flood depth)
1251440454	D	09/03/1992	05/01/198		A12	7.0,	12.0
B10. Indicate the source of FIS Profile ▼ F		, ,	r base flood depth en Other/Source:	tered in Ite	m B9:		
B11. Indicate elevation da B12. Is the building locate Designation Date:	etum used for BFE ed in a Coastal Ba	in Item B9: X NG Arrier Resources System / CBRS	GVD 1929		. ,	☐ Yes	⊠ No
	SECTIO	ON C – BUILDING EI	LEVATION INFORM	NOITAN	SURVEY REQUII	RED)	
				_			
	rtificate will be red	Construction Draw	on of the building is c	omplete.	Construction*	▼ Finished (
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord	rtificate will be red 1–A30, AE, AH, A ling to the building	quired when construction (with BFE), VE, V1–V30 g diagram specified in l	on of the building is c O, V (with BFE), AR, AF Item A7. In Puerto Ric	complete. R/A, AR/AE co only, ent	, AR/A1-A30, AR/A er meters.	.H, AR/AO. Co	
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord Benchmark Utilized:	rtificate will be red a1–A30, AE, AH, A ling to the building DJ6009	quired when construction (with BFE), VE, V1–V30 g diagram specified in I 26.08	on of the building is c D, V (with BFE), AR, AF Item A7. In Puerto Ric 8 Vertical	complete. R/A, AR/AE co only, ente Datum:	, AR/A1–A30, AR/A er meters. NG	NH, AR/AO. Co VD 1929	omplete Items
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord Benchmark Utilized: Indicate elevation da	rtificate will be red 11–A30, AE, AH, A ling to the building DJ6009 tum used for the	quired when construction (with BFE), VE, V1–V30 g diagram specified in l	on of the building is c D, V (with BFE), AR, AF Item A7. In Puerto Ric 8 Vertical through h) below.	complete. R/A, AR/AE co only, ente Datum:	, AR/A1-A30, AR/A er meters. NG 9 NAVD 1988	NH, AR/AO. Co VD 1929 Other/So	omplete Items urce:
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord Benchmark Utilized: Indicate elevation da Datum used for build	rtificate will be red 11–A30, AE, AH, A ling to the building DJ6009 turn used for the ling elevations mu	quired when construction (with BFE), VE, V1–V30 g diagram specified in I 26.08 elevations in items a) t	on of the building is c D, V (with BFE), AR, AF Item A7. In Puerto Ric 8 Vertical through h) below.	complete. R/A, AR/AE co only, ente Datum:	, AR/A1-A30, AR/A er meters. NG 9 NAVD 1988	NH, AR/AO. Co VD 1929 Other/Soleasurement to	omplete Items urce:
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord Benchmark Utilized: Indicate elevation da Datum used for build	rtificate will be red 11–A30, AE, AH, A ling to the building DJ6009 tum used for the ling elevations mu or (including base	quired when construction (with BFE), VE, V1–V30 g diagram specified in I 26.08 elevations in items a) the ust be the same as that	on of the building is c D, V (with BFE), AR, AF Item A7. In Puerto Ric 8 Vertical through h) below.	complete. R/A, AR/AE co only, ente Datum:	, AR/A1–A30, AR/A er meters. NG 9 NAVD 1988 Check the m 9.19 NVA	NH, AR/AO. Co VD 1929 Other/So neasurement to	omplete Items urce: used.
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom floo b) Top of the next hi	rtificate will be red.1–A30, AE, AH, A ling to the building DJ6009 tum used for the ling elevations muor (including based gher floor	quired when construction (with BFE), VE, V1–V30 g diagram specified in I 26.08 elevations in items a) the ust be the same as that	on of the building is co., V (with BFE), AR, AF Item A7. In Puerto Rick Wertical Wertical through h) below.	omplete. R/A, AR/AE co only, ente Datum: NGVD 192	, AR/A1–A30, AR/A er meters. NG 9 □ NAVD 1988 Check the m 9.19 N/A N/A ▼ feet N/A ▼ feet	VD 1929 Other/Some deasurement of the meters of the meter	omplete Items urce: used. s
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom flod b) Top of the next hi c) Bottom of the low d) Attached garage (rtificate will be rec.1—A30, AE, AH, A ling to the building DJ6009 turn used for the ling elevations muor (including base gher floor eest horizontal stratop of slab)	quired when construction (with BFE), VE, V1–V3C g diagram specified in I 26.08 elevations in items a) to ust be the same as that ment, crawlspace, or er uctural member (V Zone	on of the building is co., V (with BFE), AR, AF Item A7. In Puerto Rick Wertical Wertical through h) below. It used for the BFE. Inclosure floor) es only)	omplete. R/A, AR/AE co only, ente Datum: NGVD 192	, AR/A1–A30, AR/A er meters. NG 9 □ NAVD 1988 Check the m 9.19 ☒ feet N/A ☒ feet N/A ☒ feet 8.84 ☒ feet	Other/Sorteasurement to meters	omplete Items urce: used. s s s
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom floo b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation	rtificate will be rec.1–A30, AE, AH, A ling to the building DJ6009 turn used for the ling elevations muor (including bases gher floor rest horizontal stratop of slab) of machinery or e	quired when construction (with BFE), VE, V1–V30 g diagram specified in In 26.08 elevations in items a) to ust be the same as that ment, crawlspace, or er	on of the building is co., V (with BFE), AR, AF Item A7. In Puerto Rick Wertical Wertical through h) below. It used for the BFE. Inclosure floor) es only)	omplete. R/A, AR/AE Co only, ente Datum: NGVD 192	, AR/A1–A30, AR/A er meters. NG 9 □ NAVD 1988 Check the m 9.19 N/A N/A N/A N/A N/A See is	Other/Sorteasurement to meters	omplete Items urce: used. s s s
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom flod b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of	rtificate will be rec.1—A30, AE, AH, A ling to the building DJ6009 turn used for the ling elevations muor (including bases gher floor rest horizontal stratop of slab) of machinery or e equipment and lo	quired when construction (with BFE), VE, V1–V3C, g diagram specified in Inc. 26.08 elevations in items a) the same as the same as the ment, crawlspace, or erructural member (V Zone equipment servicing the	on of the building is co., V (with BFE), AR, AF Item A7. In Puerto Rick Wertical Wertical through h) below. It used for the BFE. Inclosure floor) es only)	omplete. R/A, AR/AE co only, ente Datum: NGVD 192	AR/A1–A30, AR/A er meters. NG 9 NAVD 1988 Check the m 9.19 N/A N/A N/A N/A 8.84 8.75 Seet 8.36 Seet	Other/Some assurement of the meters of the m	omplete Items urce: used. s s s s
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom floo b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (g) Highest adjacent	rtificate will be rec. 1.1–A30, AE, AH, A ling to the building DJ6009 tum used for the ling elevations muser (including bases gher floor rest horizontal stratop of slab) of machinery or equipment and loginished) grade no (finished) grade no	quired when construction (with BFE), VE, V1–V30 g diagram specified in I 26.08 elevations in items a) the same as	on of the building is control of the building is control of the BFE, AR, AF and through h) below. It used for the BFE. Inclosure floor) The building is control of the BFE.	omplete. R/A, AR/AE co only, ento Datum: NGVD 192	AR/A1—A30, AR/A er meters. NG 9 NAVD 1988 Check the m 9.19 N/A N/A N/A N/A 8.84 X feet 8.75 X feet 8.36 8.70 R 196	Other/Son meters The m	omplete Items urce: used. s s s s s
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom floo b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (g) Highest adjacent	rtificate will be rec. 1—A30, AE, AH, A ling to the building DJ6009 turn used for the ling elevations muor (including base gher floor rest horizontal stratop of slab) of machinery or equipment and loginished) grade no grade at lowest el	quired when construction (with BFE), VE, V1–V3C g diagram specified in I 26.08 elevations in items a) to sust be the same as that ment, crawlspace, or er uctural member (V Zone equipment servicing the sucception in Comments) ext to building (LAG)	on of the building is control of the building is control of the BFE, AR, AF and through h) below. It used for the BFE. Inclosure floor) The building is control of the BFE.	omplete. R/A, AR/AE co only, ento Datum: NGVD 192	AR/A1–A30, AR/A er meters. NG 9 NAVD 1988 Check the m 9.19 N/A N/A N/A N/A 8.84 8.75 Seet 8.36 Seet	Other/Son meters The m	omplete Items urce: used. s s s s s
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom flod b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent h) Lowest adjacent	rtificate will be rec. 1—A30, AE, AH, A ling to the building DJ6009 turn used for the ling elevations must or (including bases gher floor rest horizontal stratop of slab) of machinery or equipment and loginished) grade not (finished) grade not grade at lowest elections.	quired when construction (with BFE), VE, V1–V30 g diagram specified in I 26.08 elevations in items a) the same as	on of the building is control of the building is	omplete. R/A, AR/AE co only, ento Datum: NGVD 192	AR/A1—A30, AR/A er meters. NG 9 □ NAVD 1988 Check the m 9.19 N/A N/A N/A N/A 8.84 N/A 8.75 □ feet 8.36 N/A 8.36 □ feet 8.70 □ feet 8.36 □ feet	Other/Some assurement of the meters of the m	omplete Items urce: used. s s s s s
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom flod b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (g) Highest adjacent h) Lowest adjacent	rtificate will be rec. 1—A30, AE, AH, A ling to the building DJ6009 turn used for the ling elevations must or (including base gher floor rest horizontal stratop of slab) of machinery or equipment and loginished) grade no (finished) grade no grade at lowest elections.	quired when construction (with BFE), VE, V1–V3C g diagram specified in I 26.08 g diagram specified in Comments) g diagram specified in Comments (LAG) g diagram specified in I 26.08 g dia	on of the building is consorted by the second of the building is consorted by the second of the seco	ARCHITEC	AR/A1-A30, AR/A er meters. NG 9 NAVD 1988 Check the m 9.19 N/A N/A 8.84 N/A 8.75 N feet 8.75 N feet 8.36 N feet 8.70 N feet 8.36 N feet CT CERTIFICATI law to certify elevale data available.	ON	omplete Items urce: used. s s s s s s s
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom flod b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (g) Highest adjacent h) Lowest adjacent structural support	rtificate will be rec. 1—A30, AE, AH, A ling to the building DJ6009 turn used for the ling elevations must or (including base gher floor rest horizontal stratop of slab) of machinery or equipment and loginished) grade no (finished) grade no grade at lowest electric general and sealed the information on is statement may be a rec provided on line in the building of the statement may be a rec provided on line in the building of the statement may be a rec provided on line in the building of the statement may be a rec provided on line in the building of the statement may be a rec provided on line in the building of the	quired when construction (with BFE), VE, V1–V3C g diagram specified in I 26.08 g diagram specified in Items a) to the same as that the same as that ment, crawlspace, or end uctural member (V Zone 1 200 g diagram) graph (V Zone 1 200 g diagram) graph (V Zone 1 200 g diagram) g diagram (V Zone 1 200 g diagram) g	on of the building is consorted by the second of the building is consorted by the second of the seco	ARCHITE thorized by interpret the 8/A, AR/AE R/A, AR/AE R/A, AR/AE R/A R/AE ARCHITE R/AE R/AE	AR/A1-A30, AR/A er meters. NG 9 NAVD 1988 Check the m 9.19 N/A N/A See 8.84 8.75 See 8.36 See 8.36 See CT CERTIFICATI law to certify elevale data available. e. Section 1001.	ON	omplete Items urce: used. s s s s s
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom flod b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (g) Highest adjacent h) Lowest adjacent structural support This certification is to be s information. I certify that the I understand that any false Check here if comments	rtificate will be rec. 12–A30, AE, AH, A ling to the building DJ6009 tum used for the ling elevations must be received in the ling elevations must be requipment and look in the line line line line line line line lin	quired when construction (with BFE), VE, V1–V3C g diagram specified in I 26.08 g diagram specified in Items a) to the same as that the same as that ment, crawlspace, or end uctural member (V Zone 1 200 g diagram) graph (V Zone 1 200 g diagram) graph (V Zone 1 200 g diagram) g diagram (V Zone 1 200 g diagram) g	on of the building is co., V (with BFE), AR, AF Item A7. In Puerto Rick B Vertical Wertical Wertical Wertical Rickers Are Noted to through h) below. It used for the BFE. Inclosure floor) See only) See building R, ENGINEER, OR ARE MERCE AND ARE MERCE	ARCHITE thorized by interpret the 8 U.S. Code on Section and the code of the c	AR/A1-A30, AR/A er meters. NG 9 NAVD 1988 Check the m 9.19 N/A N/A 8.84 8.75 Seet 8.36 8.70 8.36 X feet 8.70 X feet 8.36 X feet CT CERTIFICATI law to certify eleva e data available. e., Section 1001. on A provided by a No	ON	omplete Items urce: used. s s s s s s s s s s s s s s s s s s s
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom floo b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (g) Highest adjacent h) Lowest adjacent s structural support This certification is to be s information. I certify that the I understand that any false Check here if comments Check here if attachmer Certifier's Name	rtificate will be rec. 12–A30, AE, AH, A ling to the building DJ6009 tum used for the ling elevations must be received in the ling elevations must be requipment and look in the line line line line line line line lin	quired when construction (with BFE), VE, V1–V3C g diagram specified in I 26.08 g diagram specified in Comments) g diagram specified in I 26.08 g diagram sp	on of the building is co., V (with BFE), AR, AF Item A7. In Puerto Rick B Vertical Wertical Wertical Wertical Rickers Wertical Rickers	ARCHITECT Thorized by interpret the 8 U.S. Code de in Section Vessel License N	AR/A1—A30, AR/A er meters. NG 9 NAVD 1988 Check the m 9.19 N/A N/A 8.84 8.75 Check the m 9 feet 8.36 8.36 X feet 8.36 X feet CT CERTIFICATI Law to certify eleva e data available. e. Section 1001. on A provided by a No Number	ON AH, AR/AO. Co VD 1929 Other/So neasurement of the meters	omplete Items urce: used. s s s s s s s s s s s s s s s s s s s
*A new Elevation Ce C2. Elevations – Zones A C2.a–h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom flod b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (g) Highest adjacent h) Lowest adjacent structural support This certification is to be s information. I certify that the I understand that any false Check here if comments Check here if attachmer Certifier's Name BILL H HYA Title P.S.M.	rtificate will be rec. 12–A30, AE, AH, A ling to the building DJ6009 tum used for the ling elevations must be received in the ling elevations must be requipment and look in the line line line line line line line lin	quired when construction (with BFE), VE, V1–V3C g diagram specified in I 26.08 g diagram specified in Comments) g diagram specified in I 26.08 g diagram sp	on of the building is co., V (with BFE), AR, AF Item A7. In Puerto Rick 8	ARCHITECT Thorized by interpret the 8 U.S. Code de in Section Vessel License N	AR/A1—A30, AR/A er meters. NG 9 NAVD 1988 Check the m 9.19 N/A N/A 8.84 8.75 Check the m 9 feet 8.36 8.36 X feet 8.36 X feet CT CERTIFICATI Law to certify eleva e data available. e. Section 1001. on A provided by a No Number	ON AH, AR/AO. Co VD 1929 Other/So neasurement of the meters	omplete Items urce: used. s s s s s s s s s s s s s s s s s s s

IMPORTANT: In these spaces, copy the	corresponding information from Sec	tion A.	F	OR INSURANCE COMPANY USE
Building Street Address (including Apt., L 1640 LAKEVIEW PLACE	Jnit, Suite, and/or Bldg. No.) or P.O. R	oute and Box No.	Po	olicy Number:
City ENGLEWOOD	State FL	ZIP Code 34223		ompany NAIC Number:
SECTION I	O – SURVEYOR, ENGINEER, OR	ARCHITECT CER	TIFICATION (CON	TINUED)
Copy both sides of this Elevation Certific Comments C2e MACHINERY OR EQU LATITUDE & LONGITUDE I	ate for (1) community official, (2) insu	urance agent/compa NG IS AN A/C UNIT. S DEVICE	ny, and (3) building ov ON CONC. SLAB	•
A				
Signature	Just -	Date 01/24/2014		
SECTION E – BUILDING ELEVA	ATION INFORMATION (SURVEY	NOT REQUIRED)	FOR ZONE AO AI	ND ZONE A (WITHOUT BFE)
For Zones AO and A (without BFE), compl For Items E1–E4, use natural grade, if av				equest, complete Sections A, B,and C
E1. Provide elevation information for the grade (HAG) and the lowest adjacent		poxes to show wheth	er the elevation is ab	ove or below the highest adjacent
a) Top of bottom floor (including base	ment, crawlspace, or enclosure) is		☐ feet ☐ meters	☐ above or ☐ below the HAG.
b) Top of bottom floor (including base	ement, crawlspace, or enclosure) is	·	☐ feet ☐ meters	\square above or \square below the LAG.
E2. For Building Diagrams 6–9 with perm	anent flood openings provided in Sec	ction A Items 8 and/o	or 9 (see pages 8–9 o	of Instructions),
the next higher floor (elevation C2.b i	n the diagrams) of the building is	·	☐ feet ☐ meters	☐ above or ☐ below the HAG.
E3. Attached garage (top of slab) is			☐ feet ☐ meters	☐ above or ☐ below the HAG.
4. Top of platform of machinery and/or	equipment servicing the building is		☐ feet ☐ meters	\square above or \square below the HAG.
	er is available, is the top of the botto	om floor elevated in a	ccordance with the c	ommunity's floodplain management
<u> </u>	known. The local official must certify			
ordinance? Tyes No Unl	known. The local official must certify	this information in So	ection G.	
ordinance? ☐ Yes ☐ No ☐ Unl SECTION F The property owner or owner's authorized	F – PROPERTY OWNER (OR OW d representative who completes Secti	this information in Source VNER'S REPRESE ions A, B, and E for Z	ection G. NTATIVE) CERTIF one A (without a FEM	ICATION
ordinance? Tyes No Unl	F – PROPERTY OWNER (OR OW d representative who completes Secti is in Sections A, B, and E are correct to	this information in Source VNER'S REPRESE ions A, B, and E for Z	ection G. NTATIVE) CERTIF one A (without a FEM	ICATION
ordinance? Yes No Unl SECTION F The property owner or owner's authorized Zone AO must sign here. The statements Property Owner or Owner's Authorized Re	F – PROPERTY OWNER (OR OW d representative who completes Secti is in Sections A, B, and E are correct to	this information in Source VNER'S REPRESE ions A, B, and E for Z	ection G. NTATIVE) CERTIF one A (without a FEM	ICATION
ordinance? Yes No Unl SECTION F The property owner or owner's authorized Zone AO must sign here. The statements Property Owner or Owner's Authorized Re	F – PROPERTY OWNER (OR OW d representative who completes Secti is in Sections A, B, and E are correct to	this information in Source Information in Source Information Source Information Informatio	NTATIVE) CERTIF one A (without a FEM wledge.	ICATION A-issued or community-issued BFE) of the state o
ordinance? Yes No Unl SECTION F The property owner or owner's authorized Zone AO must sign here. The statements Property Owner or Owner's Authorized Re Address Signature	F – PROPERTY OWNER (OR OW d representative who completes Secti is in Sections A, B, and E are correct to	this information in Source VNER'S REPRESE ions A, B, and E for Z o the best of my kno	NTATIVE) CERTIF one A (without a FEM wledge. State	ICATION A-issued or community-issued BFE) of the state o
ordinance? Yes No Unl SECTION F The property owner or owner's authorized Zone AO must sign here. The statements Property Owner or Owner's Authorized Re Address Signature	F – PROPERTY OWNER (OR OW d representative who completes Secti is in Sections A, B, and E are correct to	this information in Source VNER'S REPRESE ions A, B, and E for Z o the best of my kno	NTATIVE) CERTIF one A (without a FEM wledge. State	ICATION A-issued or community-issued BFE) of the state o
ordinance? Yes No Unl SECTION F The property owner or owner's authorized Zone AO must sign here. The statements Property Owner or Owner's Authorized Re Address Signature	F – PROPERTY OWNER (OR OW d representative who completes Secti is in Sections A, B, and E are correct to	this information in Source VNER'S REPRESE ions A, B, and E for Z o the best of my kno	NTATIVE) CERTIF one A (without a FEM wledge. State	ICATION A-issued or community-issued BFE) of the state o
ordinance? Yes No Unl	F – PROPERTY OWNER (OR OW d representative who completes Secti is in Sections A, B, and E are correct to	this information in Solver's REPRESE ions A, B, and E for Z to the best of my kno City Date	NTATIVE) CERTIF one A (without a FEM wledge. State Telepl	ICATION A-issued or community-issued BFE) of the control of the c
ordinance? Yes No Unl SECTION F The property owner or owner's authorized Zone AO must sign here. The statements Property Owner or Owner's Authorized Re Address Signature Comments The local official who is authorized by law	F – PROPERTY OWNER (OR OWN drepresentative who completes Sections in Sections A, B, and E are correct the presentative's Name SECTION G – COMMUNITY or ordinance to administer the commu	this information in Solver's REPRESE ions A, B, and E for Z to the best of my kno City Date Y INFORMATION (Inity's floodplain mana	NTATIVE) CERTIF one A (without a FEM wledge. State Telepl OPTIONAL) agement ordinance ca	ICATION A-issued or community-issued BFE) of the community-issued BFE of the community-issued BFE of the complete Sections A, B, C (or E), and the complete Section A, B, C (or E), and the complete Section A, B, C (or E), and the complete S
SECTION F SECTION F The property owner or owner's authorized Zone AO must sign here. The statements Property Owner or Owner's Authorized Re Address Signature Comments The local official who is authorized by law G of this Elevation Certificate. Complete ti G1. The information in Section C wa who is authorized by law to cert	F – PROPERTY OWNER (OR OWN drepresentative who completes Sections in Sections A, B, and E are correct to presentative's Name SECTION G – COMMUNITY or ordinance to administer the community applicable item(s) and sign below. One staken from other documentation tify elevation information. (Indicate the	VNER'S REPRESE ions A, B, and E for Z to the best of my kno City Date Y INFORMATION (unity's floodplain mana check the measurement of the course and date of the source and date o	NTATIVE) CERTIF one A (without a FEM wledge. State Telepi OPTIONAL) agement ordinance caent used in Items G8– and sealed by a lice of the elevation data	ZIP Code Check here if attachments. Complete Sections A, B, C (or E), and G10. In Puerto Rico only, enter meters ensed surveyor, engineer, or architectin the Comments area below.)
SECTION F SECTION F The property owner or owner's authorized Zone AO must sign here. The statements Property Owner or Owner's Authorized Readdress Signature Comments The local official who is authorized by law G of this Elevation Certificate. Complete the G1. The information in Section C was who is authorized by law to cert G2. A community official completed	F – PROPERTY OWNER (OR OWN drepresentative who completes Sections in Sections A, B, and E are correct to presentative's Name SECTION G – COMMUNITY or ordinance to administer the community and sign below. On the applicable item(s) and sign below. On the section E for a building located in Zouten Section E for a building loc	VNER'S REPRESE Jons A, B, and E for Z to the best of my kno City Date VINFORMATION (Inity's floodplain mans Check the measurement that has been signed the source and date of the A (without a FEMA)	OPTIONAL) agement ordinance caent used in Items G8– and sealed by a lice of the elevation data rissued or community.	ZIP Code Check here if attachments. Complete Sections A, B, C (or E), and G10. In Puerto Rico only, enter meters ensed surveyor, engineer, or architectin the Comments area below.)
SECTION F SECTION F The property owner or owner's authorized Cone AO must sign here. The statements or operty Owner or Owner's Authorized Resolution Res	F – PROPERTY OWNER (OR OWN drepresentative who completes Sections in Sections A, B, and E are correct to presentative's Name SECTION G – COMMUNITY or ordinance to administer the community and sign below. On the applicable item(s) and sign below. On the section E for a building located in Zouten Section E for a building loc	this information in Solver	NTATIVE) CERTIF one A (without a FEM wledge. State Telepl OPTIONAL) agement ordinance ca ent used in Items G8– and sealed by a lice of the elevation data cissued or community ent purposes.	ZIP Code Check here if attachments. Complete Sections A, B, C (or E), an G10. In Puerto Rico only, enter meters ensed surveyor, engineer, or architectin the Comments area below.)
SECTION F SECTION F The property owner or owner's authorized Cone AO must sign here. The statements or operty Owner or Owner's Authorized Resolution Address Signature Comments The local official who is authorized by law G of this Elevation Certificate. Complete to who is authorized by law to certificate. In the information in Section C was who is authorized by law to certificate. In the information in Section C was who is authorized by law to certificate. In the following information (Items G4. Permit Number)	SECTION G – COMMUNITY or ordinance to administer the community elevation information. (Indicate the Section E for a building located in Zors G4-G9) is provided for community G5. Date Permit Issued	this information in Solver	NTATIVE) CERTIF one A (without a FEM wledge. State Telepl OPTIONAL) agement ordinance ca ent used in Items G8– and sealed by a lice of the elevation data cissued or community ent purposes.	ZIP Code Check here if attachments. Complete Sections A, B, C (or E), an G10. In Puerto Rico only, enter meters in the Comments area below.) Prissued BFE) or Zone AO.
SECTION F SECTION F The property owner or owner's authorized one AO must sign here. The statements or operty Owner or Owner's Authorized Resolution of the local official who is authorized by law of this Elevation Certificate. Complete to a comment of the information in Section C was who is authorized by law to certificate. In the information in Section C was who is authorized by law to certificate. In the following information (Items 1932). The following information (Items 1934). Permit Number	SECTION G – COMMUNITY or ordinance to administer the community elevation information. (Indicate the Section E for a building located in Zors G4–G9) is provided for community G5. Date Permit Issued	this information in Solver	NTATIVE) CERTIF one A (without a FEM wledge. State Telepl OPTIONAL) agement ordinance ca ent used in Items G8– and sealed by a lice of the elevation data cissued or community ent purposes.	ZIP Code Check here if attachments. Complete Sections A, B, C (or E), an G10. In Puerto Rico only, enter meters in the Comments area below.) Prissued BFE) or Zone AO.
SECTION F The property owner or owner's authorized Zone AO must sign here. The statements Property Owner or Owner's Authorized Readdress Signature Comments The local official who is authorized by law G of this Elevation Certificate. Complete the Gal. The information in Section C was who is authorized by law to cert Gal. A community official completed Gal. The following information (Items Gal. Permit Number Gal. This permit has been issued for: Gal. Elevation of as-built lowest floor (income.)	SECTION G — COMMUNITY or ordinance to administer the community elevation information. (Indicate the Section E for a building located in Zors G4-G9) is provided for community G5. Date Permit Issued New Construction Substar cluding basement) of the building:	VNER'S REPRESE Jons A, B, and E for Z to the best of my kno City Date VINFORMATION (Inity's floodplain mana Check the measurement that has been signed the source and date of the A (without a FEMA floodplain managem G6. E	OPTIONAL) agement ordinance caent used in Items G8- and sealed by a lice of the elevation data rissued or community ent purposes.	ZIP Code Toda Check here if attachments. Check here if
SECTION F SECTION F The property owner or owner's authorized Zone AO must sign here. The statements Property Owner or Owner's Authorized Research Address Signature Comments The local official who is authorized by law G of this Elevation Certificate. Complete the Gal. The information in Section C was who is authorized by law to cert Gal. A community official completed Gal. The following information (Items Gal. Permit Number G7. This permit has been issued for: G8. Elevation of as-built lowest floor (incomp.) G9. BFE or (in Zone AO) depth of flooding in Zone AO) de	SECTION G — COMMUNITY or ordinance to administer the community elevation information. (Indicate the Section E for a building located in Zors G4-G9) is provided for community G5. Date Permit Issued New Construction Substar cluding basement) of the building: or at the building site:	VNER'S REPRESE Jons A, B, and E for Z to the best of my kno City Date VINFORMATION (Inity's floodplain mana Check the measurement that has been signed the source and date of the A (without a FEMA floodplain managem G6. E	OPTIONAL) agement ordinance caent used in Items G8- and sealed by a lice of the elevation data rissued or community ent purposes.	ZIP Code Toda Check here if attachments. Check here if
SECTION F SECTION F The property owner or owner's authorized Zone AO must sign here. The statements Property Owner or Owner's Authorized Readdress Signature Comments The local official who is authorized by law G of this Elevation Certificate. Complete the G1. The information in Section C was	SECTION G — COMMUNITY or ordinance to administer the community elevation information. (Indicate the Section E for a building located in Zors G4-G9) is provided for community G5. Date Permit Issued New Construction Substar cluding basement) of the building: or at the building site:	this information in Solver S REPRESE ions A, B, and E for Z to the best of my kno City Date Y INFORMATION (Inity's floodplain manacheck the measurement has been signed the source and date of the source an	OPTIONAL) agement ordinance caent used in Items G8– and sealed by a lice of the elevation data	ZIP Code Toda Tip Code Toda Tip Code Toda Tip Code Toda Tip Check here if attachments. The complete Sections A, B, C (or E), and G10. In Puerto Rico only, enter meters are sensed surveyor, engineer, or architecting the Comments area below.) Tyrissued BFE) or Zone AO. Tip Code Tip Cod
SECTION F SECTION F The property owner or owner's authorized cone AO must sign here. The statements or operty Owner or Owner's Authorized Research and of this Elevation Certificate. Complete to a comment of this Elevation Certificate. Complete to a comment of the information in Section C was who is authorized by law to certificate. The information in Section C was who is authorized by law to certificate. The following information (Items G. The following information (Items G. This permit Number G. This permit has been issued for: G. Elevation of as-built lowest floor (incomplete of the control of t	SECTION G — COMMUNITY or ordinance to administer the community elevation information. (Indicate the Section E for a building located in Zors G4-G9) is provided for community G5. Date Permit Issued New Construction Substar cluding basement) of the building: or at the building site:	this information in Solver S REPRESE ions A, B, and E for Z to the best of my kno City Date Y INFORMATION (Inity's floodplain mana Check the measurement of the source and date of the source and date of the source of the so	OPTIONAL) agement ordinance caent used in Items G8– and sealed by a lice of the elevation data	ZIP Code Toda Tip Code Toda Tip Code Toda Tip Code Toda Tip Check here if attachments. The complete Sections A, B, C (or E), and G10. In Puerto Rico only, enter meters are sellow. The Comments area below. The Comments are a below. The Comments are a below are a below. The Comments are a below at a below are a b
SECTION F The property owner or owner's authorized Zone AO must sign here. The statements Property Owner or Owner's Authorized Readdress Signature Comments The local official who is authorized by law G of this Elevation Certificate. Complete to Section C. Was who is authorized by law to cert who is authorized by law to cert Section C. A community official completed Comments Ga. A community official completed	SECTION G — COMMUNITY or ordinance to administer the community elevation information. (Indicate the Section E for a building located in Zors G4-G9) is provided for community G5. Date Permit Issued New Construction Substar cluding basement) of the building: or at the building site:	this information in Solver S REPRESE ions A, B, and E for Z to the best of my knood City Date Y INFORMATION (Inity's floodplain manached the measurement has been signed the source and date of the source	OPTIONAL) agement ordinance caent used in Items G8– and sealed by a lice of the elevation data	ZIP Code Toda Tip Code Toda Tip Code Toda Tip Code Toda Tip Check here if attachments. The complete Sections A, B, C (or E), and G10. In Puerto Rico only, enter meters are sellow. The Comments area below. The Comments are a below. The Comments are a below are a below. The Comments are a below at a below are a b

FEMA Form 086-0-33 (7/12) Replaces all previous editions.

☐ Check here if attachments.

BUILDING PHOTOGRAPHS

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the co	FOR INSURANCE COMPANY USE			
Building Street Address (including Apt., Unit 1640 LAKEVIEW PLACE	, Suite, and/or Bldg. No.) or P.O.	. Route and Box N	0.	Policy Number:
City	State	ZIP Code		Company NAIC Number:
ENGLEWOOD	FL		34223	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.

01/23/2014 FRONT





01/23/2014 REAR





FEMA Form 086-0-33 (7/12) Replaces all previous editions.

BUILDING PHOTOGRAPHS

Continuation Page

IMPORTANT: In these spaces, copy the co	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Un 1640 LAKEVIEW PLACE	it, Suite, and/or Bldg. No.) or P.O.	Route and Box No.	Policy Number:
City	State	ZIP Code	Company NAIC Number:
ENGLEWOOD	FL	34223	

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.

01/23/2014 RIGHT





01/23/2014 LEFT



FEMA Form 086-0-33 (7/12) Replaces all previous editions.