941 496 8777 5 07035.02

ELEVATION CERTIFICATE

O.M.B. No. 3067-0077 Expires July 31, 1999

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

	SECTION A PRO	PERTY INFO	RMATION		FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME					POLICY NUMBER
Walter M. Da STREET ADDRESS (Including Ap 5041 Lucine	t., Unit, Suits and/or Bidg. f	lumber) OR P.O. F	S & d ROUTE AND BOX NUMBER		COMPANY NAIC NUMBER
THER DESCRIPTION (Lot and I	Block Numbers, etc.)	Venice I	Init # 22		
CITY	3749, 004611	VGH206 0	, 11.2 11 22	STATE	ZIP CODE
Venice,				FL.	34293
	SECTION B FL	OOD INSURA	ANCE RATE MAP (FIRM)	INFORMATION	
rovide the following from t	he proper FIRM (See	instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
125144 . Indicate the elevation dat	341	"E"	9/3/92	AE	Other (déseible en back)
the community's BFE: L			FIRM datum-see Section	- Autobar	
(c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The one) the highest grade level) elevated in accordance (comments on Pathe FIRM [see Section equation under Comments)	t BFE). The floor use the highest grade at floor used as the refe e adjacent to the bulk ordance with the com- atum system used in con- age 2). (NOTE: If the B, Item 7], then convents on Page 2.)	d as the reference level from the bigodern to the bigodern to the bigodern to the bigodern to the bigodern the elevation datument the elevation	m the selected diagram is didepth number is available in management ordinant above reference level element used in measuring the consist of the datum system uses to the datum system uses.	d diagram is feet all	bove or below (check s lowest floor (reference No Unknown /D '29 Other (describe rent than that used on
4. Elevation reference man	k used appears on Fi	RM: Yes	X No (See Instructions o	n Page 4)	
5. The reference level elev (NOTE: Use of construc- case this certificate will of will be required once con	ation is based on: X ction drawings is only only be valid for the bu astruction is complete	actual construence valid if the bull building during the bull building during the bull bull bull bull bull bull bull bul	uction construction d lding does not yet have the course of construction.	rawings e reference level A post-construc	tion Elevation Certificate
The elevation of the low Section B, Item 7).	est grade immediately	adjacent to th	ne building is: 1111	. 5 feet NGVD	(or other FIRM datum-see
	s	ECTION D C	OMMUNITY INFORMATION	ON	
is not the "lowest floor" a	as defined in the com ordinance is:	munity's floodp	olain management ordinan NGVD (or other FIRM dat	ce, the elevation um-see Section	ndicated in Section C, Item 1 of the building's "lowest B, Item 7).

Sheking - this is page 2 of page - Sorry I


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway walf, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the Information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

5228 MPANY NAME
MPANY NAME
maman Cummandan C Manadan T
rayer Surveying & Mapping, Inc
TY STATE ZIP
nice, FL 34293
C/4/78 (941)497-1290
ity official, 2) insurance agent/company, and 3) building owner.
in an "X" zone. Refer to survey
lood zone line.
n ity



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.