U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008

Expiration Date: July 31, 2015

		The same of the sa			TION	FOR INICIANAL COMPANY LICE
SECTION A – PROPERTY INFORMATION						FOR INSURANCE COMPANY USE Policy Number:
A1. Building Owner's Name GEORGE SHEPARD						
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1070 LAUREL ROAD EAST, #424 OWLS NEST						Company NAIC Number:
City NOKOMIS			State FL	ZIP Code 34	275	
A3. Property Description (L LOT 424 ROYAL COACHM		mbers, Tax Parcel I	Number, Legal Descrip	otion, etc.)		
 A4. Building Use (e.g., Res A5. Latitude/Longitude: Lat A6. Attach at least 2 photo A7. Building Diagram Num A8. For a building with a cr a) Square footage of c b) Number of permanor enclosure(s) with c) Total net area of for d) Engineered flood or 	ance. ilding with an attaction are footage of attaction ber of permanent n 1.0 foot above a I net area of flood ineered flood oper	ched garage N/A sq ft flood openings in the attached garage djacent grade N/A openings in A9.b N/A sq in nings? Yes No				
	SEC1	TION B – FLOOD	INSURANCE RAT	E MAP (FIRM) INFORMATIO	N
B1. NFIP Community Name & Community Number SARASOTA COUNTY, FLORIDA 125144			B2. County Name SARASOTA			B3. State FLORIDA
B4. Map/Panel Number 125144 0239	B5. Suffix D	B6. FIRM Index I SEPT. 3, 1992		vised Date	B8. Flood Zone(s) A12	B9. Base Flood Elevation(s) (Zone AO, use base flood depth)
☐ FIS Profile B11. Indicate elevation datu B12. Is the building located Designation Date:	m used for BFE		/D 1929 ☐ N em (CBRS) area or O	therwise Protec	Other/Source:	☐ Yes ⊠ No
			☐ CBK3 [□ OPA		
	SECTIO	N C – BUILDING	ELEVATION INFO		URVEY REQUIF	RED)
A new Elevation Certific C2. Elevations – Zones A1– below according to the I Benchmark Utilized: <u>PII</u> Indicate elevation datun	pased on: cate will be requi A30, AE, AH, A building diagram D DM5056 FLDE n used for the ele	Construction Dired when construction (with BFE), VE, V1-specified in Item A7P evations in items a)	rawings	RMATION (S Building Under omplete. R, AR/A, AR/AE enter meters. IAVD88 CONVE	Construction* E, AR/A1–A30, AR ERT TO NGVD29	☑ Finished Construction /AH, AR/AO. Complete Items C2.a-h
C2. Elevations – Zones A1– below according to the I Benchmark Utilized: <u>PII</u>	pased on: cate will be requi A30, AE, AH, A building diagram D DM5056 FLDE n used for the ele	Construction Dired when construction (with BFE), VE, V1-specified in Item A7P evations in items a)	rawings*	RMATION (S Building Under omplete. R, AR/A, AR/AE enter meters. IAVD88 CONVE	Construction* E, AR/A1–A30, AR ERT TO NGVD29 I NAVD 1988 □ C	☑ Finished Construction /AH, AR/AO. Complete Items C2.a-h
A new Elevation Certific C2. Elevations – Zones A1– below according to the I Benchmark Utilized: PII Indicate elevation datun Datum used for building a) Top of bottom floor (i b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ	pased on: cate will be requi A30, AE, AH, A puilding diagram D DM5056 FLDE In used for the ele I elevations must Including baseme Ir floor I horizontal structu of slab) I hachinery or equi	Construction Direct when construction (with BFE), VE, V1-specified in Item ATP evations in items a) to the the same as the ent, crawlspace, or equival member (V Zonspment servicing the tion in Comments)	ELEVATION INFO rawings	RMATION (S Building Under omplete. R, AR/A, AR/AE enter meters. IAVD88 CONVENGVD 1929 12. N/A. N/A. N/A. 12.	Construction* E, AR/A1–A30, AR ERT TO NGVD29 I NAVD 1988	Finished Construction /AH, AR/AO. Complete Items C2.a-h Other/Source: the measurement used. feet
A new Elevation Certific 22. Elevations – Zones A1– below according to the I Benchmark Utilized: PII Indicate elevation datun Datum used for building a) Top of bottom floor (i b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ f) Lowest adjacent (finis	pased on: cate will be requi A30, AE, AH, A puilding diagram D DM5056 FLDE In used for the ele I elevations must Including baseme Ir floor I horizontal structu of slab) I nachinery or equi I ipment and local I shed) grade next	Construction Direct when construction (with BFE), VE, V1-specified in Item Air Personal Construction in Items a) to be the same as the ent, crawlspace, or equival member (V Zonspecified in Comments) to building (LAG)	ELEVATION INFO rawings	RMATION (S Building Under omplete. R, AR/A, AR/AE enter meters. IAVD88 CONVENGVD 1929 12. N/A. N/A. N/A. 12.	Construction* E, AR/A1–A30, AR ERT TO NGVD29 I NAVD 1988	Finished Construction /AH, AR/AO. Complete Items C2.a–h Other/Source: the measurement used. feet
A new Elevation Certific C2. Elevations – Zones A1– below according to the I Benchmark Utilized: PII Indicate elevation datun Datum used for building a) Top of bottom floor (i b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ	pased on: cate will be requi A30, AE, AH, A puilding diagram D DM5056 FLDE In used for the ele I elevations must Including baseme Ir floor I horizontal structu of slab) I nachinery or equi I ipment and local I shed) grade next I shed) grade next I shed) grade next	Construction Direct when construction (with BFE), VE, V1-specified in Item Air Personal Construction in Items a) to be the same as the ent, crawlspace, or equival member (V Zonstein) in Comments) to building (LAG) at to building (HAG)	ELEVATION INFO rawings	RMATION (S Building Under omplete. R, AR/A, AR/AE enter meters. IAVD88 CONVINGVD 1929 12. N/A. N/A. N/A. 12.	Construction* E, AR/A1–A30, AR ERT TO NGVD29 I NAVD 1988	Finished Construction /AH, AR/AO. Complete Items C2.a-h Other/Source: the measurement used. feet
A new Elevation Certific C2. Elevations – Zones A1– below according to the I Benchmark Utilized: PII Indicate elevation datun Datum used for building a) Top of bottom floor (i b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent (finis	pased on: cate will be requi A30, AE, AH, A puilding diagram D DM5056 FLDE In used for the ele I elevations must Including baseme I floor I horizontal structu of slab) I nachinery or equi I ipment and local I shed) grade next I shed) grade next I e at lowest elevations	Construction Direct when construction (with BFE), VE, V1- specified in Item Air P evations in items a) be the same as the ent, crawlspace, or ent ural member (V Zon ipment servicing the tion in Comments) to building (LAG) to building (HAG) ation of deck or stain	ELEVATION INFO rawings	RMATION (S Building Under omplete. R, AR/A, AR/AE enter meters. IAVD88 CONVINGVD 1929 12. N/A. N/A. N/A. 12. 9.2 support 9.3	Construction* E, AR/A1–A30, AR ERT TO NGVD29 I NAVD 1988	Finished Construction /AH, AR/AO. Complete Items C2.a-h Other/Source: the measurement used. feet
A new Elevation Certific C2. Elevations – Zones A1– below according to the I Benchmark Utilized: PII Indicate elevation datun Datum used for building a) Top of bottom floor (i b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent (finis	pased on: cate will be requi A30, AE, AH, A puilding diagram D DM5056 FLDE In used for the ele elevations must Including baseme Including base	Construction Direct when construction (with BFE), VE, V1- specified in Item ATP evations in items a) to be the same as the ent, crawlspace, or extract member (V Zonstein) in Comments) to building (LAG) at to building (HAG) at on of deck or stain CND — SURVEYO by a land surveyor, this Certificate represe punishable by fine	ELEVATION INFO rawings	RMATION (S Building Under omplete. R, AR/A, AR/AE enter meters. IAVD88 CONVINGVD 1929 12. N/A. N/A. N/A. 12. support 9.3 R ARCHITECT authorized by I to interpret the der 18 U.S. Codingitude in Sect	Construction* E, AR/A1–A30, AR ERT TO NGVD29 I NAVD 1988	Finished Construction /AH, AR/AO. Complete Items C2.a-h Other/Source: the measurement used. feet
A new Elevation Certific Elevations – Zones A1– below according to the I Benchmark Utilized: PII Indicate elevation datun Datum used for building a) Top of bottom floor (i b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of n (Describe type of equ f) Lowest adjacent (fini g) Highest adjacent (fini h) Lowest adjacent grad This certification is to be sig information. I certify that the I understand that any false Check here if attachme	pased on: cate will be requi A30, AE, AH, A puilding diagram D DM5056 FLDE In used for the ele elevations must Including baseme Including base	Construction Direct when construction (with BFE), VE, V1- specified in Item ATP evations in items a) be the same as the ent, crawlspace, or evalual member (V Zon ipment servicing the tion in Comments) to building (LAG) ation of deck or stain ON D - SURVEYO by a land surveyor, this Certificate represerved in the control of the control	ELEVATION INFO rawings	RMATION (S Building Under omplete. R, AR/A, AR/AE enter meters. IAVD88 CONVINGVD 1929 12. N/A. N/A. 12. 10. 3 support 9. 3 authorized by I to interpret the der 18 U.S. Coolingitude in Section? Yense Number P	Construction* E, AR/A1–A30, AR ERT TO NGVD29 I NAVD 1988	Finished Construction /AH, AR/AO. Complete Items C2.a-h Other/Source: the measurement used. feet
A new Elevation Certific 22. Elevations – Zones A1– below according to the I Benchmark Utilized: PII Indicate elevation datun Datum used for building a) Top of bottom floor (i b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of n (Describe type of equ f) Lowest adjacent (fini g) Highest adjacent (fini h) Lowest adjacent grad This certification is to be sig information. I certify that the I understand that any false Check here if commen Check here if attachme Certifier's Name RANDALL	cased on: cate will be requi A30, AE, AH, A cuilding diagram D DM5056 FLDE in used for the ele elevations must including baseme r floor horizontal structu of slab) inachinery or equi inpment and locat shed) grade next shed) grade next shed) grade next ele at lowest elevat in statement may be statement may be to sents. E. BRITT	Construction Direct when construction (with BFE), VE, V1- specified in Item ATP evations in items a) be the same as the ent, crawlspace, or evalual member (V Zon ipment servicing the tion in Comments) to building (LAG) ation of deck or stain ON D - SURVEYO by a land surveyor, this Certificate represerved in the control of the control	ELEVATION INFO rawings	RMATION (S Building Under omplete. R, AR/A, AR/AE enter meters. IAVD88 CONVENCY 1929 12. N/A. N/A. 12. 9. 10. 3 support 9. 3 authorized by I to interpret the der 18 U.S. Coolingitude in Section? Years Number P INC.	Construction* E, AR/A1–A30, AR ERT TO NGVD29 I NAVD 1988	Finished Construction /AH, AR/AO. Complete Items C2.a-h Other/Source: the measurement used. feet

ELEVATION CERTIFICATE, pag	ge 2	<u> </u>		D INCLIDANCE COMPANY LICE		
IMPORTANT: In these spaces, co	opy the corresponding informatio	n from Section A.		FOR INSURANCE COMPANY USE		
Building Street Address (including Apt. 1070 LAUREL ROAD EAST, #424 OW	, Unit, Suite, and/or Bldg. No.) or P.O. R /LS NEST	oute and Box No.		olicy Number:		
City NOKOMIS	State I			ompany NAIC Number:		
SECTION	D - SURVEYOR, ENGINEER, OR	ARCHITECT CERTI	FICATION (CON	ITINUED)		
Copy both sides of this Elevation Certif	ficate for (1) community official, (2) insur	ance agent/company, a	and (3) building ow	ner.		
I OCATED OF ITSIDE HOUSE ON DOS	ACTURED HOME ON CONCRETE BLO ST; HOTWATER HEATER INSIDE HOU OCATED OUTSIDE NEAR AC UNIT AT	JSE, BUT TUNI OF ELE	VALLU AC CIVIT	LOOKIED COTCIDE OF HOUSE AT		
$Q \rightarrow \Lambda \Lambda \alpha$	Ω					
Signature audal 2:	tant	Date APRIL 22, 201				
SECTION E - BUILDING ELE	VATION INFORMATION (SURVEY	NOT REQUIRED) F	OR ZONE AO	AND ZONE A (WITHOUT BFE)		
 and C. For Items E1–E4, use natural generation for grade (HAG) and the lowest adjaction and the lowest adjaction of lowest lowest adjaction of lowest l	basement, crawlspace, or enclosure) is basement, crawlspace, or enclosure) is permanent flood openings provided in S of the building is fe	enent used. In Puerto Rice boxes to show whethe file cetion A Items 8 and/or et meters abo boxes boxes to show whethe	co only, enter meter the elevation is a seet	above or below the highest adjacent above or below the HAG. above or below the LAG. of Instructions), the next higher floor HAG. ove or below the HAG.		
	F – PROPERTY OWNER (OR OW	Name and Address of the Owner o		FICATION		
or Zone AO must sign here. The state	zed representative who completes Secti ments in Sections A, B, and E are corre			MA-issued or community-issued BFE)		
Property Owner's or Owner's Authorize	ed Representative's Name					
Address		City	State	ZIP Code		
Signature		Date	Telepho	ne		
Comments				CQ ₄		
				☐ Check here if attachments		
	SECTION C. COMMUNITY	INCORMATION (OF	TIONAL \	Officer field if attachments		
The local official who is authorized by law of this Elevation Certificate. Complete the	SECTION G – COMMUNITY or ordinance to administer the communite applicable item(s) and sign below. Chec	ty's floodplain managem	ent ordinance can	complete Sections A, B, C (or E), and G		
G1. The information in Section C via authorized by law to certify G2. A community official complete	was taken from other documentation that elevation information. (Indicate the sound ad Section E for a building located in Zon this G4–G10) is provided for community	it has been signed and rce and date of the elev ne A (without a FEMA-is	sealed by a licens ration data in the C ssued or commun	ed surveyor, engineer, or architect who Comments area below.)		
G4. Permit Number	G5. Date Permit Issued		· ·	pliance/Occupancy Issued		
G7. This permit has been issued for:	☐ New Construction ☐ Subsi	tantial Improvement				
G8. Elevation of as-built lowest floor (ir	_	feet	☐ meters	Datum		
G9. BFE or (in Zone AO) depth of flood				Datum		
G10. Community's design flood elevatio	n:		☐ meters	Datum		
Local Official's Name		Title				
Community Name		Telephone				
Signature		Date				
Comments						
				Check here if attachments.		

ELEVATION CERTIFICATE, page 3

Building Photographs

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.

FOR INSURANCE COMPANY USE

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1070 LAUREL ROAD EAST, #424 OWLS NEST

Policy Number:

City NOKOMIS

State FL

ZIP Code 34275

Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.

FIGURE 1: (04/22/13) FRONT AND LEFT SIDE/ENTRY VIEW



FIGURE 2: (04/22/13) FRONT & RIGHT SIDE VIEW



ELEVATION CERTIFICATE, page 4

Building Photographs Continuation Page

IMPORTANT: In these spaces, copy the corresponding	FOR INSURANCE COMPANY USE			
Building Street Address (including Apt., Unit, Suite, and/or Bldg. N 1070 LAUREL ROAD EAST, #424 OWLS NEST	Policy Number:			
City NOKOMIS	State FL	ZIP Code 34275	Company NAIC Number:	

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



