U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGENIENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

IMPORTANT: Follow the instructions on pages 1-9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

	United the second secon			
A1. Building Owner's Name VADA DATESTAND	INSURANCE COMPANY USE			
KAKO KULLYEK	y Number:			
5129 PACOS VERDES PRIVE	pany NAIC Number:			
City SARASOTA State FL. ZIP Co	ode 34231			
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)				
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) KET INCL A5. Latitude/Longitude: Lat. 2 - 16 - 32 Long 32 - 31 - 37 Horizontal Datum A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 1 - 15	n: 🗖 NAD 1927 🔲 NAD 1983			
A8. For a building with a crawlspace or enclosure(s): a) Square footage of crawlspace or enclosure(s) A9. For a building with an attached square footage of attached square footage o				
b) No. of permanent flood openings in the crawlenace or	d garage sq ft d openings in the attached garage			
enclosure(s) within 1.0 foot above adjacent grade within 1.0 foot above adjacent grade	cent grade			
c) Total net area of flood openings in A8.bsq insq in				
of Engineered hood openings	s? Yes No			
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION				
B1. NFIP Community Name & Community Number SARASTIN COUNTY Number B4. Map/Panel Number B5. Suffix B6. FIRM Index Date B7. FIRM Panel Effective B9. Flood Zone B7. FIRM Panel Effective B7. FIRM Panel	B3. State			
12544-0144 E. 5/3/32 Revised Date A E. 5/3/32 A E. A E.	 Base Flood Elevation(s) (Zone AO, use base flood depth) 			
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9:				
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other/Source: B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes Designation Date: CBRS OPA				
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED) C1. Building elevations are based on: C1. Construction Drawings* Building linder Construction Fig. 1. Building linder Construction C2. Building linder Construction C3. Building linder Construction C4. Building linder C4. Building li				
*A new Elevation Certificate will be required when construction of the building is complete. 2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. Benchmark Utilized: Vertical Datum: Indicate elevation datum used for the elevations in items a) through by below: Vertical Datum:				
Datum used for building elevations must be the same as that used for the BFE. Check the measure				
h) Top of the part higher floor				
b) Top of the next higher floor C) Bottom of the inwest horizontal state and a second of the inwest horizonta	ment used. meters meters			
b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached (serges (top of plot))	ment used. meters meters meters			
b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment sensicing the building	ment used. meters meters			
b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade post to building (Location)	ment used. meters meters meters meters meters			
b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG)	ment used. meters meters meters meters meters			
b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of dark mathematical in the property of the lowest adjacent grade at lowest elevation of dark mathematical in the property of the lowest adjacent grade at lowest elevation of dark mathematical in the property of the lowest adjacent grade at lowest elevation of dark mathematical in the property of the lowest adjacent grade at lowest elevation of dark mathematical in the property of the lowest adjacent grade at lowest elevation of the building (LAG) g) Highest adjacent grade at lowest elevation of dark mathematical in the property of the lowest elevation of the building (LAG) g) Highest adjacent grade at lowest elevation of dark mathematical in the property of the lowest elevation of the building (LAG) g) Highest adjacent grade at lowest elevation of dark mathematical in the property of the lowest elevation of the building (LAG) g) Highest adjacent grade at lowest elevation of dark mathematical in the property of the lowest elevation of the building (LAG) g) Highest adjacent grade at lowest elevation of dark mathematical in the property of the lowest elevation of the lowes	ement used. meters meters meters meters meters			
b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support	ement used. meters meters meters meters meters meters meters meters			
b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION s certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation or architect tauthorized by law to certify elevation of decreased that any false statement may be punishable by fine or imprisonment under 18 U.S. Code. Section 1001.	ement used. meters meters meters meters meters meters meters meters			
b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION so certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation of decistand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Check here if comments are provided on back of form. Were letitude and locativide in Section 1001.	meters			
b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION s certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation derstand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Check here if comments are provided on back of form. Were latitude and longitude in Section A provided by a licensed land surveyor? THOMAS E. ROBINSON, P.S.M. License Number FL. 4075	P.S.M. 4075			
b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION so certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation of decreated that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Check here if comments are provided on back of form. Were latitude and longitude in Section A provided by a licensed land surveyor? THOMAS E. ROBINSON, P.S.M. License Number FL. 4075	meters			
b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION s certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation or anderstand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Check here if comments are provided on back of form. Were latitude and longitude in Section A provided by a licensed land surveyor? Yes No License Number FL. 4075	P.S.M. 4075			

ELEVATION CERTIFICATE, page 2


IMPORTANT: In these spaces, copy the corresponding information fro	nm Section A.	FOR INSURANCE COMPANY USE			
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) o		Policy Number:			
City SARASOTTA State	ZIP Code 34-231	Company NAIC Number:			
SECTION D - SURVEYOR, ENGINEE	R, OR ARCHITECT CERTIFICATION	(CONTINUED)			
Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company. and (3) building owner.					
Comments RESIDENCE WAS BUILT I	H 1957 PER TAX RECO	NDS			
<i>N</i>					
Signature	Date 2 JUNE, 20	14			
SECTION E - BUILDING ELEVATION INFORMATION (SU	RVEY NOT REQUIRED) FOR ZONE	AO AND ZONE A (WITHOUT BFE)			
For Zones AO and A (without BFE), complete Items E1–E5. If the Certific For Items E1–E4, use natural grade, if available. Check the measureme	cate is intended to support a LOMA or LC nt used. In Puerto Rico only, enter meter	MR-F request, complete Sections A, B,and C. s.			
E1. Provide elevation information for the following and check the appropriate (HAG) and the lowest adjacent grade (LAG).					
a) Top of bottom floor (including basement, crawlspace, or enclosure	W// = = = =	AN			
 b) Top of bottom floor (including basement, crawispace, or enclosure E2. For Building Diagrams 6–9 with permanent flood openings provided 	•				
the next higher floor (elevation C2.b in the diagrams) of the building					
E3. Attached garage (top of slab) is	feet				
E4. Top of platform of machinery and/or equipment servicing the building	ng is feet				
E5. Zone AO only: If no flood depth number is available, is the top of the ordinance? ☐ Yes ☐ No ☐ Unknown. The local official must c	e bottom floor elevated in accordance wit	h the community's floodplain management			
SECTION F - PROPERTY OWNER (O	R OWNER'S REPRESENTATIVE) C	ERTIFICATION			
The property owner or owner's authorized representative who completes Zone AO must sign here. The statements in Sections A, B, and E are co	s Sections A, B, and E for Zone A (withou rect to the best of my knowledge.	t a FEMA-issued or community-issued BFE) or			
Property Owner or Owner's Authorized Representative's Name					
Address	City	State ZIP Code			
Signature	Date	Telephone			
Comments					
		Check here if attachments.			
SECTION G - COMMU	INITY INFORMATION (OPTIONAL)				
The local official who is authorized by law or ordinance to administer the or G of this Elevation Certificate, Complete the applicable item(s) and sign be	ommunity's floodplain management ordina elow. Check the measurement used in Ite	ance can complete Sections A, B, C (or E), and ms G8–G10. In Puerto Rico only, enter meters.			
G1. The information in Section C was taken from other documenta who is authorized by law to certify elevation information. (Indic	ation that has been signed and sealed bate the source and date of the elevation	y a licensed surveyor, engineer, or architect n data in the Comments area below.)			
G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO. G3. The following information (Items G4–G9) is provided for community floodplain management purposes.					
G4. Permit Number G5. Date Permit Issued	G6. Date Certificate	e Of Compliance/Occupancy Issued			
	ubstantial Improvement	natare Datum			
G8. Elevation of as-built lowest floor (including basement) of the building	ng: ☐ feet ☐ n	neters Datum			
	g: Ofeet On	neters Datumneters Datumneters Datum			
G8. Elevation of as-built lowest floor (including basement) of the buildin G9. BFE or (in Zone AO) depth of flooding at the building site:	g: Ofeet On	neters Datum			
G8. Elevation of as-built lowest floor (including basement) of the buildin G9. BFE or (in Zone AO) depth of flooding at the building site: G10.Community's design flood elevation:	g: Geet Dn	neters Datum			
G8. Elevation of as-built lowest floor (including basement) of the building. G9. BFE or (in Zone AO) depth of flooding at the building site: G10.Community's design flood elevation: Local Official's Name	g: feet n feet feet n feet feet	neters Datum			
G8. Elevation of as-built lowest floor (including basement) of the buildin G9. BFE or (in Zone AO) depth of flooding at the building site: G10.Community's design flood elevation: Local Official's Name Community Name	g: feet n feet n feet n feet n feet n Title Telephone	neters Datum			
G8. Elevation of as-built lowest floor (including basement) of the building. G9. BFE or (in Zone AO) depth of flooding at the building site: G10.Community's design flood elevation: Local Official's Name Community Name Signature	g: feet n feet n feet n feet n feet n Title Telephone	neters Datum			
G8. Elevation of as-built lowest floor (including basement) of the building. G9. BFE or (in Zone AO) depth of flooding at the building site: G10.Community's design flood elevation: Local Official's Name Community Name Signature	g: feet n feet n feet n feet n feet n Title Telephone	neters Datum			

BUILDING PHOTOGRAPHS

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the correspond		FOR INSURANCE COMPANY USE
Bullding Street Address (including Apt., Unit, Suite	Policy Number:	
City	State ZIP Code 3 4 2 3	Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more than the section A8 is submitted to the section A8





Replaces all previous editions.

BUILDING PHOTOGRAPHS

See Instructions for Item A6.

	ANT: In these spaces, copy the correspo			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.			Policy Number:	
City	SARASOTA	State	ZIP Code	Company NAIC Humber:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continued Reserved.





FEMA Form 086

revious editions.