OMB No. 1660-0008 Expiration Date: November 30, 2018

Check here if attachments.		
	Comments (including type of equipment and location, per C2(e), if applicable)	Comments (inclu
2	Date	Signature
	Telephone	Community Name
	me	Local Official's Name
et meters Datum	Community's design flood elevation:	G10. Community
neters Datum	BFE or (in Zone AO) depth of flooding at the building site:	G9. BFE or (in 2
feet meters Datum	Elevation of as-built lowest floor (including basement) [] fee	G8. Elevation o of the build
	This permit has been issued for: New Construction Substantial Improvement	G7. This permit
Date Certificate of Compliance/Occupancy Issued	5% 61 G5. Date Permit Issued G6.	94. Permit Number
nent purposes.	The following information (Items G4–G10) is provided for community floodplain management purposes	G3. The fo
//A-issued or community-issued BFE)	A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.	G2. A community or Zone AO.
and sealed by a licensed surveyor, he source and date of the elevation	The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)	G1. The interprine data in
anagement ordinance can complete in below. Check the measurement	The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters.	The local official Sections A, B, C used in Items G6
	SECTION G - COMMUNITY INFORMATION (OPTIONAL)	
Company NAIC Number	State ZIP Code Florida 34275	City NOKOMIS
Policy Number:	Building Street Address (including Apt., Unit, Suite, and/or Bidg. No.) or P.O. Route and Box No. 300 PINE ROAD	Building Street A 300 PINE ROAD
	hore spaces convitte corresponding information from Coation	IMPORTANT: in

U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2018

ELEVATION CERTIFICATE Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

	SEC	SECTION A - PROPERTY INFORMATION	Y INFORMATION		FOR INSURANCE	FOR INSURANCE COMPANY USE
A1. Building Owner's Name SCOTT BURT & ANGELA ELLIS	ner's Name ANGELA ELLI	S			Policy Number:	
A2. Building Stre Box No. 300 PINE ROAD	et Address (in	cluding Apt., Unit, Sui	 Building Street Address (including Apt., Unit, Suite, and/or Bisg. No.) or P.O. Route and Box No. PINE ROAD 	P.O. Route and	Company NAIC Number	Number:
City			State Florida	, i	ZIP Code 34275	
A3. Property Des LOT 2, BLOCK 3	cription (Lot a	A3. Property Description (Lot and Block Numbers, Tax Parcel Numbers, LOT 2, BLOCK 34, BAY POINT SUBDIVISON, TAX ID #0172070020	Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) 2, BLOCK 34, BAY POINT SUBDIVISON, TAX ID #0172070020	al Description, etc.)		
A4. Building Use	(e.g., Resider	tial, Non-Residential,	Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.)	c.) RESIDENTIAL	AL.	
A5. Latitude/Longitude:		Lat. 27.12046°	Leng82.45720°	Horizontal Datum:	Deturn: NAD 1927	X NAD 1983
A6. Attach at leas	st 2 photograp	ns of the building if th	Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.	sed to obtain flood it		
A7. Building Diagram Number	ram Number	60				
A8. For a building	with a crawls	A8. For a building with a crawtspace or enclosure(s):				
a) Square to	otage of crawl	a) Square footage of crawispace or enclosure(s)		1608 sq ft		1 1 1 10
b) Number of	permanent fic	od openings in the c	b) Number of permanent flood openings in the craw/space or enclosure(s) within 1.0 foot above adjacent grade	(s) within 1.0 foot a	bove adjacent grade 7	7
c) Total net a	irea of flood of	c) Total net area of flood openings in A8.b	1280 sq in			
d) Engineere	Engineered flood openings?	gs? KYes No	No			
A9. For a building with an attached garage:	with an attach	ed garage:				, 3
a) Square for	Square footage of attached garage	ed garage	395 sq ft			d d
b) Number of	permanent fic	od openings in the at	Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade	.0 foot above adjac	ent grade 4	
c) Total net a	rea of flood op	Total net area of flood openings in A9.b	384 sq in	5		
d) Engineere	Engineered flood openings?	gs? 🗓 Yes 🖾 No	6			
	38	CTION B - FLOOD	SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION	MAP (FIRM) INFO	RMATION	
B1. NFIP Community Name & C SARASOTA COUNTY - 125144	nity Name & C NTY - 125144	B1. NFIP Community Name & Community Number SARASOTA COUNTY - 125144	B2. County Name SARASOTA	lame		B3. State Florida
34. Map/Panel Number	B5. Suffix	B6. FIRM Index Date	B7. FIRM Panel Effective/	B8. Flood I	B9. Base Flood Elevation(s) (Zone AO, use Base Flood Depth)	on(s) e Flood Depth)
12115C-0327	71	11-04-2016	11-04-2016		10'	
B10. Indicate the	icate the source of the	Base Flood Elevation (BFE) ☐ Community Determined	Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. FIS Profile X FIRM Community Determined Other/Source:	od depth emtered in	1 (tern 89:	
B11. Indicate elev	vation datum u	Indicate elevation datum used for BFE in Item 89:	☐ NGVD 1929	X NAVD 1988	Other/Source:	
B12. Is the building	ng located in a	Coastal Barrier Reso	ources System (CBRS)	area or Otherwise	Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? 🔲 Yes	Yes X No
Designation Date:	Date:		☐ CBRS ☐ OPA			
						3 3

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A	ding information from	Section A.	FOR IN	FOR INSURAN	CE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 300 PINE ROAD	d/or Bidg. No.) or P.O. I	Box No.	Policy !	Policy Number:	
NOKOMIS	State 2	ZIP Code 34275	Compa	Company NAIC	Number
SECTION C - BUILDING	BUILDING ELEVATION INFORMATION	(SURVEY	REQUIRED	9	
C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finitive A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, Complete Items C2.a–h below according to the building diagram specified in them A7. In Puerto Ricc only, enter	Construction Drawings*	Building Under Construction* building is complete. with BFE), AR, AR/A, AR/AE, All Becified in Item A7. In Puerto Rico	Ation*	Finit Finit 11—A30, lify, enter	▼ Finished Construction 1-A30, AR/AH, AR/AO. N, enter meters.
Indicate elevation datum used for the elevations in items a) through h) below.	in items a) through h) b	through h) below.		S.,	
□ NGVD 1929 ⊠ NAVD 1988 □ Off	Other/Source:				
Pawin used for building elevations must be the same as that used for the BFE.	same as that used for th	e BFIL	င္ဆ	Check the m	easurement used
 a) Top of bottom floor (including basement, crawfspace, or enclosure floor) 	vispace, or enclosure fix		6.0		meters
b) Top of the next higher floor			11.5	× feet	meters
 c) Bottom of the lowest horizontal structural member (V Zones only) 	nber (V Zones only)		N/A	× feet	meters
d) Attached garage (top of slab)			6.8	× feet	meters
 e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) 	servicing the building comments)	At a	12.1	× feet	meters
f) Lowest adjacent (finished) grade next to building (LAG)	ling (LAG)	1 × ×	5.5	× feet	meters
g) Highest adjacent (finished) grade next to building (HAG)	ding (HAG)		8.2	⊠ feet	meters
 h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support 	deck or stairs, including		6.7	X	meters
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION	OR, ENGINEER, OR A	RCHITECT CERTIFIC	ATION	-	
This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation that the information on this Certificate represents my best efforts to interpret the data available. I understand statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Where latitude and longitude in Section 4 consider the U.S. Code, Section 1001.	surveyor, engineer, or ands my best efforts to in tunder 18 U.S. Code, S	architect authorized by literpret the data available ection 1001.	aw to one le. I und	rtify eleverstand	vation information. that any false
Certifier's Name B. GREGORY RIETH	License Number 5228			1111	פונונונוננע פונונונוננע
Title PSM/CFM			9y.		Sister
Company Name STRAYER SURVEYING AND MAPPING, INC.				有不	
Address 742 SHAMROCK BLVD			D	32	
City VENICE	State Florida	ZIP Code 34293	8	2	
Signature TT 3	Date 08-31-2019	Telephone (941) 497-1290	X		
Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, an	ments for (1) community	official, (2) insurance ag	ent/com	pany, an	nd (3) building owner.
Comments (including type of equipment and location, per C2(e), if applicable) FILE # 16-05-08. THE OUTSIDE A/C UNIT ON THE WEST SIDE OF THE HOME WAS USED FOR SECTION C2e. SECTION A5 WAS DERIVED FROM A HAND HELD G.P.S. UNIT (GPSTEST APP - NO CONVERSION). ELEVATIONS SHOWN IN SECTION "C" WERE CONVERTED FROM N.G.V.D. 1929 DATUM TO N.A.V.D. 1988 DATUM USING VERTCON CONVERSION PROGRAM. STRUCTURE //ENTS, EACH ENGINEERED FOR 305 SQUARE FEET, AND ONE 5" ROUND NON-ENGINEERED VENT (0.14 SQUARE FEET). ATT // SICC-ES EVALUATION REPORT ESR-9851. CERTIFICATE VALID ONLY WITH RAISED SEAL & ORIGINAL SIGNATURE.	ar C2(e), if applicable) T SIDE OF THE HOME I APP - NO CONVERSIOI 1988 DATUM USING VE AND ONE 5" ROUND NO AND ONE 5" ROUND NO	er C2(e), if applicable) IT SIDE OF THE HOME WAS USED FOR SECTION C2e. SECTION A5 WAS APP - NO CONVERSION). ELEVATIONS SHOWN IN SECTION "C" WERE 1988 DATUM USING VERTCON CONVERSION PROGRAM. STRUCTURE HAS 10 AND ONE 5" ROUND NON-ENGINEERED VENT (0.14 SQUARE FEET). ATTACHED AND ONLY WITH RAISED SEAL & ORIGINAL SIGNATURE.	ON C2e. N IN SE PROGR (0.14 SC AL SIGN	SECTION "CTION "AM. STR	N A5 WAS C" WERE UCTURE HAS 10 EET), ATTACHED
10/4/2019 - ADDED (1) NON-ENGINEERED VENT, RELATING INFORMATION IN COMMENTS, & PICTURE #4	TING INFORMATION IN	COMMENTS, & PICTUR	# #		

OMB No. 1660-0008 Expiration Date: November 3

☐ Check here if attachments.					
	. K				
Telephone	Telep	Date			Signature
ZIP Code	State	City		2	Address
		ne	rioperty Owner or Owner's Authorized Representative's Name	r or Owner's Aumonz	Floberty Owne
The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.	ns A, B, and E for Zone s A, B, and E are correc	o completes Section tements in Sections	orized representative who must sign here. The sta	wner or owner's authored BFE) or Zone AO	The property o
TIFICATION	PRESENTATIVE) CERT	OR OWNER'S REF	SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION	SECTION F-	
Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?	n floor elevated in accor ne local official must cer	he top of the bottom Unknown. Th	number is available, is toge? Yes No	only: If no flood depth management ordinar	floodplain
above or below the HAG.	☐ feet ☐ meters		id/or equipment	lop of platform of machinery and/or equipment servicing the building is	
☐ above or ☐ below the HAG.	☐ feet ☐ meters			Attached garage (top of slab) is	
the diagrams) of the building is feet meters above or below the HAG.	feet meters		C2.0 in	ms) of the building is	the diagra
(see pages 1-2 of Instructions),	tion A Items 8 and/or 9 (gs provided in Sect	permanent flood openin	g Diagrams 6-9 with	E2. For Building
			g basement,	Top of bottom floor (including basement crawispace, or enclosure) is	b) Top of crawis
Tabova or Thelow the HAC	feet meters	ent grade (LAG).	the highest adjacent grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawlspace, or enclosure) is	the highest adjacent grade (HAG) and the ic a) Top of bottom floor (including basement, crawispace, or enclosure) is	
	intended to support a LC. Check the measureme	If the Certificate is I grade, if available	complete Items E1–E5. tems E1–E4, use natura	and A (without BFE), ons A, B,and C. For I	For Zones AO complete Sect enter meters.
NOT REQUIRED)	ON (SURVEY NOT RITHOUT BFE)	TION INFORMATI	E - BUILDING ELEVATION INFORMATION (SURVEY FOR ZONE AO AND ZONE A (WITHOUT BFE)	SECTION E	
Company NAIC Number	ZIP Code C 34275		State Florida		City NOKOMIS
Policy Number:	Box No.	ldg. No.) or P.O. Ro	Building Street Address (including Apt., Unit, Suite, and/or Bidg. No.) or P.O. Route and Box No. 300 PINE ROAD	Address (including A	Building Street A 300 PINE ROAD
FOR INSURANCE COMPANY USE		formation from S	IMPORTANT: In these spaces, copy the corresponding information from Section A.	n these spaces, cop	IMPORTANT:

BUILDING PHOTOGRAPHS

See Instructions for Item A6.

OMB No. 1660-0008 Expiration Date: November 30, 2018

FOR INSURANCE COMPANY USE Policy Number:

Company NAIC Number

IMPORTANT: In these spaces, copy the corresponding information from Section A.

Building Street Address (including Apt., Unit, Suite, and/or Bidg. No.) or P.O. Route and Box No. 300 PINE ROAD State ZIP Code

Florida

NOKOMIS

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One Caption

Clear Photo One



Photo Two Caption

FEMA Form 086-0-33 (7/15)

Replaces all previous editions

Clear Photo Two

BUILDING PHOTOGRAPHS

Continuation Page

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A.

Building Street Address (including Apt., Unit, Suite, and/or Bidg. No.) or P.O. Route and Box No. 300 PINE ROAD

FOR INSURANCE COMPANY USE Policy Number:

NOKOMIS

ZIP Code 34275

Company NAIC Number

State Florida

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.




Photo Three Caption

Clear Photo Three



Photo Four Caption

FEMA Form 086-0-33 (7/15)

Form Page 6 of 6 Clear Photo Four



Most Widely Accepted and Trusted

CC-ES Evaluation Report

ESR-3851

ICC-ES | (800) 423-6587 | (562) 699-0543 | www.icc-es.org

This report is subject to renewal 09/2019

DIVISION: 08 00 00—OPENINGS

SECTION: 08 95 43—VENTS/FOUNDATION FLOOD VENTS

REPORT HOLDER:

CRAWL SPACE DOOR SYSTEMS, INC.

EVALUATION SUBJECT:

CRAWL SPACE DOOR SYSTEMS FLOOD VENT



"2014 Recipient of Prestigious Western States Seismic Policy Council (WSSPC) Award in Excellence"

A Subsidiary of CODE COUNTY



report, or as to any product covered by the report. addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this





ICC-ES Evaluation Report

ESR-3851

This report is subject to renewal September 2019. Issued September 2018

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00—OPENINGS

Section: 08 95 43—Vents/Foundation Flood Vents

REPORT HOLDER:

CRAWL SPACE DOOR SYSTEMS, INC

EVALUATION SUBJECT:

CRAWL SPACE DOOR SYSTEMS FLOOD VENT

1.0 EVALUATION SCOPE

Compliance with the following codes:

- 2018 and 2015 International Building Code®
- 2018 and 2015 International Residential Code®

Properties evaluated:

- Physical operation
- Water flow
- Weathering

for the equalization of hydrostatic flood forces on exterior Crawl Space Door Systems flood vent is used to provide

3.0 DESCRIPTION

General:

water to enter and exit enclosed areas. The vents are constructed of general purpose ABS SP-9010 plastic. The vent has a faux louver with either a solid plastic plate or wire mesh attached to the back of the louver. The louver is dislodged from the vent upon contact with flood waters. Crawl Space Door Systems flood vent is an engineered mechanically operated flood vent. Upon contact with flood See Figure 1 for illustrations of the flood vent. water, the flood vent automatically opens and allows flood

Engineered Opening:

(0.423 mm/s). In order to comply with the engineered opening requirement of ASCE/SEI 24-14, the flood vent must be installed in accordance with Section 4.0 of this The Crawl Space Door Systems static flood vent compiles with the design principle noted in Section 2.7.2.2 of ASCE/SEI 24 for a rate of rise and fall of 5 feet per hour report.

4.0 DESIGN AND INSTALLATION

The Crawl Space Door Systems flood vent is designed to be installed into walls or doors of existing or new walls 9 doors of existing or new

> comply with the engineered opening design principle noted in Sections 2.7.2.2 and 2.7.3 of ASCE/SEI 24-14, the vent must be installed as follows: instructions, construction from the exterior side. Installation of the vent 5 the applicable code and this report. In order to accordance ¥. Ħe manufacturer's

- With a minimum of two openings; one on different sides of each enclosed area.
- With a minimum of one vent for enclosed area noted in Table 1. the square footage of
- Below the base flood elevation.
- With the bottom of the vent located a maximum of 12 inches (305 mm) above grade.

5.0 CONDITIONS OF USE

The Crawl Space Door Systems flood vent described in this report complies with, or is a suitable alternative to what is specified in, those codes listed in Section 1.0 of this report, subject to the following conditions:

- 2 The Crawl Space Door Systems flood vent must be in this report govern. installed in accordance with this report, the applicable code and the manufacturer's published installation instructions. In the event of a conflict, the instructions
- 52 Use of Crawl Space Door Systems flood vent as this report under-floor space ventilation is outside the scope of

6.0 EVIDENCE SUBMITTED

August 2015 (Editorially revised October 2017). Data in accordance with the ICC-ES Acceptance Criteria for Mechanically Operated Flood Vents (AC364), dated

7.0 IDENTIFICATION

- The Crawl recognized in this report must be identified by a label Systems), the model number, and the evaluation report number (ESR-3851). bearing the manufacturer's name (Crawl Space Door Space Door Systems flood
- 7.2 귥 following: report holder's contact information 쬬.

3669 SEA GULL BLUFF DRIVE (757) 363-0005 VIRGINIA BEACH, VIRGINIA 23455 CRAWL SPACE DOOR SYSTEMS, INC.

www.crawlspacedoors.com

ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report.



TABLE 1—CRAWL SPACE DOOR SYSTEMS FLOOD VENT

CSBA816	MODEL
181/4×101/2×13/4	OVERALL VENT SIZE (Width x Height x Depth) (in)
16×81/4	ROUGH OPENING SIZE (Width x Height) (In)
305	ENCLOSED AREA COVERAGE (11 ²)




FIGURE 1—CRAWL SPACE DOOR SYSTEMS FLOOD VENT

ICC-ES **Evaluation Report**

ESR-3851 FBC Supplement

Issued September 2018

This report is subject to renewal September 2019

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00—OPENINGS
Section: 08 95 43—Vents/Foundation Flood Vents

REPORT HOLDER:

CRAWL SPACE DOOR SYSTEMS, INC

EVALUATION SUBJECT:

CRAWL SPACE DOOR SYSTEMS FLOOD VENT

REPORT PURPOSE AND SCOPE

The purpose of this evaluation report supplement is to indicate that Crawl Space Door Systems flood vent, recognized in ICC-ES master evaluation report ESR-3851, has also been evaluated for compliance with the codes noted below.

Applicable code editions:

- 2017 Florida Building Code-Building
- 2017 Florida Building Code—Residential

2.0 CONCLUSIONS

The Crawl Space Door Systems flood vent, described in Sections 2.0 through 7.0 of the master evaluation report ESR-3851, complies with the Florida Building Code—Building and Florida Building Code—Residential, provided the design and installation are in accordance with the 2015 International Building Code® provisions noted in the master report.

Use of the Crawl Space Door Systems flood vent has also been found to be in compliance with the High-Velocity Hurricane Zone provisions of the 2017 Florida Building Code—Building and Florida Building Code—Residential.

For products falling under Florida Rule 9N-3, verification that the report holder's quality assurance program is audited by a quality assurance entity approved by the Florida Building Commission for the type of inspections being conducted is the responsibility of an approved validation entity (or the code official when the report holder does not possess an approval by the Commission).

This supplement expires concurrently with the master report, issued September 2018