ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A	١.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and 472 S. SHORE DRIVE	Box No.	Policy Number:
CityStateZIP CodeOSPREYFlorida34229		Company NAIC Number
SECTION G - COMMUNITY INFORMATION (C	PTIONAL)	
The local official who is authorized by law or ordinance to administer the community's flusections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item used in Items G8–G10. In Puerto Rico only, enter meters.	oodplain mar n(s) and sign	nagement ordinance can complete below. Check the measurement
G1. The information in Section C was taken from other documentation that has be engineer, or architect who is authorized by law to certify elevation information data in the Comments area below.)	. (Indicate the	e source and date of the elevation
G2. A community official completed Section E for a building located in Zone A (with or Zone AO.	thout a FEMA	A-issued or community-issued BFE)
G3. The following information (Items G4–G10) is provided for community floodpla	in manageme	ent purposes.
G4. Permit Number 17-165446 B G5. Date Permit Issued	G6. E	Date Certificate of compliance/Occupancy Issued
G7. This permit has been issued for: New Construction Substantial Impr	ovement	
G8. Elevation of as-built lowest floor (including basement) of the building:	feet	meters Datum
G9. BFE or (in Zone AO) depth of flooding at the building site:	feet	meters Datum
G10. Community's design flood elevation:	_ feet	meters Datum
Local Official's Name Title		
Community Name Telephone		
Signature Date		
Comments (including type of equipment and location, per C2(e), if applicable)		
		Check here if attachments.

U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2018

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION	FOR INSURANCE COMPANY USE
A1. Building Owner's Name DAVID AND CYNTHIA BULK	Policy Number:
 A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 472 S. SHORE DRIVE 	Company NAIC Number:
City State OSPREY Florida	ZIP Code 34229
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, et LOT 31 BLK E SORRENTO SHORES UNIT 5 PID #0159010024	c.)
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) RESIDEN	TIAL
A5. Latitude/Longitude: Lat. 27°09'59.037" Long82°29'02.421" Horizonta	l Datum: ☐ NAD 1927 ☑ NAD 1983
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain floo	d insurance.
A7. Building Diagram Number1B	
A8. For a building with a crawlspace or enclosure(s):	
a) Square footage of crawlspace or enclosure(s) o00 sq ft	
b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 fool	above adjacent grade 0
c) Total net area of flood openings in A8.b sq in	
d) Engineered flood openings? Yes No	
A9. For a building with an attached garage:	
a) Square footage of attached garage 724.00 sq ft	
b) Number of permanent flood openings in the attached garage within 1.0 foot above adj	acent grade 0
c) Total net area of flood openings in A9.b sq in	-
d) Engineered flood openings?	
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INF	ORMATION
B1. NFIP Community Name & Community Number B2. County Name	B3. State
SARASOTA COUNTY 125144 SARASOTA	Florida
B4. Map/Panel B5. Suffix B6. FIRM Index Date B7. FIRM Panel Effective/ Revised Date B8. Flood Zone(s)	B9. Base Flood Elevation(s) (Zone AO, use Base Flood Depth)
12115C0236 F 11-04-2016 11-04-2016 AE	10'
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered	in Item B9:
☐ FIS Profile ☑ FIRM ☐ Community Determined ☐ Other/Source:	
B11. Indicate elevation datum used for BFE in Item B9: ☐ NGVD 1929 ☒ NAVD 1988	Other/Source:
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwis	se Protected Area (OPA)? Yes No
Designation Date:	

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding	FOR INSURANCE COMPANY USE				
Building Street Address (including Apt., Unit, Suite, and/or 472 S. SHORE DRIVE			Policy Number:		
City Sta OSPREY Flor	rida ZIP	Code 29	Company NAIC Number		
SECTION C – BUILDING EL	EVATION INFORMA	TION (SURVEY RE	EQUIRED)		
C1. Building elevations are based on: Construction *A new Elevation Certificate will be required when constructions.	construction of the buildi				
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), Complete Items C2.a–h below according to the build Benchmark Utilized: FLDEP BM P 727 2009	VE, V1–V30, V (with B ding diagram specified Vertical Datum:	in Item A7. In Puerto	AE, AR/A1–A30, AR/AH, AR/AO. Discription Rico only, enter meters.		
Indicate elevation datum used for the elevations in it		w.			
☐ NGVD 1929 ☑ NAVD 1988 ☐ Other/s Datum used for building elevations must be the sam		BFE.			
· ·			Check the measurement used.		
a) Top of bottom floor (including basement, crawlsp	pace, or enclosure floor)	12.1		
b) Top of the next higher floor			N/A feet meters		
c) Bottom of the lowest horizontal structural member	er (V Zones only)		12.1 feet meters		
d) Attached garage (top of slab)			12.1		
 e) Lowest elevation of machinery or equipment ser (Describe type of equipment and location in Com 	vicing the building nments)		12.2 X feet meters		
f) Lowest adjacent (finished) grade next to building	(LAG)		11.5 feet meters		
g) Highest adjacent (finished) grade next to building	g (HAG)	<u> </u>	12.0 X feet meters		
 h) Lowest adjacent grade at lowest elevation of dec structural support 	ck or stairs, including		N/A feet meters		
SECTION D - SURVEYOR	, ENGINEER, OR AR	CHITECT CERTIFI	CATION		
This certification is to be signed and sealed by a land su I certify that the information on this Certificate represents statement may be punishable by fine or imprisonment ur	s my best efforts to inte	rpret the data availa	law to certify elevation information. ble. I understand that any false		
Were latitude and longitude in Section A provided by a li	censed land surveyor?	⊠Yes □ No	Check here if attachments.		
Certifier's Name RANDALL E. BRITT	License Number PLS 3979		The state of the s		
Title			Dai Dai		
LAND SURVEYOR			fandall faut		
Company Name BRITT SURVEYING INC.			RANDALL E. BRITT, PLS FLORIDA CERTIFICATE #3979		
Address 606 CYPRESS AVE.			DATE: 2 22 2019		
City VENICE	State Florida	ZIP Code 34285	10/20 1.25 ⁵⁰⁰		
Signature Sall 2. But	Date 02-22-2019	Telephone (941) 493-1396	Ext.		
Copy all pages of this Elevation Certificate and all attachme	ents for (1) community o	fficial, (2) insurance a	agent/company, and (3) building owner.		
Comments (including type of equipment and location, pe Garage attached to house by covered breezeway.	r C2(e), if applicable)				
***C2e). Lowest elevation of machinery = A/C unit locate	d on northeast corner o	of house = 12.2'.			
Source for latitude/longitude: 2019 aerial photograph from Sarasota County GIS website.					

$\Re (\epsilon_i \mid V_i = \epsilon_i) = \epsilon_i$	ALC: THE PORT	"j						DESCE		¥\$.#
							73 (1) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4			799 700
		•					•		A	
		7		-	Toler.	en e			andre en en en en en en	†
		•	٠.	•	Sept. Si				À.	ાં અભ
et a meganisa terani a gibi kilonomin ili kilonomi T	r sanan araba (j. 1881). Birlingia	13. 12. 12. 12. 12. 12. 12. 12. 12. 12. 12	3760		a. November		12 († 1907) 153 († 1907)		ayean gay and a gay a second	-
The second section of the second section is a second section of the second section of the second section is a second section of the section of	a la caración de mayor de la companión de la c La companión de la companión de	and comment of the contract		*************	• • • • • • • • • • • • • • • • • • • •		, and the second	×		
ស «១៦ភាគកាល នៃវ	Section [1]							•		1
							per ad මන රජ			•
	N CORRESPACENT CHAMBERT FORES									
••••										i
							ing Gali Masad			í
				an en in englesen						
			1-1-1				en Grand. Die Stellenge			
25.06.46.76					***					`
	M^{2} Σ	· · · · · · · · · · · · · · · · · · ·			an mode	. e	(หระสำหุดเกษา	nja et ege	ವರ್ಷವು 👝 🕟	
5656 mi		, is						- HD, 3° - NG €	water of t	
and the		<u>e</u> st		1.4	5 \\\ 3 /\ 3 /-10	error (sentin)	: มายัง 15% (ว. 1.5)			1
				• • •	, , ,	~ [row) service		Į.
	·					ا ا		•		Ì
ore.≽°	art in the second	* : - : - : : : : : : : : : : : : : : : :		\$20 W. 1 - Q	សា ្រាស់ ស្រុះស្វាស់		វិទ្យាក់ ស្ថាត់ការ។ វិទ្យាក់ ស្រី ស្រីស្រី	Distriction of the state of the	33 - 24 (€ (. V S)	- 1
	Jane 15 4.					1	୍ରେ ଓଡ଼ିଆ ଅନ୍ତ			4
						1	an e lesto (ne i	•		1
water to the	1 (3) The S				क्षेत्रस्य १ वस्तु १ जिल्हा व	ាសិនសង្គើន	हों हैं है अर्थ कर कर । इंडिक्ट के स्टब्स		in Konnoli i Budhelis	i į
and and the second of the second	5 (5) (5) (5) (5) (5) (5) (5) (5) (5) (5	Afrikan	in a mark of decision of the second of the s	 ೧೯೯ ೯ ಕ	State Catalogue	ningania. Marina	e postania da administración Dr. C. N. E. (1987/NES)	rengeren - material ces	- Ter	-
	** *** *** ***	ere er er er oger er							or mangan sa a la compani	
ा गठ ा ग्रहा कर । १५ के प्राप्त कर ।	arte de la companya d La companya de la co		3 Part				ស្លាំនៅកាមការ នោះ ដ ស ង្សា សាកាសិក្សា ក			
			7 - 47 14U-3Q	3 33	1 12 12 N	The state of the s	គ្រោះ ហ្គាល់ ស្	endate and	e i ja tatuat	ि स्टाइ
$\varphi = \mathcal{P}_{\mathcal{C}}(Y) + \mathcal{P}_{\mathcal{C}}(Y) + \mathcal{C}$			torita 🕈	programme to	m Tadoroti	្សី នៃទៅព	भवित्य राजना जिल्ला	१ - और जुल्ह	i dio etablic	1.77
en e	ations,		. Note them.	a distance					อสีล์ ล	
10% S	7	•				-			J 4 (\$ 4 5)	i a,s
1337-	1/0-	#						Action by the street of		
	_ Z / 'C' '	. ' 5							CYDV: 10	ز هادرا
18 8 3			geri saan jaar ka				-		5-1. W 7-18	
	~ <u>~</u>							Gara Di	TYBVEJe	Я.
	5 ~ (-					an and the second second		in the common particle of		
Service Services								:21	WEST A	O HOU
	~~~	· · · · · · · · · · · · · · · · · · ·			GET.		ng to a segment to			100
- <u>- 5/8</u> 5-	3	•	:	1	រាង សាវ					<b>)</b>
ka salawaki kecasa da 1977 banasaya. S	a de la composició de la c La composició de la compo	Vito				. چناست	e garage de la composition della composition del		48.	
		Por C	S ( 32)	318	:- ii				ade W	
Fre Jakie Jak	i Janes de la despresa	e. Egi katikasah	, in the stay	opina iza essi	in anima	A. 433 14 2		ට රනව දුරින් කි. සවස් (කිරි	r loku ang N	3.5
		•				nosec á	. de la companya de La companya de la co	ing April 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 19	Cadler Control	1
				** ** * * * * * * * * * * * * * * * *	and the second section	୍ର ପ୍ରଥମଣ କୁ ୍ରକ୍ଷିତ		rang na gara		
		5.51	3144 4	্লান্ত্ৰী বিজ্ঞ	ringa arrit (Si-		r generalist fra	a Trons Bord	់គេស្ត្រប _{ាងប} ា	:t:0.
	•		91 80 7 1	a Strait e	6° 5 −3 (c. 5	s agaks	rq2 roll live	i i i i i i i i i i i i i i i i i i i	- Jan 17 + J	1-00

upperalanchiano go seemi.

The Diegot Coast

(an) 1: 00-2-0 to plus 1 years

# **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPO	ORTANT: In these spaces, copy the correspondi	ng information from Sec	ction A.	FOR INSURANCE COMPANY USE
	ding Street Address (including Apt., Unit, Suite, and/ S. SHORE DRIVE	or Bldg. No.) or P.O. Rou	ite and Box No.	Policy Number:
City OSP		tate ZIP lorida 342	Code 29	Company NAIC Number
	SECTION E – BUILDING ELE FOR ZONE	VATION INFORMATIO AO AND ZONE A (WIT		REQUIRED)
com	Zones AO and A (without BFE), complete Items E1- plete Sections A, B,and C. For Items E1–E4, use na r meters.	E5. If the Certificate is in	tended to support a Check the measure	LOMA or LOMR-F request, ment used. In Puerto Rico only,
	Provide elevation information for the following and of the highest adjacent grade (HAG) and the lowest grade (H	check the appropriate boodjacent grade (LAG).	ces to show whethe	r the elevation is above or below
	Top of bottom floor (including basement, crawlspace, or enclosure) is		☐ feet ☐ meter	s 🔲 above or 🔲 below the HAG.
	<ul> <li>Top of bottom floor (including basement, crawlspace, or enclosure) is</li> </ul>		☐ feet ☐ meter	s 🔲 above or 🔲 below the LAG.
	For Building Diagrams 6–9 with permanent flood op	enings provided in Section	on A Items 8 and/or	9 (see pages 1–2 of Instructions),
	the next higher floor (elevation C2.b in the diagrams) of the building is		☐ feet ☐ meter	s 🔲 above or 🔲 below the HAG.
E3.	Attached garage (top of slab) is		☐ feet ☐ meter	s above or below the HAG.
E4.	Top of platform of machinery and/or equipment servicing the building is		☐ feet ☐ meter	s ☐ above or ☐ below the HAG.
E5.	Zone AO only: If no flood depth number is available	e, is the top of the bottom No Unknown. The	floor elevated in ac e local official must o	cordance with the community's certify this information in Section G.
	SECTION F - PROPERTY OWN	ER (OR OWNER'S REP	RESENTATIVE) CE	RTIFICATION
The	property owner or owner's authorized representative munity-issued BFE) or Zone AO must sign here. Th	e who completes Section	s A. B. and E for Zo	ne A (without a FEMA-issued or
	erty Owner or Owner's Authorized Representative's			
Addı	ress	City	St	ate ZIP Code
Sign	ature	Date	Те	lephone
Com	ments			
				Check here if attachments.

### **BUILDING PHOTOGRAPHS**

# **ELEVATION CERTIFICATE**

See Instructions for Item A6.

OMB No. 1660-0008

Expiration Date: November 30, 2018

IMPORTANT: In these spaces, cop	FOR INSURANCE COMPANY USE		
Building Street Address (including A 472 S. SHORE DRIVE	Policy Number:		
City OSPREY	State Florida	ZIP Code 34229	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption REAR VIEW HOUSE

Clear Photo One



Photo Two

Photo Two Caption FRONT VIEW HOUSE

Clear Photo Two

#### **BUILDING PHOTOGRAPHS**

# **ELEVATION CERTIFICATE**

Continuation Page

OMB No. 1660-0008

Expiration Date: November 30, 2018

IMPORTANT: In these spaces, c	FOR INSURANCE COMPANY USE		
Building Street Address (including 472 S. SHORE DRIVE	Policy Number:		
City OSPREY	State Florida	ZIP Code 34229	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo Three

Photo Three Caption BACK VIEW GARAGE

Clear Photo Three



Photo Four

Photo Four Caption FRONT VIEW GARAGE

Clear Photo Four Form Page 6 of 6

# **Building Diagrams**


The following diagrams illustrate various types of buildings. Compare the features of the building being certified with the features shown in the diagrams and select the diagram most applicable. Enter the diagram number in Item A7, the square footage of crawlspace or enclosure(s) and the area of flood openings in square inches in Items A8.a–c, the square footage of attached garage and the area of flood openings in square inches in Items A9.a–c, and the elevations in Items C2.a–h.

In A zones, the floor elevation is taken at the top finished surface of the floor indicated; in V zones, the floor elevation is taken at the bottom of the lowest horizontal structural member (see drawing in instructions for Section C).

#### DIAGRAM 1A

All slab-on-grade single- and multiple-floor buildings (other than split-level) and high-rise buildings, either detached or row type (e.g., townhouses); with or without attached garage.


Distinguishing Feature – The bottom floor is at or above ground level (grade) on at least 1 side.*



#### DIAGRAM 1B

All raised-slab-on-grade or slab-on-stem-wall-with-fill single- and multiple-floor buildings (other than split-level), either detached or row type (e.g., townhouses); with or without attached garage.


Distinguishing Feature – The bottom floor is at or above ground level (grade) on at least 1 side.*



### **DIAGRAM 2A**

All single- and multiple-floor buildings with basement (other than split-level) and high-rise buildings with basement, either detached or row type (e.g., townhouses); with or without attached garage.


Distinguishing Feature – The bottom floor (basement or underground garage) is below ground level (grade) on all sides.*



#### **DIAGRAM 2B**

All single- and multiple-floor buildings with basement (other than split-level) and high-rise buildings with basement, either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor (basement or underground garage) is below ground level (grade) on all sides; most of the height of the walls is below ground level on all sides; and the door and area of egress are also below ground level on all sides.*



^{*} A floor that is below ground level (grade) on all sides is considered a basement even if the floor is used for living purposes, or as an office, garage, workshop, etc.