#### U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

## **ELEVATION CERTIFICATE**

Important: Read the instructions on pages 1-9.

05-426767

OMB No. 1660-0008

Expiration Date: July 31, 2015 SECTION A - PROPERTY INFORMATION FOR INSURANCE COMPANY USE A1. Building Owner's Name THOROUGHBRED MOTORS, INC. Policy Number: A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. Company NAIC Number: 7700 TAMIAMI TRAIL SOUTH City SARASOTA State FL ZIP Code 34231 Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) M&B DESCRIPTION - PID# 0112-14-0011 A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) NON-RESIDENTIAL A5. Latitude/Longitude: Lat. 27°14'26"N Long. 82°35'26"W Horizontal Datum: 
NAD 1927 
NAD 1983 A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 7 A8. For a building with a crawlspace or enclosure(s): A9. For a building with an attached garage: a) Square footage of crawlspace or enclosure(s) 35930 sq ft a) Square footage of attached garage NA b) Number of permanent flood openings in the crawlspace b) Number of permanent flood openings in the attached garage or enclosure(s) within 1.0 foot above adjacent grade within 1.0 foot above adjacent grade 28 Total net area of flood openings in A9.b NA Total net area of flood openings in A8.b 50820 sq in sq in d) Engineered flood openings? ☐ Yes ⋈ No Engineered flood openings? ☐ Yes ☐ No SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION B1. NFIP Community Name & Community Number B2. County Name B3 State SARASOTA COUNTY 125144 SARASOTA **FLORIDA** B4. Map/Panel Number B5. Suffix B6. FIRM Index Date **B7. FIRM Panel** B8. Flood B9 Base Flood Elevation(s) (Zone 125144 207 9/3/93 Effective/Revised Date Zone(s) AO, use base flood depth) 9/3/93 11 B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9 ☐ FIS Profile **⊠** FIRM Community Determined Other/Source: B11. Indicate elevation datum used for BFE in Item B9: 

NGVD 1929 ■ NAVD 1988 Other/Source: B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? ⊠ No ☐ Yes Designation Date: ☐ CBRS ☐ OPA SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED) C1. Building elevations are based on: ☐ Construction Drawings\* ■ Building Under Construction\* \*A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO. Complete Items C2.a-h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. Benchmark Utilized: SC112A Vertical Datum: NVGD 1929 Indicate elevation datum used for the elevations in items a) through h) below. 🗵 NGVD 1929 🗆 NAVD 1988 🗅 Other/Source: \_ Datum used for building elevations must be the same as that used for the BFE. Check the measurement used. a) Top of bottom floor (including basement, crawlspace, or enclosure floor) ☐ meters 6.0 b) Top of the next higher floor ☐ meters 12.3 c) Bottom of the lowest horizontal structural member (V Zones only) meters N.A d) Attached garage (top of slab) meters N.A e) Lowest elevation of machinery or equipment servicing the building 12..5 ☐ meters (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) ☐ meters 6.0 g) Highest adjacent (finished) grade next to building (HAG) ☐ meters 11.8 h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support N.A. ☐ meters SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Check here if comments are provided on back of form. Were latitude and longitude in Section A provided by a Check here if attachments. licensed land surveyor? Yes Certifier's Name LAWRENCE R. WEBER License Number 3868 Title PROF SURVYR & MAPR Company Name WEBER ENGINEERING & SURVEYING INC Address 4596 ASHTON RD City SARASOTA State FL ZIP Code 34233 Signature Date Telephone 941/921-3914

LEVATION CERTIFICATE, pag				
IMPORTANT: In these spaces, co	py the corresponding information from S	ection A.		ISURANCE COMPANY USE
Building Street Address (including Apt., 7700 TAMIAMI TRAIL SOUTH	Unit, Suite, and/or Bldg. No.) or P.O. Route and B	ox No.	Policy	Number:
City SARASOTA	State FL ZI	P Code 34231	Compa	ny NAIC Number:
SECTION	D – SURVEYOR, ENGINEER, OR ARCHITE	CT CERTIFICAT	ION (CONTIN	UED)
Copy both sides of this Elevation Certific	cate for (1) community official, (2) insurance agent	/company, and (3) t	ouilding owner.	
Comments C2.e - MAIN ELECTRICAL	DISCONNECT SWITCH	114		
Signature	Date			
SECTION E - BUILDING ELEV	ATION INFORMATION (SURVEY NOT RE	QUIRED) FOR ZO	ONE AO AND	ZONE A (WITHOUT BFE)
and C. For Items E1–E4, use natural given the second of th	pasement, crawlspace, or enclosure) ispasement, crawlspace, or enclosure) isermanent flood openings provided in Section A Ite of the building is feet meters.	n Puerto Rico only, chow whether the election of feet of feet or so above or	meters above meters above meters above meters above pages 8–9 of Ins below the HAG G. ers above or ce with the com	or below the highest adjacent e or _ below the HAG. e or _ below the LAG. structions), the next higher floor i.
	F – PROPERTY OWNER (OR OWNER'S R			TION
The property owner or owner's authoriz or Zone AO must sign here. The statem	ted representative who completes Sections A, B, a ments in Sections A, B, and E are correct to the be	nd E for Zone A (wi	thout a FEMA-is	Participation and approximate
Property Owner's or Owner's Authorize	d Representative's Name	A 19		HOUSE OF 24
Address	City		State	ZIP Code
Signature	Date		Telephone	
Comments				☐ Check here if attachments
	SECTION G - COMMUNITY INFORM			Note Sections A. B. C. (or E) and G
of this Elevation Certificate. Complete the G1. The information in Section C w is authorized by law to certify of G2. A community official complete	or ordinance to administer the community's floodpla applicable item(s) and sign below. Check the meas was taken from other documentation that has been elevation information. (Indicate the source and dail d Section E for a building located in Zone A (withough GA-G10) is provided for community floodplain in	surement used in Iter signed and sealed te of the elevation d ut a FEMA-issued o management purpos	ns G8–G10. In P by a licensed su ata in the Comm r community-iss ses.	rveyor, engineer, or architect who lents area below.)  ued BFE) or Zone AO.
G4. Permit Number	G5. Date Permit Issued	G6. Date Certifica	ate Of Compliano	ce/Occupancy Issued
G7. This permit has been issued for: G8. Elevation of as-built lowest floor (in G9. BFE or (in Zone AO) depth of flood G10. Community's design flood elevation	ling at the building site:	rovement    feet   me	eters Datu	im
Local Official's Name	Title			
Community Name	Tele	ephone		
Signature	Date	9		Ç.K
Comments				☐ Check here if attachment
163.7				

#### **ELEVATION CERTIFICATE**, page 3

## **Building Photographs**

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.

Policy Number:

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 7700 TAMIAMI TRAIL SOUTH

Box No.

City SARASOTA

State FL

ZIP Code 34231

Company NAIC Number:

FOR INSURANCE COMPANY USE

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.





### **ELEVATION CERTIFICATE, page 4**

# **Building Photographs**

Continuation Page

IMPORTANT: In these spaces, copy the corresponding information from Section A.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.

Policy Number:

7700 TAMIAMI TRAIL SOUTH

State FL

ZIP Code 34231

Company NAIC Number:

FOR INSURANCE COMPANY USE

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.

#### VENT 2/5/14

City SARASOTA



U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

### FLOODPROOFING CERTIFICATE

FOR NON-RESIDENTIAL STRUCTURES

OMB No. 1660-0008 Expiration Date: July 31, 2015

The floodproofing of non-residential buildings may be permitted as an alternative to elevating to or above the Base Flood Elevation; however, a floodproofing design certification is required. This form is to be used for that certification. Floodproofing of a residential building does not alter a community's floodplain management elevation requirements or affect the insurance rating unless the community has been issued an exception by FEMA to allow floodproofed residential basements. The permitting of a floodproofed residential basement requires a separate certification specifying that the design complies with the local floodplain management ordinance.

Thoroughbred M				FOR INSURANCE CO	MPANY USE
The state of the s	lotors Inc.				0.30
TREET ADDRESS (Including Apt.,	Unit, Suite, and/or Bldg. Num	nber) OR P.O. ROUTE AND BOX NU	MBER	POLICY NUMBER	
7700 South Tan	ULTINE THE RESERVE THE PROPERTY OF THE PROPERT			COMPANY NAIC NUMB	ED
THER DESCRIPTION (Lot and Blo	2 - 14 - 00	III		COMPANT NAIC NOME	EN
1 1/	2-17-00			STATE ZIP CO	NDE .
Sarasota				FI. 342	
	SECTION I	- FLOOD INSURANCE	CE RATE MAP (FIRM) I	NFORMATION	
Provide the following from	the proper FIRM:				
COMMUNITY NUMBER	207	SUFFIX	9-3-93	AE.	BASE FLOOD ELEVATION (In AO Zones, Use Depth)
ndicate elevation datum used	for Base Flood Elevation sh	own above: NGVD 1929	NAVD 1988 Other/Source:		
SECTION	II – FLOODPROOF	ING INFORMATION	(By a Registered Profe	essional Engineer or	Architect)
levations are based on:	Construction Drawings	Building Under Construction	XFinished Construction		
Floodproofing Design Elev					
		eet (In Puerto Rico only	meters). NGVD 1929	□NAVD 1988 □ Other/Sc	ource:
Elevation datum used must b	e the same as that used for	or the Base Flood Elevation.)	- Motoraji Andvo 1925	LIMP 1990 LIVING O	
leight of floodproofing on the			feet (In Puerto Rico only: .	meters).	
For Unnumbered A Zones					
Highest adjacent (finished) gr	ade next to the building (H	100 11.8 fact (la			
"Purge andaronic (illimpilea) Bi			Puerto Rico only:	meters)	
WAGUD 1929 TINAVE			Puerto Rico only:	meters)	
	1988 Other/Source:				e rating credit. If the building
NOTE: For insurance rating p	1988  Other/Source: urposes, the building's floo	odproofed design elevation m	nust be at least 1 foot above the E will result in a higher premium.)		e rating credit. If the building
NOTE: For insurance rating post of the Ba	0 1988 ☐ Other/Source: urposes, the building's floc se Flood Elevation, then th	odproofed design elevation m be building's insurance rating	nust be at least 1 foot above the E	Base Flood Elevation to receiv	310
NOTE: For insurance rating post of the Ba	1988 ☐ Other/Source: urposes, the building's floc se Flood Elevation, then th	odproofed design elevation m he building's insurance rating	nust be at least 1 foot above the E will result in a higher premium.)	Base Flood Elevation to receiv	310
NOTE: For insurance rating pi s floodproofed only to the Ba S Non-Residential Floodpro I certify that, based upon	o 1988 ☐ Other/Source:  urposes, the building's floo se Flood Elevation, then the  EECTION III — CER*  ofed Construction Cert  development and/or review	odproofed design elevation me building's insurance rating  TIFICATION (By a Retailing a Re	nust be at least 1 foot above the E will result in a higher premium.)  egistered Professional  fications, and plans for construct	Base Flood Elevation to receiv	ot) .
NOTE: For insurance rating post floodproofed only to the Ba  S  Non-Residential Floodpro  I certify that, based upor are in accordance with a  The structure, tog	o 1988  Other/Source: urposes, the building's floo se Flood Elevation, then the EECTION III – CER' ofed Construction Cert of development and/or revie ccepted standards of prace	odproofed design elevation me building's insurance rating  TIFICATION (By a Retification:  ew of structural design, speciatice for meeting the following less and sanitary facilities, is well	nust be at least 1 foot above the E will result in a higher premium.)  egistered Professional  fications, and plans for construct	Base Flood Elevation to receive Engineer or Architection, the design and methods of	of construction
NOTE: For insurance rating post floodproofed only to the Ba  S  Non-Residential Floodpro  I certify that, based upor are in accordance with a The structure, tog walls that are sub	o 1988  Other/Source: urposes, the building's floo se Flood Elevation, then the EECTION III – CER ofed Construction Cert of development and/or revie ccepted standards of prace ether with attendant utiliti stantially impermeable to ponents are capable of re-	odproofed design elevation me building's insurance rating  TIFICATION (By a Retification:  ew of structural design, speciatice for meeting the following les and sanitary facilities, is withe passage of water.	nust be at least 1 foot above the E will result in a higher premium.)  egistered Professional  fications, and plans for construct a provisions:	Engineer or Architection, the design and methods of the design and met	of construction
NOTE: For insurance rating pi s floodproofed only to the Ba  S  Non-Residential Floodpro  I certify that, based upor are in accordance with a  The structure, tog walls that are sub  All structural com debris impact for	o 1988  Other/Source: urposes, the building's floo se Flood Elevation, then the EECTION III – CER ofed Construction Cert of development and/or revie ccepted standards of prace ether with attendant utiliti stantially impermeable to ponents are capable of reces.	odproofed design elevation me building's insurance rating  TIFICATION (By a Rectification:  ew of structural design, speciatice for meeting the following less and sanitary facilities, is with passage of water.  sisting hydrostatic and hydrogeness my best efforts to interpretation.	nust be at least 1 foot above the E will result in a higher premium.)  egistered Professional  ffications, and plans for construct a provisions:  watertight to the floodproofed designed.	Engineer or Architection, the design and methods of the design and met	of construction  , with  hticipated
NOTE: For insurance rating prosident of the Balance Solution of the Balance So	o 1988  Other/Source:  urposes, the building's floo se Flood Elevation, then the  EECTION III – CER' ofed Construction Cert of development and/or revies cocepted standards of prace ether with attendant utiliti stantially impermeable to ponents are capable of re- ces.  tion on this certificate repri	odproofed design elevation me building's insurance rating  TIFICATION (By a Relatification:  ew of structural design, specifice for meeting the following lies and sanitary facilities, is with passage of water.  sisting hydrostatic and hydroversents my best efforts to interpretable.	rust be at least 1 foot above the E will result in a higher premium.)  registered Professional  ffications, and plans for construct a provisions:  watertight to the floodproofed designamic flood forces, including the provision of the provision of the provision of the floodproofed designamic flood forces, including the present the data available. I understand the provision of th	Engineer or Architection, the design and methods of the design and met	of construction  , with  htticipated  may be punishable
NOTE: For insurance rating prosting for the Ball Signature of the	o 1988 ☐ Other/Source:  urposes, the building's floo se Flood Elevation, then the  EECTION III — CER'  ofed Construction Cert in development and/or revie coepted standards of prace ether with attendant utiliti istantially impermeable to ponents are capable of re- ces.  tion on this certificate repr under 18 U.S. Code, Section	TIFICATION (By a Retification:  ew of structural design, speciative for meeting the following lies and sanitary facilities, is with the passage of water.  sisting hydrostatic and hydroversents my best efforts to interpret	rust be at least 1 foot above the E will result in a higher premium.)  registered Professional  effications, and plans for construct a provisions:  watertight to the floodproofed designamic flood forces, including the erpret the data available. I understance of the construct of the construction	Engineer or Architection, the design and methods of the effects of buoyancy, and an effects of buoyancy, and an effect and that any false statements.	of construction  , with  htticipated  may be punishable
NOTE: For insurance rating prosided only to the Basil Solution of	o 1988 ☐ Other/Source:  urposes, the building's floo se Flood Elevation, then the  EECTION III — CER'  ofed Construction Cert in development and/or revie coepted standards of prace ether with attendant utiliti istantially impermeable to ponents are capable of re- ces.  tion on this certificate repr under 18 U.S. Code, Section	odproofed design elevation me building's insurance rating  TIFICATION (By a Relatification:  ew of structural design, specifice for meeting the following less and sanitary facilities, is withe passage of water.  sisting hydrostatic and hydro resents my best efforts to interpretation 1001.	rust be at least 1 foot above the E will result in a higher premium.)  registered Professional  fications, and plans for construct a provisions:  watertight to the floodproofed desire dynamic flood forces, including the erpret the data available. I undersuch the construct of the construct and the construct of the construction of th	Engineer or Architection, the design and methods of the effects of buoyancy, and architect and that any false statements are the effects of buoyancy.	of construction  with  inticipated  may be punishable   HITECT AIA  ZIP CODE
NOTE: For insurance rating proside the Balance Solon-Residential Floodpro I certify that, based upor are in accordance with a The structure, tog walls that are sub All structural complete debris impact for I certify that the information by fine or imprisonment of the Balance Solon A. Continue PRESIDE ADDRESS	o 1988 ☐ Other/Source:  urposes, the building's floo se Flood Elevation, then the  ECTION III — CER' ofed Construction Cert of development and/or revie occepted standards of prace ether with attendant utiliti stantially impermeable to ponents are capable of re- ces. tion on this certificate repr under 18 U.S. Code, Section  OPZIAK	odproofed design elevation me building's insurance rating  TIFICATION (By a Relatification:  ew of structural design, specifice for meeting the following less and sanitary facilities, is withe passage of water.  sisting hydrostatic and hydro resents my best efforts to interpretation 1001.	rust be at least 1 foot above the E will result in a higher premium.)  registered Professional	Engineer or Architection, the design and methods of the effects of buoyancy, and an effects of buoyancy, and are stand that any false statement of the effects of the effec	of construction  with  inticipated  may be punishable   HITECT AIA  ZIP CODE