U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008

Expiration Date: July 31, 2015

SECTION A – PROPERTY INFORMATION							FOR INS	SURANCE COMPANY USE
A1. Building Owner's Name 3905 RED ROCK, LLC.							Policy N	umber:
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1754 SANDALWOOD DRIVE							Compan	y NAIC Number:
City SARASOTA				State FL	ZIP Code 34	1231		
A3. Property Description (L LOT 60, SOUTHPOINTE SI			Number, I	Legal Descript	ion, etc.)			
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) RESIDENTIAL A5. Latitude/Longitude: Lat. 27'14'34.3" Long. 82"30'52.3" Horizontal Datum: NAD 1927 NAD 1983 A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 1B A8. For a building with a crawlspace or enclosure(s): a) Square footage of crawlspace or enclosure(s) N/A sq ft b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade N/A within 1.0 foot above adjacent grade 4 c) Total net area of flood openings in A8.b N/A sq in d) Engineered flood openings? Yes No SECTION B – FLOOD INSURANCE RATE MAP (FIRM) INFORMATION								
P N						11) HT	**	
B1. NFIP Community Name SARASOTA & 125144	& Community N	lumber	B2. Cou SARAS	unty Name SOTA			B3. State	e
B4. Map/Panel Number 125144/0207	B5. Suffix E	B6. FIRM Index D 9/03/1992	Date	B7. FIRM Effective/Rev 9/03/19	ised Date	B8. Flood Zone(s) AE		Base Flood Elevation(s) (Zone NO, use base flood depth) 12
Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. FIS Profile FIRM Community Determined Other/Source: Other/Source: Other/Source: Other/Source: Other/Source: Other/Source: Other/Source: OPA								
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)								
	SECTIO	N C – BUILDING	ELEVA	TION INFOR	MATION (S	URVEY REQUI	RED)	
A new Elevation Certific	based on: cate will be requir A30, AE, AH, A (building diagram of 34 2005 n used for the ele	Construction Dr red when construction (with BFE), VE, V1— specified in Item A7 evations in items a) to	rawings on of the -V30, V (v 7. In Puer Vertic through h	□ B building is conwith BFE), AR, to Rico only, e cal Datum: NA n) below. ☑ No	uilding Under nplete. AR/A, AR/AE nter meters. VD 88	Construction* E, AR/A1-A30, AR I NAVD 1988	☑ Fi	rce:
C2. Elevations – Zones A1– below according to the b Benchmark Utilized: A 6 Indicate elevation datum Datum used for building	pased on: cate will be requir A30, AE, AH, A (puilding diagram s 34 2005 n used for the ele elevations must	Construction Dr red when constructi (with BFE), VE, V1– specified in Item A7 evations in items a) t be the same as tha	rawings* on of the V30, V (v 7. In Puer Vertic through h	□ B building is corwith BFE), AR, to Rico only, e cal Datum: NA No below. ☑ No r the BFE.	uilding Under nplete. AR/A, AR/AB nter meters. .VD 88 GVD 1929	Construction* E, AR/A1-A30, AR I NAVD 1988	☑ File /AH, AR/A Other/Sound k the mea	AO. Complete Items C2.a-h rce:
A new Elevation Certific C2. Elevations – Zones A1– below according to the b Benchmark Utilized: A 6 Indicate elevation datum	pased on: cate will be requir A30, AE, AH, A (puilding diagram s 34 2005 n used for the ele elevations must	Construction Dr red when constructi (with BFE), VE, V1– specified in Item A7 evations in items a) t be the same as tha	rawings on of the V30, V (v 7. In Puer Vertic through h	□ B building is corwith BFE), AR, to Rico only, e cal Datum: NA No below. ☑ No r the BFE.	uilding Under nplete. AR/A, AR/AE nter meters. VD 88	Construction* E, AR/A1–A30, AR NAVD 1988 Chec	☑ Fi	AO. Complete Items C2.a-h
A new Elevation Certific C2. Elevations – Zones A1– below according to the b Benchmark Utilized: A 6 Indicate elevation datum Datum used for building a) Top of bottom floor (ir b) Top of the next highe c) Bottom of the lowest I	pased on: cate will be requir A30, AE, AH, A (puilding diagram s 34 2005 n used for the ele elevations must ncluding baseme r floor horizontal structu	Construction Dr red when construction (with BFE), VE, V1— specified in Item A7 evations in items a) to be the same as tha ent, crawlspace, or e	rawings on of the -V30, V (v 7. In Puer Vertic through h tit used for	□ B building is corwith BFE), AR, to Rico only, e cal Datum: NA No below. ☑ No r the BFE.	uilding Under nplete. AR/A, AR/AE nter meters. VD 88 GVD 1929	Construction* E, AR/A1–A30, AR NAVD 1988 Chec	☑ Fill /AH, AR/A Other/Sound k the mea	AO. Complete Items C2.a-h rce: surement used. meters
A new Elevation Certific 22. Elevations – Zones A1– below according to the b Benchmark Utilized: A 6 Indicate elevation datum Datum used for building a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest I d) Attached garage (top	based on: cate will be requir A30, AE, AH, A (building diagram s 34 2005 In used for the ele elevations must including basement r floor horizontal structur of slab)	Construction Dr red when construction (with BFE), VE, V1- specified in Item A7 evations in items a) to be the same as tha ent, crawlspace, or e	rawings on of the -V30, V (v - In Puer Vertic through h at used for enclosure	□ B building is cor with BFE), AR, to Rico only, e cal Datum: NA n) below. ☑ No r the BFE. floor)	uilding Under nplete. AR/A, AR/AE nter meters. VD 88 GVD 1929 12.1 24.1 N/A. 8.8	Construction* E, AR/A1–A30, AR NAVD 1988 Chec	☑ Fill /AH, AR/A Other/Soul k the mea ☑ feet ☑ feet ☐ feet ☑ feet	AO. Complete Items C2.a-h rce: surement used. meters meters meters meters meters meters
A new Elevation Certific C2. Elevations – Zones A1– below according to the b Benchmark Utilized: A 6 Indicate elevation datum Datum used for building a) Top of bottom floor (ir b) Top of the next highe c) Bottom of the lowest I	pased on: cate will be requir A30, AE, AH, A (puilding diagram s 34 2005 n used for the ele elevations must ncluding basemen r floor horizontal structu of slab) nachinery or equi	Construction Dr red when construction (with BFE), VE, V1— specified in Item A7 evations in items a) to be the same as tha ent, crawlspace, or e ural member (V Zone ipment servicing the	rawings on of the -V30, V (v - In Puer Vertic through h at used for enclosure	□ B building is cor with BFE), AR, to Rico only, e cal Datum: NA n) below. ☑ No r the BFE. floor)	uilding Under nplete. AR/A, AR/AE nter meters. VD 88 GVD 1929	Construction* E, AR/A1–A30, AR NAVD 1988 Chec	☑ Fill /AH, AR/A Other/Soul k the mea ☑ feet ☑ feet ☐ feet	AO. Complete Items C2.a-h rce: surement used. meters meters meters meters
A new Elevation Certific Elevations – Zones A1– below according to the below according to below a to be below according to the below according to be below according to the below acc	based on: cate will be required. A30, AE, AH, A (building diagram side 2005) a used for the elected elevations must ancluding basement refloor horizontal structured of slab) anchinery or equipipment and locatished) grade next	Construction Dr red when construction (with BFE), VE, V1— specified in Item A7 evations in items a) to be the same as tha ent, crawlspace, or e ural member (V Zone ipment servicing the tion in Comments) to building (LAG)	rawings on of the -V30, V (v - In Puer Vertic through h at used for enclosure	□ B building is cor with BFE), AR, to Rico only, e cal Datum: NA n) below. ☑ No r the BFE. floor)	uilding Under nplete. AR/A, AR/AE nter meters. VD 88 GVD 1929 C 12.1 24.1 N/A. 8.8 12.2	Construction* E, AR/A1–A30, AR NAVD 1988 Chec	☐ File AR/A AR/A AR/A AR/A AR/A AR/A AR/A AR/	AO. Complete Items C2.a-h rce: surement used. meters meters meters meters meters meters meters
A new Elevation Certific 22. Elevations – Zones A1– below according to the b Benchmark Utilized: A 6 Indicate elevation datum Datum used for building a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest I d) Attached garage (top e) Lowest elevation of m (Describe type of equ	based on: cate will be required. A30, AE, AH, A (building diagram sites and particular and parti	Construction Dr red when construction (with BFE), VE, V1— specified in Item A7 evations in items a) to be the same as tha ent, crawlspace, or e ural member (V Zone ipment servicing the tion in Comments) to building (LAG) t to building (HAG)	rawings on of the -V30, V (v - In Puer Vertic through h at used for enclosure es only)	□ B building is cor with BFE), AR, to Rico only, e cal Datum: NA n) below. ☑ No r the BFE. floor)	uilding Under nplete. AR/A, AR/AE nter meters. VD 88 GVD 1929 C 12.1 24.1 N/A. 8.8 12.2 6.3 8.2	Construction* E, AR/A1–A30, AR NAVD 1988 Chec	☑ File /AH, AR/A Other/Soult k the meat ☑ feet ☑ feet ☑ feet ☑ feet ☑ feet	AO. Complete Items C2.a-h rce: surement used. meters meters meters meters meters meters meters meters
A new Elevation Certific Elevations – Zones A1- below according to the below according to below a below and the below according to the	based on: cate will be requir A30, AE, AH, A (building diagram is 34 2005 n used for the ele elevations must ncluding basement rifloor horizontal structu of slab) nachinery or equipipment and locatished) grade next elevations must	Construction Dr red when construction (with BFE), VE, V1— specified in Item A7 evations in items a) to be the same as tha ent, crawlspace, or e ural member (V Zone ipment servicing the tion in Comments) to building (LAG) t to building (HAG)	rawings on of the -V30, V (v -Vario -Vertic	□ B building is conwith BFE), AR, to Rico only, e cal Datum: NA below. ☑ No r the BFE. floor)	uilding Under nplete. AR/A, AR/AE nter meters. VD 88 GVD 1929 12.1 24.1 N/A. 8.8 12.2 6.3 8.2 upport 6.6	Construction* E, AR/A1–A30, AR NAVD 1988 Chec	☐ Fill I	AO. Complete Items C2.a-h rce: surement used. meters
A new Elevation Certific Elevations – Zones A1- below according to the below according to below a below and the below according to the	cased on: cate will be requir A30, AE, AH, A (puilding diagram is 334 2005 In used for the ele elevations must including basement r floor horizontal structur of slab) nachinery or equip ipment and location shed) grade next shed) grade next e at lowest elevat SECTIO grade and sealed to information on to statement may be ts are provided o	Construction Dr red when construction (with BFE), VE, V1— specified in Item A7 evations in items a) to the same as that ent, crawlspace, or entered and the same as that entered and the same as that entered and the same as that entere	rawings on of the -V30, V (v -Value	□ B building is corwith BFE), AR, to Rico only, e cal Datum: NA n) below. ☑ No r the BFE. floor) ing structural s GINEER, OR r, or architect a r best efforts to sonment under	uilding Under nplete. AR/A, AR/AE nter meters. \(\forall D 88\) \(GVD 1929 \) \(\frac{12.1}{24.1}\) \(\frac{N/A.}{8.8}\) \(\frac{12.2}{6.6}\) \(\frac{6.6}{2}\) ARCHITEC uthorized by interpret the r 18 U.S. Coogitude in Section 12 and the section of the secti	Construction* E, AR/A1–A30, AR NAVD 1988	Dither/Source k the mea feet feet feet feet feet feet feet fe	AO. Complete Items C2.a-h rce: surement used. meters
A new Elevation Certific Elevations – Zones A1– below according to the to Benchmark Utilized: A 6 Indicate elevation datum Datum used for building a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest of d) Attached garage (top e) Lowest elevation of m (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent (finis h) Lowest adjacent grad This certification is to be signiformation. I certify that the I understand that any false of Check here if comment	cased on: cate will be requir A30, AE, AH, A (coulding diagram s 34 2005 In used for the ele elevations must including basement r floor horizontal structur of slab) inachinery or equip ipment and locate shed) grade next shed) grade next e at lowest eleva SECTIO In ed and sealed to information on to statement may be ts are provided of ents.	Construction Dr red when construction (with BFE), VE, V1— specified in Item A7 evations in items a) to the same as that ent, crawlspace, or entered and the same as that entered and the same as that entered and the same as that entere	rawings on of the -V30, V (v -Value	□ B building is corwith BFE), AR, to Rico only, e cal Datum: NA below. ☑ No r the BFE. floor) floor) floor flo	uilding Under nplete. AR/A, AR/AE nter meters. \(\forall D 88\) \(GVD 1929 \) \(\frac{12.1}{24.1}\) \(\frac{N/A.}{8.8}\) \(\frac{12.2}{6.6}\) \(\frac{6.6}{2}\) ARCHITEC uthorized by interpret the r 18 U.S. Coogitude in Section 12 and the section of the secti	Construction* E, AR/A1–A30, AR NAVD 1988 Chec Chec T CERTIFICATION aw to certify elevate available. le, Section 1001. tion A provided by the check ch	Dither/Source k the mea feet feet feet feet feet feet feet fe	AO. Complete Items C2.a—h rce: surement used. meters meters meters meters meters meters meters meters meters
A new Elevation Certific Elevations – Zones A1— below according to the below according to be below at lower below the below	cased on: cate will be requir A30, AE, AH, A (coulding diagram s 34 2005 In used for the ele elevations must including basement r floor horizontal structur of slab) inachinery or equip ipment and locate shed) grade next shed) grade next e at lowest eleva SECTIO In ed and sealed to information on to statement may be ts are provided of ents.	Construction Dr red when construction (with BFE), VE, V1— specified in Item A7 evations in items a) to the same as that ent, crawlspace, or entered and the same as that entered and the same as that entered and the same as that entere	rawings on of the -V30, V (v -Value	□ B building is core with BFE), AR, to Rico only, e cal Datum: NA n) below. ☑ No r the BFE. floor) floor) fing structural s GINEER, OR r, or architect a r best efforts to somment under ditude and long d land surveyo Licens	uilding Under nplete. AR/A, AR/AE nter meters. \(\forall D 88\) \(GVD 1929 \subseteq \frac{12.1}{24.1} \) \(\forall A/A.\) \(\forall 8.8\) \(\forall 12.2\) \(\forall 6.6\) \(\forall 4.3\) \(\forall 8.2\) \(\forall 4.3\) \(\forall 8.3\) \(\forall 8.2\) \(\forall 4.3\) \(\forall 8.3\) \(\forall 8.2\) \(\forall 12.2\) \(\forall 8.3\) \(\forall 8.2\) \(\forall 12.2\) \(\forall 8.3\) \(\forall 8.2\) \(\forall 12.2\) \(\forall 13.3\) \(\forall 13	Construction* E, AR/A1–A30, AR NAVD 1988 Chec Chec T CERTIFICATION aw to certify elevate available. le, Section 1001. tion A provided by the check ch	Dither/Source k the mea feet feet feet feet feet feet feet fe	AO. Complete Items C2.a-h rce: surement used. meters
A new Elevation Certific 22. Elevations – Zones A1— below according to the below accordin	cased on: cate will be requir A30, AE, AH, A (coulding diagram s 34 2005 In used for the ele elevations must including basement r floor horizontal structur of slab) inachinery or equip ipment and locate shed) grade next shed) grade next e at lowest eleva SECTIO In ed and sealed to information on to statement may be ts are provided of ents.	Construction Dr red when construction (with BFE), VE, V1— specified in Item A7 evations in items a) to be the same as that ent, crawlspace, or entered and the servicing the strong in Comments) to building (LAG) to building (HAG) ation of deck or stain ON D - SURVEYO by a land surveyor, the Certificate represented and servicing the servicing the servicing the punishable by fine on back of form.	rawings on of the -V30, V (v -Value	□ B building is core with BFE), AR, to Rico only, e cal Datum: NA n) below. ☑ No r the BFE. floor) floor) fing structural s GINEER, OR r, or architect a r best efforts to somment under ditude and long d land surveyo Licens	uilding Under nplete. AR/A, AR/AE nter meters. \(\frac{ND 88}{CVD 1929}\) \[\frac{12.1}{24.1} \] \[\frac{N/A.}{8.8} \] \[\frac{12.2}{6.6} \] ARCHITEC uthorized by lanterpret the range of the	Construction* E, AR/A1–A30, AR NAVD 1988 Chec Chec T CERTIFICATION aw to certify elevate available. le, Section 1001. tion A provided by the check ch	Dither/Source k the mea feet feet feet feet feet feet feet fe	AO. Complete Items C2.a—h rce: surement used. meters meters meters meters meters meters meters meters meters

	ponding information from Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/o	or Bldg, No.) or P.O. Route and Box No.	Policy Number:
City SARASOTA	State FL ZIP Code 34231	Company NAIC Number:
SECTION D - SURVEYO	R, ENGINEER, OR ARCHITECT CERTIFICA	TION (CONTINUED)
Copy both sides of this Elevation Certificate for (1) comm	nunity official, (2) insurance agent/company, and (3) building owner.
Comments (1) ELEVATIONS WERE DERIVED FROM CONVERSION ELEVATION = 16.46 (NGVD 1929). (2) I (3) GARAGE IS AN APPARENT SLAB ON GRADE.		
Signature Mat S	Date 05/06/2014	
SECTION E - BUILDING ELEVATION INFOR	MATION (SURVEY NOT REQUIRED) FOR 2	ZONE AO AND ZONE A (WITHOUT BFE)
 E3. Attached garage (top of slab) is E4. Top of platform of machinery and/or equipment se E5. Zone AO only: If no flood depth number is available 	Check the measurement used. In Puerto Rico only check the appropriate boxes to show whether the color of the	elevation is above or below the highest adjacent meters above or below the HAG. meters above or below the LAG. e pages 8–9 of Instructions), the next higher floor below the HAG. HAG. eters above or below the HAG. ence with the community's floodplain management
	Y OWNER (OR OWNER'S REPRESENTATION	
The property owner or owner's authorized representative or Zone AO must sign here. The statements in Sections Property Owner's or Owner's Authorized Representative	e who completes Sections A, B, and E for Zone A (v A, B, and E are correct to the best of my knowledge	without a FEMA-issued or community-issued BFE)
Address	City	State ZIP Code
Signature	Date	Telephone
Comments		☐ Check here if attachmer
	N G - COMMUNITY INFORMATION (OPTIO	
he local official who is authorized by law or ordinance to a f this Elevation Certificate. Complete the applicable item(s		
and an analysis and a series of the series o	•	•
is authorized by law to certify elevation informat 32. A community official completed Section E for a 33. The following information (Items G4–G10) is pro-	tion. (Indicate the source and date of the elevation building located in Zone A (without a FEMA-issued ovided for community floodplain management purpo	data in the Comments area below.) or community-issued BFE) or Zone AO. oses.
is authorized by law to certify elevation informat 32. A community official completed Section E for a s 33. The following information (Items G4–G10) is pro-	tion. (Indicate the source and date of the elevation building located in Zone A (without a FEMA-issued ovided for community floodplain management purpo	data in the Comments area below.) or community-issued BFE) or Zone AO.
is authorized by law to certify elevation information. 22. A community official completed Section E for a law of the following information (Items G4—G10) is program of the following information	tion. (Indicate the source and date of the elevation building located in Zone A (without a FEMA-issued ovided for community floodplain management purposit Issued G6. Date Certific ruction Substantial Improvement t) of the building: g site: Title	data in the Comments area below.) or community-issued BFE) or Zone AO. oses.
is authorized by law to certify elevation information. 32. A community official completed Section E for a law of the following information (Items G4—G10) is program of the following information	tion. (Indicate the source and date of the elevation building located in Zone A (without a FEMA-issued ovided for community floodplain management purposit Issued G6. Date Certific ruction Substantial Improvement t) of the building: g site: Get feet feet feet feet feet	data in the Comments area below.) or community-issued BFE) or Zone AO. oses. cate Of Compliance/Occupancy Issued meters Datum
is authorized by law to certify elevation informat 62. A community official completed Section E for a l 63. The following information (Items G4–G10) is pro 64. Permit Number	tion. (Indicate the source and date of the elevation building located in Zone A (without a FEMA-issued ovided for community floodplain management purposit Issued G6. Date Certific ruction Substantial Improvement t) of the building: g site: Title	data in the Comments area below.) or community-issued BFE) or Zone AO. oses. cate Of Compliance/Occupancy Issued meters Datum

ELEVATION CERTIFICATE, page 3

Building Photographs

See Instructions for Item A6.

IMPORTANT: in these spaces, copy the corresponding information from Section A.

5 9 11 1

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1754 SANDALWOOD DRIVE

Policy Number:

City SARASOTA

State FL

ZIP Code 34231

Company NAIC Number:

FOR INSURANCE COMPANY USE

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



FRONT VIEW (NORTH SIDE) 5/06/2014



REAR VIEW (SOUTH SIDE) 5/06/2014

Building Photographs Continuation Page

IMPORTANT: In these spaces, copy the corr	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, at 1754 SANDALWOOD DRIVE	Policy Number:		
City SARASOTA	State FL	ZIP Code 34231	Company NAIC Number:

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



SIDE VIEW (WEST SIDE) 5/06/2014



SIDE VIEW (EAST SIDE) 5/06/2014



SMART VENT VIEW 5/06/2014