## U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2022

## **ELEVATION CERTIFICATE**Important: Follow the instructions on pages 1–9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

|   | FOR INSUF                       | FOR INSURANCE COMPANY USE  |                  |                                 |   |                |  |  |
|---|---------------------------------|----------------------------|------------------|---------------------------------|---|----------------|--|--|
| A1. Building Owner's Na   | Policy Num                      | ber:                       |                  |                                 |   |                |  |  |
| Dockside Homes, LLC   |                                 |                            |                  |                                 |   |                |  |  |
| A2. Building Street Addre<br>Box No.<br>5030 Sandy Beach Road   | Company N                       | AIC Number:                |                  |                                 |   |                |  |  |
| City  |                                 |                            | State            |                                 | ZIP Code  |                |  |  |
| Sarasota  |                                 |                            | Florida          |                                 | 34242   |                |  |  |
| A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) Lot 67 Sara Sands Unit 4 PID #0081110005 |                                 |                            |                  |                                 |   |                |  |  |
| A4. Building Use (e.g., R   | tesidential, Non-Residential,   | Addition                   | Accessory,       | etc.) Residentia                | ıl  |                |  |  |
| A5. Latitude/Longitude:   | Lat. 27°16'46" N                | Long. 8                    | 2°33'18" W       | Horizonta                       | Datum: NAD 1  | 927 X NAD 1983 |  |  |
| A6. Attach at least 2 pho   | tographs of the building if the | e Certific                 | ate is being u   | sed to obtain floor             | d insurance.  |                |  |  |
| A7. Building Diagram Nu   | mber 1B                         |                            |                  |                                 |   |                |  |  |
| A8. For a building with a   | crawlspace or enclosure(s):     |                            |                  |                                 |   |                |  |  |
| a) Square footage of crawlspace or enclosure(s)  N/A sq ft  |                                 |                            |                  |                                 |   |                |  |  |
| b) Number of perma  | nent flood openings in the cr   | awispace                   | e or enclosure   | =======<br>e(s) within 1.0 foot | above adjacent gra  | ade N/A        |  |  |
| c) Total net area of f  | lood openings in A8.b           |                            | N/A sq in        | ı                               |   |                |  |  |
| d) Engineered flood   | openings? Yes                   | No                         |                  |                                 |   |                |  |  |
|   |                                 |                            |                  |                                 |   |                |  |  |
| A9. For a building with an attached garage:   |                                 |                            |                  |                                 |   |                |  |  |
|   | f attached garage               |                            | <del></del>      |                                 |   |                |  |  |
| b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade N/A                                 |                                 |                            |                  |                                 |   |                |  |  |
| c) Total net area of flood openings in A9.b N/A sq in   |                                 |                            |                  |                                 |   |                |  |  |
| d) Engineered flood openings?   Yes   No  |                                 |                            |                  |                                 |   |                |  |  |
|   | SECTION B - FLOOD               | INSURA                     | NCE RATE         | MAP (FIRM) INF                  | ORMATION  |                |  |  |
| B1. NEIP Community Na   | me & Community Number           |                            | B2. County       |                                 |   | B3. State      |  |  |
| Sarasota County 125144  | •                               |                            | Sarasota         |                                 |   | Florida        |  |  |
| B4. Map/Panel B5. S<br>Number   | Number Date                     |                            | RM Panel ective/ | B8. Flood<br>Zone(s)            | B9. Base Flood Elevation(s) (Zone AO, use Base Flood Depth) |                |  |  |
| 12115C0143 F  | 11-04-2016                      | Revised Date<br>11-04-2016 |                  | AE                              | 9   |                |  |  |
| B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9:                               |                                 |                            |                  |                                 |   |                |  |  |
| ☐ FIS Profile ☒ FIRM ☐ Community Determined ☐ Other/Source:   |                                 |                            |                  |                                 |   |                |  |  |
| B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 X NAVD 1988 Other/Source:  |                                 |                            |                  |                                 |   |                |  |  |
| B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? 🗌 Yes 🕱 No          |                                 |                            |                  |                                 |   |                |  |  |
| Designation Date: CBRS DPA  |                                 |                            |                  |                                 |   |                |  |  |
|   |                                 |                            |                  |                                 |   |                |  |  |
|   |                                 |                            |                  |                                 |   |                |  |  |

## **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2022

| IMPORTANT: In these spaces, copy the corresponding information from Section A.  | FOR INSURANCE COMPANY USE  |  |  |  |  |  |  |  |  |
|---|--|--|--|--|--|--|--|--|--|
| Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 5030 Sandy Beach Road   | Policy Number:   |  |  |  |  |  |  |  |  |
| City State ZIP Code<br>Sarasota Florida 34242   | Company NAIC Number  |  |  |  |  |  |  |  |  |
| SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)  |  |  |  |  |  |  |  |  |  |
| C1. Building elevations are based on:  Construction Drawings*  Building Under Construction Prawings*  A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR Complete Items C2.a–h below according to the building diagram specified in Item A7. In Puerl Benchmark Utilized:  NGS 2700  Vertical Datum: NAVD 88  Indicate elevation datum used for the elevations in items a) through h) below.  NGVD 1929  NAVD 1988  Other/Source:  Datum used for building elevations must be the same as that used for the BFE.  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)  f) Lowest adjacent (finished) grade next to building (HAG) | uction* Finished Construction  /AE, AR/A1–A30, AR/AH, AR/AO.   |  |  |  |  |  |  |  |  |
| h) Lowest adjacent grade at lowest elevation of deck or stairs, including   | N/A  feet  meters  |  |  |  |  |  |  |  |  |
| structural support  SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION  |  |  |  |  |  |  |  |  |  |
| This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by a certify that the information on this Certificate represents my best efforts to interpret the data available statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.  Were latitude and longitude in Section A provided by a licensed land surveyor?  Yes No  Certifier's Name  License Number  Lawrence R. Weber  PSM 3868   | y law to certify elevation information.  |  |  |  |  |  |  |  |  |
| Title Professional Surveyor & Mapper  Company Name Weber Engineering & Surveying, Inc.  Address 4596 Ashton Road  City Sarasota  State Florida  ZIP Code 34233  | TO SO THE SOUTH OF |  |  |  |  |  |  |  |  |
| Signature Date Telephone (941) 921-3914   | Ext.   |  |  |  |  |  |  |  |  |
| Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.   |  |  |  |  |  |  |  |  |  |
| Comments (including type of equipment and location, per C2(e), if applicable)  A5 - LAT/LONG FROM FEMA INTERACTIVE MAP  |  |  |  |  |  |  |  |  |  |

CORS MODE AND CONFORM USE 1 FOR MODE AND CORPORATE SECURITY OF THE PROPERTY OF

| AS - UATE ONE PINDA FEMA INTERAC   | Mae sove   |  |  |  |  |
|--|--|--|--|--|--|
| Comments (in Author type or Englishment  | side tad visc  | u berzest chas   | Protes   |  |  |
| Copy at pages of this Slevetion Certificate  |  | ······································   |  | iona rafica esesticalismo 2                              | ออ (ๆ การสเปี การสา  |
|  |  |  | (Sva) \$52:361   | -  | and 10 and the last of the last  |
| <u>รูหดิและดาย</u>   |  | <u> </u>   | ्र १६/कांमार्ग ।   | EXT  |  |
| Consequence (Consequence Consequence Conse |  | State<br>Fluenda   | 94769<br>24769   |  |  |
| Findensa -<br>Findensa -<br>Findensa -   |  |  |  |  | dvi = 4  |
| Company No 16<br>No 100 Eugles as my & Surveying Inc   | :<br>:<br>:  |  |  |  |  |
| Title<br>Professional Surveyor Collegion   | ; v *  |  |  | in . You   |  |
| Cupper's Name<br>Lawrance R. Vastroy   | ten transcription of the contraction of the                  | 22W 0038<br>Posesa iyeb  | pe:  |  |  |
| Were lettings and intigators in Section w  | ์<br>เปล <b>้าสู่ส</b> อดู ถ                                 | े ।<br>१९७१ मध्याप्रकासका स्थिति स्थ   | askol (STAL) 175   | o Journal  | បាន ឬ ទាវុកហុកររ <b>ទេវៈ</b> ្ត  |
| This neutilicause is to be signed and sea<br>I seafly feat the provinciality on this Cent<br>Objert on the Population's by fine or   | ក្រៅក្នុងស្រួន<br>ក្រៅក្នុងស្រួន                             | some en och enem<br>sei under 18 5 å. Ca   | re, Cachon (601)<br>re, Cachon (601)   | MANGER - LANGER SAN                                      | o ventouk valid  |
| en marketer, e para marketer de la colle de como en la marketer, a du marketer que estra el participat de la collection de la |  | OH ENSWEER'  | and community community described as a supplementary of the company of   | MACK NON   | and the same and the same of t |
| h). Loveat edjouen grana or ioyek<br>beadintal support   |  | ol deus er staret ihok   | racuit   | WA Diec  | . [ 1001008  |
| ন্য নিত্রসিক্তর লগেত্র <b>াম (fimshe</b> a) <b>র</b> লের   | emezi to bi  | alioing (naG)  | W  | 74 (8) 166   | ( [] wsidir ()   |
| n Lowest galacent (Polshed) gradu  | ** <del>***</del> ***  | r Liaeuw   |  |  |  |
| e): 1 ment clevador o machaey c<br>Describe tene of epidoméni en   |  |  | :  | 767.2 [1] 168.   | . [] owner   |
| a) istrached george (top or sloa)  |  |  | <b>**</b> **********************************   | n di Ele   | i 门 meters   |
| <ul> <li>O) Sagola of the remaining the goals.</li> </ul>  | អស់សាល់  | enteriv jake om,   | Y  | WW LIKE  | : Enders   |
| <ol> <li>Top of the next higher inter</li> </ol>   |  |  | in produces a single of the single of  | MA Coe   | r 📋 veriare  |
| a). Ton of bottom floor (including to  | seinerh, er  | amiapado, or enclos:   | 10 HOOK)   |  | i [] meeti   |
| Dating used out to high emissions.   |  |  | o na Bris  | 0,1 <del>6</del> 9(1,7)1                                 | अञ्चलकारमध्यम् सङ्ग्रहे ।<br>  |
| indicale elavation detucaused for tr   | छ केल-पान्स्य  | is in derms a) through   | $p_{\ell}^{*}:\oplus_{\ell}^{*}\mathscr{A}$  |  |  |
| Senchmerk Utilizaci (NGS 27)0  | · · · · · · · · · · · · · · · · · · ·                        | Variosi  | DALIER NAVO 88   | - rear a respective above resemble the second control of |  |
| C.R., Erevations - Londo An-Add, AS - N<br>Complete couns C2.e-in perior acrit   | 4 yamet  | BEEL VE. VILVOOLV  | LOW BITE) AR ARM.  |  |  |
| Three Lieuron Confidence with the  |  |  |  |  |  |
| TO A STORY OF THE MEN THE PERSON OF  | ويرسران والهدائية  | and the same of the contract o | The Ministry of Control of the Contr |  | County Original Line   |
| Parameter Company  | nasyr inde   | na na managana na mana   | CEMPTION (SHOVE)   | ACKOMISKOP<br>Toppessionnerennesen                       | usea e francisco de estado e estado e en estado e  |
| Call.<br>Call.<br>Sinates .  |  | esta <sub>ce</sub><br>Telonida   | 34591<br>134: 0249   | Company Myar   | j kannost  |
| (AN) ESUÇÎN BESCH (1939)<br>Indironiklî ya nazwarar da Arananiê vêrek e  | ind house o  |  |  |  |  |
| an environ - en meno se ancomeno vici , U<br>Baliding Stran enen se (monding vici , U  | er en grenne samme<br>Hanna hanna samme<br>Hanna hanna samme | a estado garante para a 321 ga<br>Tanta de como estado estad<br>Tanta de como estado  | ing inggreet (e.g. color) grade (inggreet).<br>Salahan menangkan kenangkan kenangkan diangkan<br>Proposition diangkan salahan kenangkan diangkan kenangkan diangkan  | things the state of the                                  | a<br>Banda Samua a samuana ka  |