OMB No. 1660-0008 Expiration Date: November 30, 2022 **ELEVATION CERTIFICATE** IMPORTANT: In these spaces, copy the corresponding information from Section A. FOR INSURANCE COMPANY USE

mir ottratti in those opases, sopy the sorre	TON INCONANCE COM ANT COL					
Building Street Address (including Apt., Unit, Suit 13181 STEINHATCHEE LOOP	o. Policy Number:					
City	State	ZIP Code	Company NAIC Number			
VENICE	Florida	34293	(Managara) - (Mana			
		INFORMATION (OPTION	NAL)			
The local official who is authorized by law or ord Sections A, B, C (or E), and G of this Elevation	The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters.					
G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)						
G2. A community official completed Section or Zone AO.	on E for a building lo	cated in Zone A (without a	FEMA-issued or community-issued BFE)			
G3. The following information (Items G4–C	G10) is provided for	community floodplain man	agement purposes.			
G4. Permit Number	G5. Date Permit Is	sued	G6. Date Certificate of			
21-106041 BI			Compliance/Occupancy Issued			
G7. This permit has been issued for:	New Construction [Substantial Improveme	nt			
G8. Elevation of as-built lowest floor (including basement)						
G9. BFE or (in Zone AO) depth of flooding at the	ne building site:		feet meters Datum			
G10. Community's design flood elevation:			feet meters Datum			
Local Official's Name		Title				
Community Name		Telephone				
Signature Date						
Comments (including type of equipment and location, per C2(e), if applicable)						
			Check here if attachments.			

U.S. DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2022

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION				FOR INSUI	RANCE COMPANY USE		
A1. Building Owner's Name				Policy Num	ber:		
		OF SARASOTA, LLC					
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Company NAIC Number:					IAIC Number:		
13181 STEINHATO	CHEE LOOP						
City VENICE	•				ZIP Code 34293		
A3. Property Desc	ription (Lot a	nd Block Numbers, Ta	x Parcel	Number, Le	gal Description, etc	C.)	
LOT 817, GRAND	PALM, PHA	SES 2A(d) AND 2A(e)	PLAT B	OOK 54, PA	GE 97, PID #0760	070085	
A4. Building Use (A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) RESIDENTIAL						
A5. Latitude/Longi	tude: Lat. 2	7°04'05.92"N	Long. 8	2°19'25.15"V	/ Horizonta	Datum: NAD	1927 🗷 NAD 1983
A6. Attach at least	2 photograp	hs of the building if the	e Certific	ate is being ι	ised to obtain floor	d insurance.	
A7. Building Diagra	am Number	1A					
A8. For a building	with a crawls	pace or enclosure(s):					
a) Square foo	tage of crawl	space or enclosure(s)			N/A sq ft		
b) Number of p	permanent flo	ood openings in the cr	awlspace	e or enclosure	e(s) within 1.0 foot	above adjacent gra	ade <u>N/A</u>
c) Total net ar	ea of flood o	penings in A8.b		N/A sqir	1		
d) Engineered	flood openir	igs? Yes 🗷 N	10				
A9. For a building v	vith an attach	ned garage:					
a) Square foot	age of attach	ed garage		451.00 sq ft			
b) Number of p	permanent flo	ood openings in the at	tached g	arage within	1.0 foot above adj	acent grade N/A	
c) Total net are	ea of flood op	penings in A9.b		N/A sq	in		
d) Engineered	flood openin	gs? Yes 🗷	10				
			 				
	SE	CTION B - FLOOD	INSURA	NCE RATE	MAP (FIRM) INF	ORMATION	T
B1. NFIP Community Name & Community Number			B2. County Name		B3. State		
SARASOTA COU	NTY 125144		,	SARASOT	A COUNTY		Florida
B4. Map/Panel Number	B5. Suffix	B6. FIRM Index Date	Effe	RM Panel ective/ vised Date	B8. Flood Zone(s)	B9. Base Flood E (Zone AO, us	ilevation(s) e Base Flood Depth)
12115C0355	F	11-04-2016	11-04-	2016	AE	7	
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9:							
☐ FIS Profile 🕱 FIRM ☐ Community Determined ☐ Other/Source:							
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 X NAVD 1988 Other/Source:							
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? 🗌 Yes 🕱 No							
Designation Date: CBRS DPA							

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding	FOR INSURANCE COMPANY USE					
Building Street Address (including Apt., Unit, Suite, and/or 13181 STEINHATCHEE LOOP	Policy Number:					
City State VENICE Flori		Code 93	Company NAIC Number			
SECTION C – BUILDING ELE	VATION INFORMAT	ION (SURVEY RE	EQUIRED)			
C1. Building elevations are based on: Construction	C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction					
*A new Elevation Certificate will be required when co		-	AE AB/A1_A30 AB/AH AB/AO			
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. Benchmark Utilized: NGS B 699 Vertical Datum: NAVD 1988						
Indicate elevation datum used for the elevations in ite						
☐ NGVD 1929 🗷 NAVD 1988 ☐ Other/S	, - ,	•••				
Datum used for building elevations must be the same		FE.				
-			Check the measurement used.			
 a) Top of bottom floor (including basement, crawlspa 	ace, or enclosure floor)		10.8 x feet meters			
b) Top of the next higher floor			N/A feet meters			
c) Bottom of the lowest horizontal structural member	(V Zones only)		N/A feet meters			
d) Attached garage (top of slab)			10.4 X feet meters			
e) Lowest elevation of machinery or equipment services (Describe type of equipment and location in Committee (Describe type of equipment)	icing the building nents)		10.4 🗷 feet 🗌 meters			
f) Lowest adjacent (finished) grade next to building	(LAG)		10.1 x feet meters			
g) Highest adjacent (finished) grade next to building			10.4 🗷 feet 🗌 meters			
h) Lowest adjacent grade at lowest elevation of decl			N/A feet meters			
Structural support						
SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.						
Were latitude and longitude in Section A provided by a lic			Check here if attachments.			
Certifier's Name	License Number					
MICHAEL P ALLEN	PSM6822					
Title						
OWNER			Placy			
Company Name BRIGHAM/ALLEN LAND SURVEYING			Place Mere 11-22-21			
Address			Horo			
303 S. TAMIAMI TRAIL, SUITE E			nere			
City	State	ZIP Code	1 11-22-61			
NOKOMIS	Florida	34275				
Signature Million	Date 11-22-2021	Telephone (941) 493-4430	Ext.			
Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.						
Comments (including type of equipment and location, per C2(e), if applicable)						
A5 SOURCE OF LAT/LONG IS HAND HELD GPS USING A CONVERSION APP (GPS TEST). C2 BENCHMARK 9.16' NAVD88 CONVERTED TO 10.27' NGVD29 USING 1.11' CONVERSION FACTOR AS PER VERTCON SOFTWARE FROM NOAA. C2(a-h) ELEVATIONS CONVERTED FROM NGVD29 TO NAVD88 USING THE ABOVE CONVERSION FACTOR. C2(e) AC UNIT LOCATED ON THE LEFT SIDE OF HOUSE (NORTHWEST SIDE).						

POR ESCURANCE COUPERINGED POR PARTY DOE	MPDRI velt i In tous a apaces, copy ha bas expensing interention from the Content. Building SuperAddiges (including Apt., Units come, and or bing 1 or) or P.C., Roure and Burk Mc.					
1 		raginamin mendiran indigabah dan rejajudi ini ini ini ini ini ini ini ini ini i	900	1318) STEINHATCHELL		
Company LEVO Number	ebru 985	ยน์ เพาะ		With the second		
The substitution of the substitution and the substitution of the s	49048	tarenia.		HIWAY		
(GBMUC)	er versel ecland	MA COREVATION MECON	Section C - Briton	in an anti-color confidence of the color colors of the color colors and the color colors of the colors of the color colors of the color colors of the colors of the colors of the color colors of the colo		
don' [2] Redshed Construction [3]	Baliding Under Constru	astroidan Otavelegs" - [[]	re based on 🗓 Con	C1. Building elevations a		
	.600 នូវបានបន្តអស់ ៤	d althornol anteges nade	rifficate will be required:	'A new Bicyation Co		
YELARAN ARAN ARANG. Tido only, enlet meser	VAA, AMAL OA (1718 1) Mer ^a ol VA callaroal	: BEB), VH, Nim VSO, Vim Incibiliting a lijic a spilor	AT-AJO. AB AM, America A-h Leiov accompostr	C2. Elevations - Zones / Dompt to Rema C3.		
	े <u>किस्त</u> है। दिन देशे जाणी	sG traine'r	NGS 8 899	Benchmark Utilizadi		
	V/010 6	(वे बहुम्बर १ (क स्टबर), वा स्वट	atevale edinol : ออก เลเส	ab reibevois einoibni		
	————————————————————————————————————		[] S\$ut @VAM [ii] ei			
bere taoaienuassm ati ≭∋st≎	.2Fe-3 •#*	. १०१ इन्हरू हुन्ती का नगरह हुन्	il oddie się odawała gril	Datum used for build		
10.5 (2) fact [] more	Cioul	. คระสุดกระสุด (คระสุดกระยาย	เกาะสานของโดยได้เกาะเกิดเกาะเกิดได้เกาะเกิดได้เกาะเกิดได้เกาะเกิดได้เกาะเกิดได้เกาะเกิดได้เกาะเกิดได้เกาะเกิดไ	icii sedac ie cali ur		
MA (3 test (3 movers		•		n Ban ett solc V (d		
stolem [] teelAV			•			
		menchar (V Zunius otto)		•		
अस्तिकार 📑 । इन्ने हिं 💯 📆			(अंदर्श को दांची)	d) Attached garage		
The meters (2) was (3) and		<mark>ant ga</mark> rvei ng His beluger. 19. Bonnochiks	et machinen, c'hageann egyphiant enddauz voir	node reveal pe lu equi odenes(I)		
101 [7] left [7] inchiers		buirt ng (LAG)	for and obary (beneate	In Out and Indiana in the		
राजनात : :-स 🕄 <u>१</u> ५४।		(DAH) jedi nad	l artizen epara (b ed roat).	the this being it (g		
MA () fuel () metters	ş)!	n of deak or stairs, valudi.		(Bandelos rea <mark>w</mark> ort (a Bangos Poetares		
TRAFTA.	ARCHIC SOT CENTIFIE	eyor, ekgenser or	Contract to the second			
laci to constraidavando Informition. Jie. Eundo dassit that any fetso	i nie go i tradicio seatel Secreto 1001.	necents alphaes alouse to nach under 12 (18. Conc	noshqui ce mayoch noshqui ce mayoch	មន្ត្រាយ មួយ មួយ មួយ មួយ មួយ មួយ មួយ មួយ មួយ មួ		
salgenutorabe if equitation to []	OM LL SEY EAS THE	a by is alcomodic to reformive	es <mark>biyorg A</mark> is PosiC ni 2b	udgaci ona abuntsi etsWii		
	Market and Market and Company of Market and Company	Litrone Masset		SimaMilifettinoC		
11/1/2	ermen al 1750 parlimente de 1860.	Tarabas and the same and the sa	The state of the s	e4.T		
				NBN/AD		
			entre serie (i.). The series of the series	Company Name		
			SURVEYING (SIZE LIBILIANIA LIBIT COLO		
	t to the transfer state of the second	. The second of	the site of transfer increases of the consequence on a consequence of the consequence of	Adaress		
			SUITEE	- 305 S. TANIAM! TRAIL.		
	260 SE	ઝકાઉ	The state of the s	V:O		
	3477 5	$\mathfrak{sor}_{\mathbb{R}^{2}}$		NOROMIS		
Ex.	er stigole? Sub-sub-(1 MS)	655 0 - 1000-85-11		Significa		
1989 of the control of (D) the system to Maega sensor as (D) the interplace (but 1) of deep counts to be a secured activated and to be see the control of th						
Character frolloging rope of encipinged and facellon par Control applicable."						
AS SOURCE OF LATRONG HERAND RELECTS UCHEON CONVERSION ARE GUS TEST) 02 BENCHWAITE OF MAYOUR CONVERTED TO 16 27 NOVE29 USING 16 CONVERSION FACTOR AS PER SENION CONVERSION FACTOR AS PER SENION						
ACETWARE HEADED AND ACCOUNT OF THE WORLD FOR A WAY AND A COUNTY OF THE CONTROL AND ACCOUNTY OF THE						
COLLEG BLEVATORIA (ODE PEROTRO BROWNESCOE) TO MEMORE CHEEK SERVE COLLYESCOM FACTORIA CRASH AC UND LOCATED ON THE LEFT SIDE OF POUSE (MORTH CHORSES).						

OMB No. 1660-0008 **ELEVATION CERTIFICATE** Expiration Date: November 30, 2022 IMPORTANT: In these spaces, copy the corresponding information from Section A. FOR INSURANCE COMPANY USE Building Street Address (including Apt., Unit, Suite, and/or Bldg, No.) or P.O. Route and Box No. Policy Number: 13181 STEINHATCHEE LOOP Company NAIC Number City State ZIP Code **VENICE** Florida 34293 SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawlspace, or enclosure) is feet meters above or below the HAG. b) Top of bottom floor (including basement. above or below the LAG. crawlspace, or enclosure) is feet meters E2. For Building Diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 1-2 of Instructions), the next higher floor (elevation C2.b in above or below the HAG. feet meters the diagrams) of the building is above or below the HAG. E3. Attached garage (top of slab) is feet meters E4. Top of platform of machinery and/or equipment feet meters above or below the HAG. servicing the building is E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? 🔲 Yes 🦳 No 🦳 Unknown. The local official must certify this information in Section G. SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge. Property Owner or Owner's Authorized Representative's Name City State ZIP Code **Address** Date Telephone Signature Comments

Form Page 3 of 6

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008

Expiration Date: November 30, 2022

IMPORTANT: In these spaces, co	FOR INSURANCE COMPANY USE		
Building Street Address (including A 13181 STEINHATCHEE LOOP	Policy Number:		
City	State	ZIP Code	Company NAIC Number
VENICE	Florida	34293	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



FRONT 11/19/2021 (SOUTHWEST SIDE) Photo One Caption

Clear Photo One



Photo Two Caption REAR 11/19/2021 (NORTHEAST SIDE) Clear Photo Two

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the co	FOR INSURANCE COMPANY USE					
Building Street Address (including Apt., Unit,	Policy Number:					
13181 STEINHATCHEE LOOP	Foncy (variber.					
City	State	ZIP Code	Company NAIC Number			
VENICE	Florida	34293	Company NAIC Number			
If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.						
	Photo T	'hree				
	Photo Th	ree				
Photo Three Caption			Clear Photo Three			
	Photo l	Four				
	Ober 5	NIE.				
Photo Four Caption	Photo Fo	/UI	Clear Photo Four			