9N07773

ELEVATION CERTIFICATE

O.M.B. No. 3067-007/ Expires July 31, 1999

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide ation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

	The state of the s				AND THE RESIDENCE OF THE PARTY	
		FOR INSURANCE COMPANY USE				
BUILDING OWNER'S NAME					POLICY NUMBER	
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER 3901 BAHLA VISTA					COMPANY NAIC NUMBER	
OTHER DESCRIPTION (Lot and E		AHIA VIST	A ESTATES			
SARASOTA				STATE FL.	ZIP CODE 34232	
	SECTION B FI	LOOD INSURA	ANCE RATE MAP (FIRM)	INFORMATION	١	
Provide the following from the	he proper FIRM (See	Instructions):				
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX SEPT. 3, 1992	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)	
8. For Zones A or V, where	no BFE is provided of	n the FIRM, a	ase Flood Elevations (BFI nd the community has est FIRM datum—see Section	ablished a BFE	9 Other (describe on back) for this building site, indicate	
	SECTION	ON C BUILD	ING ELEVATION INFOR	MATION		
of 1.7.3 fee (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below (check one)	et NGVD (or other FIF VE, and V (with BFE) is at an elevation of L BFE). The floor use the highest grade a	RM datum—see The bottom d as the refered djacent to the I	Section B, Item 7). of the lowest horizontal st feet NGVD (or other FIF ence level from the selecte building.	ructural member RM datum-sees ad diagram is	⊥ . ifeet above or	
one) the highest grade level) elevated in acco 3. Indicate the elevation da under Comments on Pag	e adjacent to the build ordance with the com- tum system used in c ge 2). (NOTE: If the B, Item 7], then conve its on Page 2.)	ling. If no floo munity's floodp letermining the elevation datu ert the elevation	d depth number is available of the depth number is available of the depth of the depth of the depth of the deturn system of the deturn	evations: No elevations is diffused on the FIR	GVD '29 COther (describe	
5. The reference level eleva (NOTE: Use of construc	ation is based on: X stion drawings is only nly be valid for the bu	actual construence valid if the building during t	ruction construction of	drawings ne reference lev	rel floor in place, in which uction Elevation Certificate	
6. The elevation of the lower Section B, Item 7).	est grade immediatel	y adjacent to the	he building is: 13	i. 8 feet NGV	D (or other FIRM datum-see	
	S	ECTION D	COMMUNITY INFORMAT	ION		
is not the "lowest floor" a	as defined in the com ordinance is:	munity's flood	plain management ordina NGVD (or other FIRM da	nce, the elevation	I indicated in Section C, Item 1 on of the building's "lowest on B, Item 7).	
FEMA Form 81-31, MAR 9	97 REPLACES	ALL PREVIOUS	EDMONS	SEE	REVERSE SIDE FOR CONTINUATION	

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or A	LICENSE NUMBER (or Affix Seal)				
Dennis R. Hoover	4419					
TITLE	COMPANY NAME					
Register Land_Surveyor	Bishop & Associ	ates STATE ZIP				
ADDRESS	CITY					
78 Sarasoma Center Blvd.	Sarasota	F1. 34240				
SIGNATURE	- 13/5/99 DATE	PHONE (941) 371-6362				
	for: 1) community official, 2) insurance age	nt/company, and 3) building owner.				
COMMENTS: MOBILE HOME O	N CONCRETE BLOCKS					
COMMICTOR STATE OF THE STATE OF						
	OFF	-ICH COPY				
	Not	To Be Removed				
· · · · · · · · · · · · · · · · · · ·	112.13.14.15.16 AND PRO	A COUNTY CONSTRUCTION OPERTY STANDARDS DEPT				
The same of the same	A					
ON	Recommend	ON PILES,				
SLAB	Recommend	PIERS, OR COLUMNS				
A V	Recessions Construction Properties	ZONES ZONES VII				
ZONES ZONES	Proper Bones	EFERENCE REFERENCE				
REFERENCE	BASE	LEVEL				
LEVEL	ELEVATION					
		BASE				
BASE FLOOD	ADJACENT REFERENCE LEVEL	ELEVATION				
ELEVATION REFERENCE ADJACEM	T - T	M				
	55					
2		ADJACENT GRADE				
		Power-LIA page Spring programmer, and the second				

The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

Elevations for all A Zones should be measured at the top of the reference level floor.