### **ELEVATION CERTIFICATE**

Important: Read the instructions on pages 1–9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

					NSURANCE COMPANY USE		
A1. Building Owner's Name TAYLOR MORRISON Poli					Policy	Number:	
3900 WAYPOINT AVENUE					Comp	any NAIC Number:	
City OSPREY			State FL		de 34229		
	A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) LOT 39, BAYSIDE SUBDIVISION						
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) RESIDENTIAL         A5. Latitude/Longitude: Lat. N27.1831° Long. W82.4905° Horizontal Datum: □ NAD 1927 ⊠ NAD 1983         A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.         A7. Building Diagram Number 1         A8. For a building with a crawlspace or enclosure(s):       A9. For a building with an attached garage:         a) Square footage of crawlspace or enclosure(s)       NA sq ft       a) Square footage of attached garage 462 sq ft         b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade       NA       sq in         c) Total net area of flood openings:       NA       sq in       c) Total net area of flood openings:       NA       sq in         d) Engineered flood openings?       Yes       No       M       sq in       c) Total net area of flood openings:       Yes       No					arage <u>462</u> sq ft openings in the attached garage it grade <u>NA</u> ngs in A9.b <u>NA</u> sq in		
	SECT	TION B – FLOOD	INSURANCE	RATE MAP (	FIRM) INFORMAT	ION	
B1. NFIP Community Name SARASOTA COUNTY 1251		lumber	B2. County Nan SARASOTA	ne		B3. St FLOR	
B4. Map/Panel Number 125144 0236	B5. Suffix D	B6. FIRM Index E 9/3/92		FIRM Panel e/Revised Dat 5/1/84	e B8. Flood Zone(s) A12	B9	Base Flood Elevation(s) (Zone AO, use base flood depth) EL.11
<ul> <li>B10. Indicate the source of t</li> <li>FIS Profile</li> <li>B11. Indicate elevation datu</li> <li>B12. Is the building located i</li> <li>Designation Date:</li> </ul>	☐ FIRM m used for BFE i	Community Det	ermined [ /D 1929 [	Other/Sour	ce: 3		🗌 Yes 🛛 No
SECTION C – BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)							
	SECTIO	N C – BUILDING	_	_	N (SURVEY REQ	UIRED)	
*A new Elevation Certific	based on: cate will be requir A30, AE, AH, A ( building diagram <u>AT BENCH MAR</u> n used for the ele	Construction Dr red when constructi (with BFE), VE, V1– specified in Item A7 K evations in items a) t	ELEVATION II awings* on of the building V30, V (with BFE . In Puerto Rico o Vertical Datur through h) below.	■ NFORMATIO S Building U is complete. ), AR, AR/A, A only, enter met n: <u>NGVD1928</u> ⊠ NGVD 192	Inder Construction* R/AE, AR/A1–A30, A ers.	AR/AH, AF	Finished Construction R/AO. Complete Items C2.a-h
*A new Elevation Certific C2. Elevations – Zones A1–, below according to the b Benchmark Utilized: <u>PL/</u> Indicate elevation datum Datum used for building	based on: cate will be requir A30, AE, AH, A ( building diagram <u>AT BENCH MAR</u> n used for the ele elevations must	Construction Dr red when constructi (with BFE), VE, V1– specified in Item A7 <u>K</u> evations in items a) t be the same as tha	ELEVATION II rawings* on of the building V30, V (with BFE 2. In Puerto Rico of Vertical Datur through h) below. t used for the BF	■ <b>NFORMATIO</b> Scomplete. ), AR, AR/A, A only, enter met NGVD1925 MNGVD 192 E.	Inder Construction* R/AE, AR/A1–A30, A ers. 29 □ NAVD 1988 □ Ch	AR/AH, AF	R/AO. Complete Items C2.a–h ource: easurement used.
<ul> <li>C2. Elevations – Zones A1–, below according to the b Benchmark Utilized: <u>PL/</u>Indicate elevation datum Datum used for building</li> <li>a) Top of bottom floor (ir</li> </ul>	based on: cate will be required A30, AE, AH, A ( building diagram AT BENCH MAR in used for the ele elevations must including baseme	Construction Dr red when constructi (with BFE), VE, V1– specified in Item A7 <u>K</u> evations in items a) t be the same as tha	ELEVATION II rawings* on of the building V30, V (with BFE 2. In Puerto Rico of Vertical Datur through h) below. t used for the BF	■ <b>NFORMATIO</b> Scomplete. ), AR, AR/A, A only, enter met NGVD1925 MNGVD 192 E.	Inder Construction* R/AE, AR/A1–A30, A ers. 2 29 □ NAVD 1988 □	AR/AH, AF	R/AO. Complete Items C2.a-h ource: easurement used. .t meters
<ul> <li>*A new Elevation Certific</li> <li>C2. Elevations – Zones A1–, below according to the b Benchmark Utilized: <u>PL/</u>Indicate elevation datum Datum used for building</li> <li>a) Top of bottom floor (ir b) Top of the next higher</li> <li>c) Bottom of the lowest h</li> <li>d) Attached garage (top</li> </ul>	based on: cate will be required A30, AE, AH, A ( building diagram AT BENCH MAR in used for the electrone electrons must including baseme including baseme r floor horizontal structut of slab)	Construction Dr red when construction (with BFE), VE, V1– specified in Item A7 K evations in items a) the be the same as that int, crawlspace, or e ural member (V Zone	ELEVATION II rawings* on of the building V30, V (with BFE '. In Puerto Rico of Vertical Datur through h) below. t used for the BF nclosure floor) es only)	■ NFORMATIO is complete. ), AR, AR/A, A only, enter met n: <u>NGVD1929</u> ⊠ NGVD 192 E.	Inder Construction* R/AE, AR/A1–A30, A ers. 29 □ NAVD 1988 □ Ch	AR/AH, AF	R/AO. Complete Items C2.a–h ource: easurement used. tt meters tt meters tt meters tt meters tt meters
<ul> <li>*A new Elevation Certific</li> <li>C2. Elevations – Zones A1–, below according to the b</li> <li>Benchmark Utilized: <u>PL/</u>Indicate elevation datum</li> <li>Datum used for building</li> <li>a) Top of bottom floor (ir</li> <li>b) Top of the next higher</li> <li>c) Bottom of the lowest h</li> </ul>	based on: cate will be required A30, AE, AH, A ( building diagram <u>AT BENCH MAR</u> in used for the electron electrons must including baseme in floor horizontal structured of slab) inachinery or equired ipment and locat shed) grade next	Construction Dr red when construction (with BFE), VE, V1– specified in Item A7 <u>K</u> evations in items a) the be the same as tha int, crawlspace, or e ural member (V Zone pment servicing the tion in Comments) to building (LAG) to building (HAG)	ELEVATION II rawings* on of the building V30, V (with BFE . In Puerto Rico of Vertical Datur through h) below. t used for the BF nclosure floor) es only)	NFORMATIO Is Complete. ), AR, AR/A, A only, enter met n: <u>NGVD1926</u> ⊠ NGVD 192 E.	Inder Construction* IR/AE, AR/A1–A30, A ers. 29 □ NAVD 1988 E Ch 13.0 NA	AR/AH, AF Cother/So eck the m ⊠ fee □ fee □ fee	R/AO. Complete Items C2.a–h ource: easurement used. t
<ul> <li>*A new Elevation Certific</li> <li>C2. Elevations – Zones A1–, below according to the benchmark Utilized: <u>PL/</u>Indicate elevation datum Datum used for building</li> <li>a) Top of bottom floor (ir</li> <li>b) Top of the next higher</li> <li>c) Bottom of the lowest her</li> <li>d) Attached garage (top</li> <li>e) Lowest elevation of mu (Describe type of equi</li> <li>f) Lowest adjacent (finis</li> <li>g) Highest adjacent (finis</li> </ul>	based on: cate will be required A30, AE, AH, A ( building diagram <u>AT BENCH MAR</u> in used for the electron electrons must including baseme including baseme in floor horizontal structured of slab) nachinery or equired ipment and locat shed) grade next shed) grade next le at lowest eleval	Construction Dr red when construction (with BFE), VE, V1– specified in Item A7 <u>K</u> evations in items a) the be the same as tha int, crawlspace, or e ural member (V Zone pment servicing the tion in Comments) to building (LAG) to building (HAG) ation of deck or stair	ELEVATION II rawings* on of the building V30, V (with BFE '. In Puerto Rico of Vertical Datur through h) below. t used for the BF nclosure floor) es only) building	HFORMATIO     Some set of the set of t	Inder Construction* R/AE, AR/A1–A30, A ers. 29 □ NAVD 1988 □ 13.0 NA. 12.7 12.3 12.4	AR/AH, AF Other/So eck the m Gee fee fee fee fee fee fee fee fee	R/AO. Complete Items C2.a–h ource: easurement used. t
<ul> <li>*A new Elevation Certific</li> <li>C2. Elevations – Zones A1–, below according to the benchmark Utilized: <u>PL/</u>Indicate elevation datum Datum used for building</li> <li>a) Top of bottom floor (ir</li> <li>b) Top of the next higher</li> <li>c) Bottom of the lowest F</li> <li>d) Attached garage (top</li> <li>e) Lowest elevation of m</li> <li>(Describe type of equif)</li> <li>Lowest adjacent (finis</li> <li>g) Highest adjacent grad</li> </ul> This certification is to be sig information. <i>I certify that the I understand that any falses</i>	pased on: cate will be required A30, AE, AH, A ( puilding diagram <u>AT BENCH MAR</u> in used for the ele- elevations must including baseme r floor horizontal structured of slab) machinery or equired ipment and locat shed) grade next shed) grade nex	Construction Dr red when construction (with BFE), VE, V1– specified in Item A7 <u>K</u> evations in items a) the be the same as that nt, crawlspace, or e ural member (V Zone pment servicing the ion in Comments) to building (LAG) to building (LAG) to building (HAG) ation of deck or stair <b>DN D – SURVEYC</b> by a land surveyor, this Certificate repre- te punishable by fine	ELEVATION II rawings* on of the building V30, V (with BFE 2. In Puerto Rico of Vertical Datur through h) below. t used for the BF nclosure floor) es only) building s, including struc <b>DR, ENGINEER</b> engineer, or arch sents my best effe e or imprisonmen	TFORMATIO S Building U is complete. ), AR, AR/A, A Anly, enter met m: NGVD1929 ⊠ NGVD 1929 E. tural support , OR ARCHI itect authorized forts to interpret turder 18 U.S nd longitude in urveyor?	Inder Construction*         R/AE, AR/A1–A30, A         ers.         29       NAVD 1988         29       NAVD 1988         13.0	AR/AH, AF Other/So eck the m Geck the m	R/AO. Complete Items C2.a–h  ource: easurement used.  tt meters
<ul> <li>*A new Elevation Certific</li> <li>C2. Elevations – Zones A1–, below according to the b Benchmark Utilized: PL/ Indicate elevation datum Datum used for building</li> <li>a) Top of bottom floor (ir b) Top of the next higher</li> <li>c) Bottom of the lowest h</li> <li>d) Attached garage (top</li> <li>e) Lowest elevation of m</li> <li>(Describe type of equ</li> <li>f) Lowest adjacent (finis</li> <li>g) Highest adjacent (finis</li> <li>h) Lowest adjacent grad</li> </ul> This certification is to be sig information. <i>I certify that the I understand that any falses</i> Certifier's Name VAN S. BR	pased on: cate will be required A30, AE, AH, A ( puilding diagram <u>AT BENCH MAR</u> in used for the ele- elevations must including baseme r floor horizontal structured of slab) machinery or equired ipment and locat shed) grade next shed) grade nex	Construction Dr red when construction (with BFE), VE, V1– specified in Item A7 <u>K</u> evations in items a) the be the same as that int, crawlspace, or e ural member (V Zone pment servicing the tion in Comments) to building (LAG) to building (LAG) to building (HAG) ation of deck or stair <b>DN D – SURVEYC</b> by a land surveyor, this Certificate represe the punishable by fine on back of form.	ELEVATION II rawings* on of the building V30, V (with BFE '. In Puerto Rico of Vertical Datur through h) below. t used for the BF nclosure floor) es only) building s, including struc <b>DR, ENGINEER</b> engineer, or arch sents my best effe or imprisonmen Were latitude a licensed land su	TFORMATIO Some series of the	Inder Construction*  R/AE, AR/A1–A30, A ers.  29 □ NAVD 1988 □ 13.0 13.0 12.7 12.7 12.3 12.4 NA. TECT CERTIFICA d by law to certify ele to the data available. Code, Section 1007 Section A provided I Yes □ No Der PLS#4978	AR/AH, AF Other/So eck the m Geck the m	R/AO. Complete Items C2.a–h  ource: easurement used.  tt meters
<ul> <li>*A new Elevation Certific</li> <li>C2. Elevations – Zones A1–, below according to the benchmark Utilized: <u>PL/</u>Indicate elevation datum Datum used for building</li> <li>a) Top of bottom floor (ir</li> <li>b) Top of the next higher</li> <li>c) Bottom of the lowest F</li> <li>d) Attached garage (top</li> <li>e) Lowest elevation of m</li> <li>(Describe type of equif)</li> <li>Lowest adjacent (finis</li> <li>g) Highest adjacent grad</li> </ul> This certification is to be sig information. <i>I certify that the I understand that any falses</i>	based on: cate will be required A30, AE, AH, A ( puilding diagram AT BENCH MAR a used for the electronic sector a normalized for the electronic sector a no	Construction Dr red when construction (with BFE), VE, V1– specified in Item A7 <u>K</u> evations in items a) the be the same as that nt, crawlspace, or e ural member (V Zone pment servicing the ion in Comments) to building (LAG) to building (LAG) to building (HAG) ation of deck or stair <b>DN D – SURVEYC</b> by a land surveyor, this Certificate repre- te punishable by fine	ELEVATION II rawings* on of the building V30, V (with BFE '. In Puerto Rico of Vertical Datur through h) below. t used for the BF nclosure floor) es only) building s, including struc <b>DR, ENGINEER</b> engineer, or arch sents my best eff e or imprisonmen Were latitude a licensed land su	The second secon	Inder Construction*  R/AE, AR/A1–A30, A ers.  29 □ NAVD 1988 □ 13.0 13.0 12.7 12.7 12.3 12.4 NA. TECT CERTIFICA d by law to certify ele to the data available. Code, Section 1007 Section A provided I Yes □ No Der PLS#4978	AR/AH, AF Other/So eck the m Geck the m	R/AO. Complete Items C2.a–h  ource: easurement used.  tt meters

L

#### **ELEVATION CERTIFICATE, page 2**

IMPORTANT: In these spaces, copy the correspond	FOR INSURANCE COMPANY USE			
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.			Policy Number:	
City	State	ZIP Code		Company NAIC Number:

#### SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

Comments

Signature

Date

#### SECTION E – BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)

For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.

E1.	Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).
	a) Top of bottom floor (including basement, crawlspace, or enclosure) is 🗍 feet 🗌 meters 🗋 above or 🗋 below the HAG.
	b) Top of bottom floor (including basement, crawlspace, or enclosure) is 🗍 feet 🗌 meters 🗋 above or 🗋 below the LAG.
E2.	For Building Diagrams 6–9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 8–9 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is
E3.	Attached garage (top of slab) is feet 🗌 meters 🗋 above or 🗌 below the HAG.
E4.	Top of platform of machinery and/or equipment servicing the building is feet 🔲 meters 🗌 above or 🗌 below the HAG.
E5.	Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management
	ordinance? 🔲 Yes 🔲 No 📋 Unknown. The local official must certify this information in Section G.

#### SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.

Property Owner's or Owner's Authorized Representative's Name

Address	City	State	ZIP Code
Signature	Date	Telephone	

Comments

Check here if attachments.

#### SECTION G - COMMUNITY INFORMATION (OPTIONAL)

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters.

G1. 🗌	The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who
	is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)

G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.

G3. The following information (Items G4–G10) is provided for community floodplain management purposes.

G4. Permit Number	G5. Date Permit Issued	G6. Date	Certificate Of C	ompliance/Occupancy Issued	
G7. This permit has been issued for:	New Construction Substantial I	· _			
G8. Elevation of as-built lowest floor (in	cluding basement) of the building:	_ feet	meters	Datum	
G9. BFE or (in Zone AO) depth of flood	ling at the building site:	_ feet	meters	Datum	
G10. Community's design flood elevation	n:	feet	meters	Datum	
Local Official's Name	Т	tle			
Community Name	Т	elephone			
Signature	C	ate			
Comments					
				Check here if attachr	ments

## Building Photographs See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corres	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.			Policy Number:
City	State	ZIP Code	Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.

# Building Photographs Continuation Page

IMPORTANT: In these spaces, copy the corresponding inform	FOR INSURANCE COMPANY USE			
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.C	Policy Number:			
City Sta	te ZIP Code	Company NAIC Number:		
If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable,				

photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.