## U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2018

# **ELEVATION CERTIFICATE**

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

						RANCE COMPANY USE
A1. Building Owner's Name Policy Number: STEPHEN D. BURKE					ber:	
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Company NAIC Number: 13405 WILD CITRUS ROAD					AIC Number:	
City SARASOTA	City State ZIP Code					
A3. Property Description (Lo LOT 56 CONTAINING 5.7 C				scription, etc.)		
A4. Building Use (e.g., Resid	dential, Non-Residential, A	ddition,	Accessory, etc.)	RESIDENTIAL		
A5. Latitude/Longitude: La	27° 18' 24 07.235" L	ong. 08	32° 18' 54.335"	Horizontal Datur	n: NAD 1	1927 🔀 NAD 1983
A6. Attach at least 2 photog	raphs of the building if the	Certific	ate is being used to	obtain flood insur	ance.	
A7. Building Diagram Numb	er <u>1B</u>					
A8. For a building with a cra	wispace or enclosure(s):					
a) Square footage of cr	awispace or enclosure(s)		0 sq ft			
b) Number of permaner	nt flood openings in the cra	wispac	e or enclosure(s) wi	ithin 1.0 foot above	e adjacent gr	ade0
c) Total net area of floo	d openings in A8.b0	s	q in			
d) Engineered flood ope	enings? 🗌 Yes 🗵 No	)				
A9. For a building with an at	A9. For a building with an attached garage:					
a) Square footage of at	tached garage658	;	sq ft			
b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade0						
c) Total net area of floo	d openings in A9.b	0	sq in			
d) Engineered flood openings?						
	SECTION B - FLOOD IN	ISURA	NCE RATE MAP	(FIRM) INFORMA	TION	
			B2. County Name Sarasota	me		B3. State Florida
B4. Map/Panel B5. Suf	fix B6. FIRM Index Date	B7. FIRM Panel B8. Flood Zone		B9. Base Flood Elevation(s) (Zone AO, use Base Flood Depth)		
12115C0180 F	11/04/2016		evised Date /2016	Α		SEE COMMENTS)
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9:  ☐ FIS Profile ☐ FIRM ☑ Community Determined ☐ Other/Source:						
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other/Source:						
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? 🔲 Yes 🔀 No						
Designation Date:		CBRS	☐ OPA			

# **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding	FOR INSURANCE COMPANY USE				
Building Street Address (including Apt., Unit, Suite, and/or 13405 WILD CITRUS ROAD	Policy Number:				
City State ZIP Code SARASOTA Florida 34240			Company NAIC Number		
SECTION C – BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)					
<ul> <li>C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction *A new Elevation Certificate will be required when construction of the building is complete.</li> <li>C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.</li> <li>Benchmark Utilized: FLDEP #B 693 2007 Vertical Datum: NAVD 1988</li> <li>Indicate elevation datum used for the elevations in items a) through h) below.</li> </ul>					
☐ NGVD 1929  ☐ NAVD 1988 ☐ Other/S  Datum used for building elevations must be the same		FE.			
<ul> <li>a) Top of bottom floor (including basement, crawlspan)</li> <li>b) Top of the next higher floor</li> <li>c) Bottom of the lowest horizontal structural members</li> <li>d) Attached garage (top of slab)</li> </ul>		38. 9 50. 3 N/A. 37. 9	Check the measurement used.		
e) Lowest elevation of machinery or equipment serv (Describe type of equipment and location in Common	ments)	38. 0 37. 4			
f) Lowest adjacent (finished) grade next to building		37. 7	X feet meters		
<ul> <li>g) Highest adjacent (finished) grade next to building</li> <li>h) Lowest adjacent grade at lowest elevation of decleast structural support</li> </ul>		N/A.	X feet meters		
SECTION D - SURVEYOR,	ENGINEER, OR ARC	HITECT CERTIF	ICATION		
This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.  Were latitude and longitude in Section A provided by a licensed land surveyor?					
Certifier's Name	License Number				
RANDALL E. BRITT  Title LAND SURVEYOR  Company Name BRITT SURVEYING, INC.  Address 606 CYPRESS AVENUE  City	#3979 State	ZIP Code	RANDALL E. BRITT, PLS FLORIDA CERTIFICATE #3979 DATE: 10 02 2018		
VENICE	Florida	34285			
Signature  Copy all pages of this Elevation Certificate and all attachment	Date 10/02/2018	Telephone (941) 493-1396	agent/company and (3) building owner		
Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.  Comments (including type of equipment and location, per C2(e), if applicable)  ***C2e). LOWEST ELEVATION OF MACHINERY = A/C UNIT LOCATED ON LEFT FRONT OF BUILDING - 38.0'.  ***BASE FLOOD ELEVATION FURNISHED BY SARASOTA COUNTY STORM WATER DEPT= 34.7' NAVD88 (SEE ATTACHED LETTER).					

છેલાં હામજ જાજ હોલો

San Several Co

**进入特别**或人类的。 20年

าร์องที่ (จ้า สมาราช ซุรีกรณะ เพลาจ ( ) เมื่อมากกระด้วยสิน จาก<mark>สถนะให</mark>ย่ es y foliacia ho can en gores in objet gerbande en

SERVICE A PERCENTION OF A CARE PARENTED MORNING CONTRACTOR

GOAVE - GOOR BEING

Side

。1986年 - 李紹介 1986年 - 1986年 -

POSTOCIAL PARTON MET MET NOT

a contro staniving so a

erananak basa

POWER CHARGE OF STREET

स्कृति है अनुविद्या (तारा ने

ala continui (L)

# **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the correspond	FOR INSURANCE COMPANY USE				
Building Street Address (including Apt., Unit, Suite, an 13405 WILD CITRUS ROAD	nd/or Bldg. No.) or			Policy Number:	
City SARASOTA	State Florida	ZIP ( 3424		Company NAIC Number	
SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)					
For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.					
E1. Provide elevation information for the following and the highest adjacent grade (HAG) and the lowest			es to show whethe	r the elevation is above or below	
a) Top of bottom floor (including basement, crawlspace, or enclosure) is			☐ feet ☐ mete	rs  above or  below the HAG.	
<ul> <li>b) Top of bottom floor (including basement, crawlspace, or enclosure) is</li> </ul>			☐ feet ☐ mete	rs above or below the LAG.	
E2. For Building Diagrams 6–9 with permanent flood	openings provide	d in Section	n A Items 8 and/or	9 (see pages 1–2 of Instructions),	
the next higher floor (elevation C2.b in the diagrams) of the building is			☐ feet ☐ meter	rs  above or below the HAG.	
E3. Attached garage (top of slab) is	<del></del>		☐ feet ☐ mete	rs above or below the HAG.	
E4. Top of platform of machinery and/or equipment servicing the building is			☐ feet ☐ mete	rs above or below the HAG.	
E5. Zone AO only: If no flood depth number is availated floodplain management ordinance? Yes					
SECTION F - PROPERTY OW	NER (OR OWNE	R'S REPR	(ESENTATIVE) C	ERTIFICATION	
The property owner or owner's authorized representat community-issued BFE) or Zone AO must sign here.	tive who complete	es Sections Sections /	A, B, and E for Zo A, B, and E are co	one A (without a FEMA-issued or meet to the best of my knowledge.	
Property Owner or Owner's Authorized Representative	e's Name				
Address		City	St	ate ZIP Code	
Signature		Date	Te	elephone	
Comments					
				:	

# **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A.		FOR INSURANCE COMPANY USE			
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box 13405 WILD CITRUS ROAD	No.	Policy Number:			
City State ZIP Code SARASOTA Florida 34240	(	Company NAIC Number			
SECTION G - COMMUNITY INFORMATION (OPTIO	SECTION G - COMMUNITY INFORMATION (OPTIONAL)				
The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters.					
G1. The information in Section C was taken from other documentation that has been s engineer, or architect who is authorized by law to certify elevation information. (Inc data in the Comments area below.)	dicate the	source and date of the elevation			
G2. A community official completed Section E for a building located in Zone A (without or Zone AO.	a FEMA-	issued or community-issued BFE)			
G3. The following information (Items G4–G10) is provided for community floodplain ma	anagemer	nt purposes.			
G4. Permit Number G5. Date Permit Issued		ate Certificate of mpliance/Occupancy Issued			
G7. This permit has been issued for: New Construction Substantial Improven	nent				
G8. Elevation of as-built lowest floor (including basement) of the building:	feet [	meters Datum			
G9. BFE or (in Zone AO) depth of flooding at the building site:	feet [	meters Datum			
G10. Community's design flood elevation:	feet [	meters Datum			
Local Official's Name Title					
Community Name Telephone					
Signature Date					
Comments (including type of equipment and location, per C2(e), if applicable)					
		Check here if attachments.			

### **BUILDING PHOTOGRAPHS**

# **ELEVATION CERTIFICATE**

See Instructions for Item A6.

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A.				FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 13405 WILD CITRUS ROAD				Policy Number:
City	8	State	ZIP Code	Company NAIC Number
SARASOTA		Florida	34240	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption FRONT AND RIGHT SIDE VIEW



Photo Two

Photo Two Caption REAR VIEW

### **BUILDING PHOTOGRAPHS**

## **ELEVATION CERTIFICATE**

Continuation Page

OMB No. 1660-0008

Expiration Date: November 30, 2018

IMPORTANT: In these spaces, co	FOR INSURANCE COMPANY USE		
Building Street Address (including A	Policy Number:		
City	State	ZIP Code	Company NAIC Number
SARASOTA	Florida	34240	

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo One

Photo One Caption LEFT SIDE VIEW

Photo Two

#### **Building Diagrams**


The following diagrams illustrate various types of buildings. Compare the features of the building being certified with the features shown in the diagrams and select the diagram most applicable. Enter the diagram number in Item A7, the square footage of crawlspace or enclosure(s) and the area of flood openings in square inches in Items A8.a–c, the square footage of attached garage and the area of flood openings in square inches in Items A9.a–c, and the elevations in Items C2.a–h.

In A zones, the floor elevation is taken at the top finished surface of the floor indicated; in V zones, the floor elevation is taken at the bottom of the lowest horizontal structural member (see drawing in instructions for Section C).

#### **DIAGRAM 1A**

All slab-on-grade single- and multiple-floor buildings (other than split-level) and high-rise buildings, either detached or row type (e.g., townhouses); with or without attached garage.


Distinguishing Feature – The bottom floor is at or above ground level (grade) on at least 1 side.\*



#### **DIAGRAM 1B**

All raised-slab-on-grade or slab-on-stem-wall-with-fill single- and multiple-floor buildings (other than split-level), either detached or row type (e.g., townhouses); with or without attached garage.


Distinguishing Feature – The bottom floor is at or above ground level (grade) on at least 1 side.\*



#### **DIAGRAM 2A**

All single- and multiple-floor buildings with basement (other than split-level) and high-rise buildings with basement, either detached or row type (e.g., townhouses); with or without attached garage.


Distinguishing Feature – The bottom floor (basement or underground garage) is below ground level (grade) on all sides.\*



#### **DIAGRAM 2B**

All single- and multiple-floor buildings with basement (other than split-level) and high-rise buildings with basement, either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor (basement or underground garage) is below ground level (grade) on all sides; most of the height of the walls is below ground level on all sides; and the door and area of egress are also below ground level on all sides.\*



<sup>\*</sup> A floor that is below ground level (grade) on all sides is considered a basement even if the floor is used for living purposes, or as an office, garage, workshop, etc.



July 27, 2017

Randall E. Britt, P.L.S. Britt Surveying, Inc. 606 Cypress Ave. Venice, FL 34285

Re:

Flood Zone Information for Lot 56 Oak Ford Phase 1, Wild Citrus Rd., Sarasota,

FL

Dear Mr. Britt:

On the effective NFIP Flood Insurance Rate Map (FIRM) the property located at Lot 56 Oak Ford Phase 1, Wild Citrus Road, Sarasota, Florida (PID 0559-12-0002) is located in FEMA FIRM flood zone A: 125144 panel 0180F, dated 11/04/2016. The Local Flood Study, ICPR model UM-HC-Restored\_050109.ICP node 187261 shows the 100yr 24hr flood stage is 34.7 NAVD.

This determination is based on the County's adopted Flood Insurance Rate Maps (FIRM) and the Sarasota County Local Flood Study. This letter does not imply the subject property will or will not be free from flooding or damage. A property not located in a Special Flood Hazard Area, or elevated to or above the BFE or 100-yr stage may be damaged by a flood greater than predicted by the applicable flood study or from a local drainage problem not indicated by applicable study. This letter does not create liability on the part of the County, or any officer or employee thereof, for any damage that results from reliance on this information. If you need any further clarification please call me at (941) 380-5029.

Sincerely,

Martin M. Duran, CFM Flood Risk Specialist

Planning & Development Services