U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2022

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1-9

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner,

SECTION A - PROPERTY INFORMATION					FOR INSU	JRANCE COMPANY USE			
A1. Building Owner's Name 1035 SSD, LLC						Policy Nur	nber		
A2. Building Stre Box No. 1035 Seaside Dr.						đ	Company	NAIC Number:	
City Sarasota		State Florida					ZIP Code 34242		
		and Block Numbers, 7 Idition, Lots 19 & 20 F			egal De	scription, e	etc.)		
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Residential / Condominium									
A5. Latitude/Long	gitude Lat	27.249235°	Long.	-82.535327°		Horizont	tal Datum	NAD	1927 X NAD 1983
A6. Attach at leas	st 2 photogra	phs of the building if the	ne Certifi	cate is being	used to	obtain flo	od insura	nce	
A7. Building Diag	ram Number	6							
A8. For a building	with a crawl	space or enclosure(s)	:						
a) Square fo	otage of crav	/Ispace or enclosure(s)		314.10) sq ft			
b) Number of	permanent f	lood openings in the c	rawispac	e or enclosu	re(s) wit	- hin 1.0 foo	ot above a	idjacent gr	ade 4
c) Total net a	rea of flood o	penings in A8 b		512.00 sq	in				
d) Engineere	d flood open	ngs? ⊠ Yes 🗌	No						
A9. For a building	with an attac	hed garage:							
	A9. For a building with an attached garage a) Square footage of attached garage NA 9.00 sq ft								
	_		tochod o			الأم منتظم		d= 000	N/A
		ood openings in the at				above adj	jacent gra	ide_u	V/A
		penings in A9.b	VIA	0.00 so	ın r				ľ
d) Engineered	flood openir	ıgs? ∐Yes ⊠ N	No						
	Si	CTION B - FLOOD	INSURA	NCE RATE	MAP (FIRM) INF	ORMAT	ON	
B1. NFIP Commun Sarasota County	-	Community Number		B2. County Sarasota	Name				B3. State Florida
B4. Map/Panel Number	B5. Suffix	B6. FIRM Index Date	Effe	tM Panel ective/ vised Date	B8. Fla Zone(s		B9. Bas (Zoi	se Flood El ne AO, use	evation(s) Base Flood Depth)
12115C0206F	F	11-04-2016	11-04-2		AE, VI	E	11', 12'		
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: [FIS Profile FIRM Community Determined Other/Source:									
B11. Indicate elevation datum used for BFE in Item B9. NGVD 1929 NAVD 1988 Other/Source;									
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes X No									
Designation Date: CBRS DPA									

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

				FOR INSURANCE COMPANY USE		
1035 Seaside Dr.				Policy Number:		
City Stat Sarasota Flor		Code 42	Company N	NAIC Number		
SECTION C - BUILDING ELI	EVATION INFORMA	TION (SURVEY RE	EQUIRED)			
*A new Elevation Certificate will be required when co	*A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO.					
Benchmark Utilized: NGS BM 17 84 A35 RM 2 (3.97') Vertical Datum: NAVD 1988 Indicate elevation datum used for the elevations in items a) through h) below. NGVD 1929 NAVD 1988 Other/Source: Datum used for building elevations must be the same as that used for the BFE. Check the measurement used.						
a) Top of bottom floor (including basement, crawlsp	ace, or enclosure floor)		feet meters		
b) Top of the next higher floor			15.3	feet meters		
c) Bottom of the lowest horizontal structural membe	r (V Zones only)		14.5	feet meters		
d) Attached garage (top of slab)			N/A 🗙	feet meters		
 e) Lowest elevation of machinery or equipment servages (Describe type of equipment and location in Com 	ricing the building ments)		N/A 🗵	feet meters		
f) Lowest adjacent (finished) grade next to building	(LAG)		4.4 X	feet meters		
g) Highest adjacent (finished) grade next to building	(HAG)		<u>5.5</u> 🔀	feet meters		
Lowest adjacent grade at lowest elevation of dec structural support	k or stairs, including		5.4 X	feet meters		
SECTION D – SURVEYOR,	ENGINEER, OR AR	CHITECT CERTIFI	CATION			
This certification is to be signed and sealed by a land sur I certify that the information on this Certificate represents statement may be punishable by fine or imprisonment un	my best efforts to inter	roret the data availa	law to certify ble. I unders	y elevation information. tand that any false		
Were latitude and longitude in Section A provided by a lic	ensed land surveyor?	⊠Yes □ No	⊠ Chec	k here if attachments.		
Certifier's Name Aaron V Levine	License Number LS 7011					
Title Surveyor & Mapper Company Name MSB Surveying, Inc.			A SO	Digitally signed by Aaron Levine		
Address 31 Sarasota Center Boulevard, Suite C	2022.03.10 1223:52 -05'00'					
City Sarasota	State Florida	ZIP Code 34240		05 00		
Signature (1)	Date 02-25-2022	Telephone (941) 341-9935	Ext. N/A			
Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.						
Comments (including type of equipment and location, per C2(e), if applicable) 6 level structure, level 1 & 2 used for parking and level 3-6 for living areas. A5. estimated from LABINS website. A8.a) - A8.d) based on 2 enclosures constructed at this date on ground level, used for stairwell/access to upper levels. Each enclosure contains 2 flood openings on opposite walls. C2.a) denotes the lowest finish floor used for parking. Elevated finish floor used for parking and lobby on ground level = 6.1'. C2.b) denotes 2nd level used for parking. 1st Living area finish floor = 23.6'. C2.c) denotes the lowest horizontal structural member for the 2nd level parking. Lowest horizontal structural member for the living area floors = 21.7'. No equipment or machinery services the structure at this date.						
NOTE: 1 attachment to this 6 page document for Building Diagram.						

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the correspon	FOR INSURANCE COMPANY USE					
Building Street Address (including Apt., Unit, Suite, a 1035 Seaside Dr.	Policy Number					
City Sarasota	State Florida	ZIP Code 34242	Company NAIC Number			
SECTION E – BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)						
For Zones AO and A (without BFE), complete Items E complete Sections A, B, and C. For Items E1–E4, use enter meters E1. Provide elevation information for the following an the highest adjacent grade (HAG) and the lowest a) Top of bottom floor (including basement, crawlspace, or enclosure) is b) Top of bottom floor (including basement, crawlspace, or enclosure) is E2. For Building Diagrams 6–9 with permanent flood the next higher floor (elevation C2.b in the diagrams) of the building is E3. Attached garage (top of slab) is E4. Top of platform of machinery and/or equipment servicing the building is E5. Zone AO only: If no flood depth number is availab floodplain management ordinance?	onatural grade, if available the appropriate adjacent grade (LA) openings provided in the ble, is the top of the ble.	isitable. Check the measurer isite boxes to show whether G). ——————————————————————————————————	r the elevation is above or below s			
SECTION F – PROPERTY OW The property owner or owner's authorized representati community-issued BFE) or Zone AO must sign here. T Property Owner or Owner's Authorized Representative Address	ive who completes S he statements in Se	ections A, B, and E for Zon ctions A, B, and E are corre	ne A (without a FEMA-issued or ect to the best of my knowledge.			
Signature	Date		ephone			
Comments						
			Check here if attachments			

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corre	FOR INS	URANCE COMPANY USE				
Building Street Address (including Apt., Unit, St 1035 Seaside Dr.	No. Policy No.	umber:				
City Sarasota	State Florida	ZIP Code 34242	Company	y NAIC Number		
SECTION	N G - COMMUNITY	INFORMATION (OPTIC	NAL)			
The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters.						
G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)						
G2. A community official completed Section Zone AO.	on E for a building loc	ated in Zone A (without	a FEMA-issued o	r community-issued BFE)		
G3. The following information (Items G4-	G10) is provided for o	ommunity floodplain ma	nagement purpos	es.		
G4. Permit Number	G5. Date Permit Iss	ued	G6. Date Certifi Compliance	cate of a/Occupancy Issued		
G7. This permit has been issued for:	New Construction] Substantial Improvem	ent			
G8. Elevation of as-built lowest floor (including of the building:	g basement)		feet meter	S Datum		
G9. BFE or (in Zone AO) depth of flooding at	the building site:		feet meter	S Datum		
G10. Community's design flood elevation:		<u>. </u>	feet meter	S Datum		
Local Official's Name		Title				
Community Name		Telephone				
Signature		Date				
Comments (including type of equipment and location, per C2(e), if applicable)						
		•				
				Check here if attachments.		

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008

Expiration Date: November 30, 2022

IMPORTANT: In these spaces,	FOR INSURANCE COMPANY USE Policy Number:		
Building Street Address (includi 1035 Seaside Dr.			
City	State	ZIP Code	Company NAIC Number
Sarasota	Florida	34242	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One Caption (02/25/2022) Front & Right Side View

Clear Photo One



Photo Two

Photo Two Caption (02/25/2022) Right Side and Partial Rear View

Clear Photo Two

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008

Expiration Date: November 30, 2022

IMPORTANT: In these spaces,	FOR INSURANCE COMPANY USE Policy Number:		
Building Street Address (including 1035 Seaside Dr.			
City	State	ZIP Code	Company NAIC Number
Sarasota	Florida	34242	

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo Three Caption (02/25/2022) Left Side & Partial Rear View

Clear Photo Three



Photo Four Caption (02/25/2022) Typical Enclosed Stairwell on Ground/Parking Level with Typical Flood Opening

Clear Photo Four

Photo Four

Building Diagrams

DIAGRAM 3

All split-level buildings that are slab-on-grade, either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor (excluding garage) is at or above ground level (grade) on at least 1 side.*




DIAGRAM 4

All split-level buildings (other than slab-on-grade), either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor (basement or underground garage) is below ground level (grade) on all sides.*




DIAGRAM 5

All buildings elevated on piers, posts, piles, columns, or parallel shear walls. No obstructions below the elevated floor.

Distinguishing Feature – For all zones, the area below the elevated floor is open, with no obstruction to flow of floodwaters (open lattice work and/or insect screening is permissible).





DIAGRAM 6

All buildings elevated on piers, posts, piles, columns, or parallel shear walls with full or partial enclosure below the elevated floor.

Distinguishing Feature – For all zones, the area below the elevated floor is enclosed, either partially or fully. In A Zones, the partially or fully enclosed area below the elevated floor is with or without openings** present in the walls of the enclosure. Indicate information about enclosure size and openings in Section A – Property Information.



- A floor that is below ground level (grade) on all sides is considered a basement even if the floor is used for living purposes, or as an office, garage, workshop, etc.
- ** An "opening" is a permanent opening that allows for the free passage of water automatically in both directions without human intervention.

 Under the NFIP, a minimum of 2 openings is required for enclosures or crawlspaces. The openings shall provide a total net area of not less than 1 square inch for every square foot of area enclosed, excluding any bars, louvers, or other covers of the opening. Alternatively, an Individual Engineered Flood Openings Certification or an Evaluation Report issued by the International Code Council Evaluation Service (ICC ES) must be submitted to document that the design of the openings will allow for the automatic equalization of hydrostatic flood forces on exterior walls. A window, a door, or a garage door is not considered an opening; openings may be installed in doors. Openings shall be on at least 2 sides of the enclosed area. If a building has more than 1 enclosed area, each area must have openings to allow floodwater to directly enter. The bottom of the openings must be no higher than 1.0 foot above the higher of the exterior or interior grade or floor immediately below the opening. For more guidance on openings, see NFIP-Technical Bulletin 1.