## RLWIT - 17 12-1248 00 Pl

U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

## **ELEVATION CERTIFICATE**

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008

Expiration Date: July 31, 2015

		CECT	ION A DDO	DEDTY INCODE	IATION I	rop No	UDANOT OOMBANGUO	
SECTION A - PROPERTY INFORMATION  A1. Ruilding Owner's Name, EDWARD, L.COLOMBO & LAURIE L.COLOMBO			ATION		URANCE COMPANY US	<u> </u>		
A1. Building Owner's Name EDWARD J. COLOMBO & LAURIE J. COLOMBO				Policy Nu	mper:			
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1872 BAYSHORE DRIVE			10.	Company	NAIC Number:			
City ENGLEWOOD	- anatos		State F	L ZIP Code 3	34223			
A3. Property Description (L LOT 922, ENGLEWOOD G			lumber, Legal D	escription, etc.)				
A4. Building Use (e.g., Res	sidential, Non-Res	sidential, Addition, A	(ccessory, etc.)	RESIDENTIAL				
A5. Latitude/Longitude: Lat								
A6. Attach at least 2 photog A7. Building Diagram Numi		lding if the Certificat	e is being used I	to obtain flood insu	irance.			
A7. Building Diagram Numb A8. For a building with a cre		osure(s):		A9. For a l	building with an atta	ched garas	ie:	
<ul> <li>a) Square footage of c</li> </ul>	crawlspace or end	closure(s)	1,725 sq ft	a) So	quare footage of atta	ched gara	ge <u>1,185</u> sq.ft	
<ul> <li>b) Number of permane or enclosure(s) with</li> </ul>			<u>11</u>		umber of permanent thin 1.0 foot above a		nings in the attached gara ade <u>6</u>	ge
c) Total net area of flo			2,200 sq in		tal net area of flood		<del>-</del>	
<ul> <li>d) Engineered flood or</li> </ul>	penings?	Yes No		d) Er	ngineered flood ope	nings?	Yes □ No	
	SECT	ION B – FLOOD	INSURANCE	RATE MAP (FIR	M) INFORMATIO	N		
B1. NFIP Community Name SARASOTA 125144	& Community N	umber	B2. County Nar SARASOTA (U	ne NINCORPORATEI	D)	B3. State FL		
B4. Map/Panel Number	B5. Suffix	B6. FIRM Index D	lata B7	FIRM Panel	B8. Flood	T BO B	nes Flood Flourisan(s) (7s	=
125144 0344	E E	9/3/1992		ve/Revised Date 9/3/1992	Zone(s)	Ba Ba	ase Flood Elevation(s) (Zo D, use base flood depth) 12 & 13 FEET	ne
B10. Indicate the source of t	he Base Flood E	levation (BFE) data	or base flood de					_
☐ FIS Profile		☐ Community Dete		Other/Source:				
B11. Indicate elevation datur	m used for BFE i	n Item B9: 🛛 NGV	'D 1929	☐ NAVD 1988	☐ Other/Source:			
B12. Is the building located i	in a Coastal Barri	ier Resources Syste			ected Area (OPA)?		☐ Yes 🗵 No	
Designation Date: N/A			☐ CBRS	☐ ÓPA				
	SECTION	N C – BUILDING	ELEVATION I		SURVEY REQUI	RED)	<u> </u>	
C1. Building elevations are b	pased on:	☐ Construction Dra	awings*	NFORMATION (		<u> </u>	ished Construction	
*A new Elevation Certific C2. Elevations – Zones A1–	pased on: cate will be requir A30, AE, AH, A (	Construction Draged when construction with BFE), VE, V1-V	awings* on of the building V30, V (with BFE	NFORMATION ( Building Under is complete. AR, AR/A, AR/A	er Construction*	⊠ Fin		1
*A new Elevation Certific	pased on: cate will be requir A30, AE, AH, A ( puilding diagram s	Construction Draged when construction with BFE), VE, V1-V	awings* on of the building V30, V (with BFE In Puerto Rico	NFORMATION ( Building Under is complete. AR, AR/A, AR/A	er Construction* AE, AR/A1-A30, AR/	⊠ Fin		h
*A new Elevation Certific C2. Elevations – Zones A1–, below according to the b Benchmark Utilized: PL/ Indicate elevation datum	pased on: cate will be requir A30, AE, AH, A ( puilding diagram s AT BM n used for the ele	Construction Drawled when construction with BFE), VE, V1- specified in Item A7. vations in items a) ti	awings* on of the building V30, V (with BFE In Puerto Rico Vertical Datu hrough h) below	NFORMATION ( □ Building Under the sist complete. E), AR, AR/A, AR/A only, enter meters. m: N.G.V.D. 1929 □ ☑ NGVD 1929	er Construction* AE, AR/A1-A30, AR	⊠ Fin /AH, AR/A(	O. Complete Items C2.a-I	h
*A new Elevation Certific C2. Elevations – Zones A1–, below according to the b Benchmark Utilized: PLF	pased on: cate will be requir A30, AE, AH, A ( puilding diagram s AT BM n used for the ele	Construction Drawled when construction with BFE), VE, V1- specified in Item A7. vations in items a) ti	awings* on of the building V30, V (with BFE In Puerto Rico Vertical Datu hrough h) below	NFORMATION ( □ Building Under the sist complete. E), AR, AR/A, AR/A only, enter meters. m: N.G.V.D. 1929 □ ☑ NGVD 1929	er Construction*  AE, AR/A1-A30, AR/  D NAVD 1988	☑ Fin	O. Complete Items C2.a-l	י
*A new Elevation Certific C2. Elevations – Zones A1–, below according to the b Benchmark Utilized: PL/ Indicate elevation datum Datum used for building	pased on: cate will be requir A30, AE, AH, A (ouilding diagram s AT BM n used for the ele- elevations must	Construction Draw of the Construction Draw of the Construction with BFE), VE, V1–1 specified in Item A7.  Vations in Items a) the the same as that	awings* on of the building V30, V (with BFE In Puerto Rico Vertical Datu hrough h) below used for the BF	Building Under is complete.  E), AR, AR/A, AR/A only, enter meters.  m: N.G.V.D. 1929  M NGVD 1929 IE.	er Construction*  AE, AR/A1-A30, AR/  NAVD 1988  Checl	☑ Fin  /AH, AR/AC  Other/Source  k the meas	D. Complete Items C2.a-l	h
*A new Elevation Certific C2. Elevations – Zones A1–, below according to the b Benchmark Utilized: PL/ Indicate elevation datum	pased on: cate will be requir A30, AE, AH, A ( puilding diagram s AT BM n used for the ele- elevations must	Construction Draw of the Construction Draw of the Construction with BFE), VE, V1–1 specified in Item A7.  Vations in Items a) the the same as that	awings* on of the building V30, V (with BFE In Puerto Rico Vertical Datu hrough h) below used for the BF	Building Under its complete.  E), AR, AR/A, AR/A only, enter meters.  M.G.V.D. 1929  M. NGVD 1929  E.	er Construction*  AE, AR/A1-A30, AR/  NAVD 1988 Check	☑ Fin	O. Complete Items C2.a-l	h
*A new Elevation Certific  C2. Elevations – Zones A1–, below according to the b Benchmark Utilized: PL/ Indicate elevation datum Datum used for building  a) Top of bottom floor (in	pased on: cate will be requir A30, AE, AH, A ( puilding diagram s AT BM n used for the ele- elevations must ncluding basemen	Construction Dr. red when construction with BFE), VE, V1- specified in Item A7. vations in items a) to be the same as that nt, crawlspace, or er	awings* on of the building V30, V (with BFE In Puerto Rico Vertical Datu hrough h) below used for the BF	Building Under is complete.  E), AR, AR/A, AR/A only, enter meters.  m: N.G.V.D. 1929  M NGVD 1929 IE.	er Construction*  AE, AR/A1-A30, AR/  NAVD 1988 Check  Check  78	☐ Fin  /AH, AR/A  Other/Source  k the meas  ☐ feet	D. Complete Items C2.a-l ce: urement used.  meters	h
*A new Elevation Certific C2. Elevations – Zones A1–, below according to the b Benchmark Utilized: PL/ Indicate elevation datum Datum used for building a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest h d) Attached garage (top	pased on: cate will be requir A30, AE, AH, A ( puilding diagram s AT BM n used for the ele- elevations must ncluding basemen r floor horizontal structu of slab)	Construction Drawed when construction with BFE), VE, V1-1 specified in Item A7. vations in items a) to be the same as that nt, crawlspace, or entral member (V Zone)	awings* on of the building V30, V (with BFE In Puerto Rico Vertical Datu hrough h) below t used for the BF nclosure floor)	NFORMATION (  □ Building Under ) is complete.  E), AR, AR/A, AR/A only, enter meters.  m: N.G.V.D. 1929  □ NGVD 1929  E.  7.09 17.1 N.A 7.09	er Construction*  AE, AR/A1-A30, AR/  NAVD 1988 Check  Check  78		D. Complete Items C2.a-l	h
*A new Elevation Certific C2. Elevations – Zones A1–, below according to the b Benchmark Utilized: PL/ Indicate elevation datum Datum used for building  a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest h d) Attached garage (top e) Lowest elevation of m	pased on: cate will be requir A30, AE, AH, A ( puilding diagram s AT BM n used for the ele- elevations must nocluding basement r floor horizontal structur of slab) eachinery or equip	Construction Drawed when construction with BFE), VE, V1-1 specified in Item A7. vations in items a) to be the same as that not, crawlspace, or entral member (V Zone prent servicing the	awings* on of the building V30, V (with BFE In Puerto Rico Vertical Datu hrough h) below t used for the BF nclosure floor)	NFORMATION (  ☐ Building Under is complete.  E), AR, AR/A, AR/A only, enter meters.  m: N.G.V.D. 1929  ☐ NGVD 1929 I  E.  7.09	er Construction*  AE, AR/A1-A30, AR/  NAVD 1988 Check  Check  78		D. Complete Items C2.a-l	h
*A new Elevation Certific C2. Elevations – Zones A1–, below according to the b Benchmark Utilized: PL/ Indicate elevation datum Datum used for building  a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest h d) Attached garage (top e) Lowest elevation of m (Describe type of equi	pased on: cate will be requir A30, AE, AH, A ( puilding diagram s AT BM n used for the ele- elevations must ncluding basemen r floor horizontal structu of slab) pachinery or equip ipment and locati	Construction Drawed when construction with BFE), VE, V1–1 specified in Item A7. Vations in items a) to be the same as that nt, crawlspace, or entral member (V Zone present servicing the ion in Comments)	awings* on of the building V30, V (with BFE In Puerto Rico Vertical Datu hrough h) below t used for the BF nclosure floor)	NFORMATION (  □ Building Under is complete.  E), AR, AR/A, AR/A only, enter meters.  m: N.G.V.D. 1929  □ NGVD 1929  E.  7.09 17.1 N.A 7.09 13.9	er Construction*  AE, AR/A1-A30, AR/  NAVD 1988 Check  Check  78  9  9  9  9	☐ Fin  /AH, AR/AC  Other/Source  k the meas  ☐ feet  ☐ feet  ☐ feet  ☐ feet	Complete Items C2.a-l	h
*A new Elevation Certific C2. Elevations – Zones A1–, below according to the b Benchmark Utilized: PL/ Indicate elevation datum Datum used for building  a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest h d) Attached garage (top e) Lowest elevation of m	pased on: cate will be requir A30, AE, AH, A ( puilding diagram s AT BM n used for the ele- elevations must ncluding basemen r floor horizontal structu of slab) eachinery or equipipment and locati shed) grade next i	Construction Drawed when construction with BFE), VE, V1–1 specified in Item A7. Vations in items a) to be the same as that not, crawlspace, or entral member (V Zone present servicing the ion in Comments) to building (LAG)	awings* on of the building V30, V (with BFE In Puerto Rico Vertical Datu hrough h) below t used for the BF nclosure floor)	NFORMATION (  □ Building Under ) is complete.  E), AR, AR/A, AR/A only, enter meters.  m: N.G.V.D. 1929  □ NGVD 1929  E.  7.09 17.1 N.A 7.09	er Construction*  AE, AR/A1-A30, AR/  NAVD 1988 Check  Check  78  9  9  9  0		D. Complete Items C2.a-l	h
*A new Elevation Certific C2. Elevations – Zones A1– below according to the b Benchmark Utilized: PL/ Indicate elevation datum Datum used for building  a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest h d) Attached garage (top e) Lowest elevation of m (Describe type of equi f) Lowest adjacent (finis	pased on: cate will be requir A30, AE, AH, A ( puilding diagram s AT BM n used for the ele- elevations must ncluding basemen r floor horizontal structu of slab) tachinery or equipipment and locati shed) grade next is	Construction Drawed when construction with BFE), VE, V1–1 specified in Item A7. Vations in items a) to be the same as that not, crawlspace, or entral member (V Zone proment servicing the ion in Comments) to building (LAG) to building (HAG)	awings* on of the building V30, V (with BFE In Puerto Rico Vertical Datu hrough h) below t used for the BF nclosure floor) es only) building	NFORMATION (  □ Building Under is complete.  E), AR, AR/A, AR/A only, enter meters.  m: N.G.V.D. 1929  □ NGVD 1929  E.  7.09  17.1  N.A  7.09  13.6	er Construction*  AE, AR/A1-A30, AR/  D NAVD 1988	X Fin  /AH, AR/AC  Other/Source  k the meas  X feet  X feet  Geet  X feet  X feet  X feet  X feet  X feet	D. Complete Items C2.a-l	h
*A new Elevation Certific C2. Elevations – Zones A1– below according to the b Benchmark Utilized: PL/ Indicate elevation datum Datum used for building  a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest h d) Attached garage (top e) Lowest elevation of m (Describe type of equi f) Lowest adjacent (finis g) Highest adjacent (finis	pased on: cate will be requir A30, AE, AH, A ( puilding diagram s AT BM n used for the ele- elevations must ncluding basement r floor horizontal structu of slab) sachinery or equipipment and locati shed) grade next e at lowest elevante	Construction Drawed when construction with BFE), VE, V1–1 specified in Item A7. Vations in items a) to be the same as that not, crawlspace, or entral member (V Zone proment servicing the ion in Comments) to building (LAG) to building (HAG)	awings* on of the building V30, V (with BFE In Puerto Rico Vertical Datu hrough h) below sused for the BF nclosure floor) es only) building	NFORMATION (  □ Building Under is complete.  E), AR, AR/A, AR/A only, enter meters.  □ N.G.V.D. 1929 □ NGVD 1929 □ E.  7.09 17.1 N.A 7.09 13.6 e. ctural support 6.36	er Construction*  AE, AR/A1-A30, AR/  D NAVD 1988	X Fin  AH, AR/AC  Other/Source  k the meas  X feet	D. Complete Items C2.a-l	h
*A new Elevation Certific C2. Elevations – Zones A1–, below according to the b Benchmark Utilized: PL/ Indicate elevation datum Datum used for building  a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest h d) Attached garage (top e) Lowest elevation of m (Describe type of equi f) Lowest adjacent (finis g) Highest adjacent grade  This certification is to be sig information. I certify that the	pased on: cate will be requir A30, AE, AH, A (repuilding diagrams of the elevations must ancluding basement of floor chorizontal structure of slab) cachinery or equipipment and locationed grade next of the elevations must shed) grade next of the elevations of the elevation of the elevations of the e	Construction Drawed when construction with BFE), VE, V1–Vapecified in Item A7. Vations in items a) the the same as that the crawlapace, or entral member (V Zone present servicing the ion in Comments) to building (LAG) to building (LAG) to building (HAG) tion of deck or stairs and surveyor, entriced when construction of the control of	awings* on of the building V30, V (with BFE In Puerto Rico Vertical Datu nrough h) below sused for the BF nclosure floor) as only) building  R, ENGINEER angineer, or arch sents my best ele	NFORMATION ( Building Under is complete.  E), AR, AR/A, AR/A only, enter meters.  M.G.V.D. 1929  NGVD 1929 IE.  7.09  17.1  N.A  7.09  13.0  6.20  6.40  R, OR ARCHITEC intect authorized by forts to interpret the	er Construction*  AE, AR/A1-A30, ARG  D NAVD 1988	AH, AR/AC  Other/Source  k the meas  feet feet feet feet feet feet feet fe	D. Complete Items C2.a-l	h
*A new Elevation Certific C2. Elevations – Zones A1–, below according to the b Benchmark Utilized: PL/ Indicate elevation datum Datum used for building  a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest h d) Attached garage (top e) Lowest elevation of m (Describe type of equi f) Lowest adjacent (finis g) Highest adjacent grade  This certification is to be sig information. I certify that the I understand that any false se	pased on: cate will be requir A30, AE, AH, A (repuilding diagrams of the elevations must including basement floor includi	Construction Drawed when construction with BFE), VE, V1–Vapecified in Item A7. Vations in items a) the the same as that the crawlspace, or entral member (V Zone present servicing the ion in Comments) to building (LAG) to building (LAG) to building (HAG) tion of deck or stairs and surveyor, entral servicing the profession of the construction of	awings* on of the building V30, V (with BFE In Puerto Rico Vertical Datu hrough h) below a used for the BF enclosure floor) building  R, ENGINEEF engineer, or arch sents my best ei- or imprisonment	NFORMATION ( Building Under is complete.  E), AR, AR/A, AR/A only, enter meters.  m: N.G.V.D. 1929  NGVD 1929 E.  7.09  17.1  N.A.  7.09  13.0  6.20  6.40  R, OR ARCHITEC intect authorized by forts to interpret that tunder 18 U.S. Co	CT CERTIFICATION  Let AR/A1-A30, ARA  Check  Check	M Fin  /AH, AR/AC  Other/Source  k the meas  M feet  M feet	D. Complete Items C2.a-l	h
*A new Elevation Certific C2. Elevations – Zones A1–, below according to the b Benchmark Utilized: PL/ Indicate elevation datum Datum used for building  a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest h d) Attached garage (top e) Lowest elevation of m (Describe type of equi f) Lowest adjacent (finis g) Highest adjacent grade  This certification is to be sig information. I certify that the	pased on: cate will be requir A30, AE, AH, A (voliding diagrams of the elevations must including basement rition floor including basement rition floor increased by the elevations must including basement rition floor increased by the elevation of slab) increased floor in	Construction Drawed when construction with BFE), VE, V1–Vapecified in Item A7. Vations in items a) the the same as that the crawlspace, or entral member (V Zone present servicing the ion in Comments) to building (LAG) to building (LAG) to building (HAG) tion of deck or stairs and surveyor, entral servicing the profession of the construction of	awings* on of the building V30, V (with BFE In Puerto Rico Vertical Datu hrough h) below a used for the BF enclosure floor) building  R, ENGINEEF engineer, or arch sents my best ei- or imprisonment	Building Under is complete.  E), AR, AR/A, AR/A only, enter meters.  m: N.G.V.D. 1929  MOVD 1929 E.  7.09  17.1  N.A.  7.09  13.9  ctural support 6.3  R, OR ARCHITEC intect authorized by forts to interpret that tunder 18 U.S. Cound longitude in Second	Check of the contraction of the	M Fin  /AH, AR/AC  Other/Source  k the meas  M feet  M feet	D. Complete Items C2.a-l	h
*A new Elevation Certific C2. Elevations – Zones A1– below according to the b Benchmark Utilized: PL/ Indicate elevation datum Datum used for building  a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest h d) Attached garage (top e) Lowest elevation of m (Describe type of equi f) Lowest adjacent (finis g) Highest adjacent grade  This certification is to be sig information. I certify that the I understand that any false s Check here if comment	pased on: cate will be requir A30, AE, AH, A (repuilding diagrams of the elevations must actuding basement including basement i	Construction Drawed when construction with BFE), VE, V1–Vapecified in Item A7. Vations in items a) the the same as that the crawlspace, or entral member (V Zone present servicing the ion in Comments) to building (LAG) to building (LAG) to building (HAG) tion of deck or stairs and surveyor, entral servicing the profession of the construction of	awings* on of the building V30, V (with BFE In Puerto Rico Vertical Datu hrough h) below used for the BF nclosure floor) as only) building GR, ENGINEER engineer, or arch sents my best el or imprisonment Were latitude a	Building Under is complete.  E), AR, AR/A, AR/A only, enter meters.  m: N.G.V.D. 1929  MOVD 1929 E.  7.09  17.1  N.A.  7.09  13.9  ctural support 6.3  R, OR ARCHITECT authorized by forts to interpret that tunder 18 U.S. Cound longitude in Second	er Construction*  AE, AR/A1—A30, AR/  D NAVD 1988	M Fin  /AH, AR/AC  Other/Source  k the meas  M feet  M feet	D. Complete Items C2.a-l	h
*A new Elevation Certific C2. Elevations – Zones A1– below according to the b Benchmark Utilized: PL/ Indicate elevation datum Datum used for building  a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest h d) Attached garage (top e) Lowest elevation of m (Describe type of equi f) Lowest adjacent (finis g) Highest adjacent (finis h) Lowest adjacent grade  This certification is to be sig information. I certify that the I understand that any false s  Check here if comment	pased on: cate will be requir A30, AE, AH, A (repuilding diagrams of the elevations must actuding basement including basement i	Construction Drawed when construction with BFE), VE, V1–Vapecified in Item A7. Vations in items a) the the same as that the crawlspace, or entral member (V Zone present servicing the ion in Comments) to building (LAG) to building (LAG) to building (HAG) tion of deck or stairs and surveyor, entral servicing the profession of the construction of	awings* on of the building V30, V (with BFE In Puerto Rico Vertical Datu hrough h) below is used for the BF inclosure floor) as only) building  GR, ENGINEER engineer, or arch sents my best el or imprisonment Were latitude a licensed land s	Building Under is complete.  E), AR, AR/A, AR/A only, enter meters.  m: N.G.V.D. 1929  MOVD 1929  E.  7.09  17.1  N.A  7.09  13.9  ctural support 6.3  R, OR ARCHITECT authorized by forts to interpret that under 18 U.S. Cound longitude in Securiveyor?	Check of the contraction of the	M Fin  /AH, AR/AC  Other/Source  k the meas  M feet  M feet	D. Complete Items C2.a-I	h
*A new Elevation Certific C2. Elevations – Zones A1–, below according to the b Benchmark Utilized: PL/ Indicate elevation datum Datum used for building  a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest h d) Attached garage (top e) Lowest elevation of m (Describe type of equi f) Lowest adjacent (finis g) Highest adjacent (finis h) Lowest adjacent grade  This certification is to be sig information. I certify that the I understand that any falses Check here if comment Certifier's Name Justin D. G	pased on: cate will be requir A30, AE, AH, A (repuilding diagrams of the elevations must accluding basement including i	Construction Draw dwen construction with BFE), VE, V1–V specified in Item A7. Vations in items a) the the same as that the same as the same	awings* on of the building V30, V (with BFE In Puerto Rico Vertical Datu hrough h) below is used for the BF inclosure floor) as only) building  GR, ENGINEER engineer, or arch sents my best el or imprisonment Were latitude a licensed land s	Building Under is complete.  E), AR, AR/A, AR/A only, enter meters.  III. NG.V.D. 1929  III. NGVD 1929  E  7.09  17.1  N.A.  7.09  13.9  Etural support 6.3  R, OR ARCHITEC intect authorized by forts to interpret the tunder 18 U.S. Columber ing & Surveying License Number ing & Surveying License Number	Check of the contraction of the	M Fin  /AH, AR/AC  Other/Source  k the meas  M feet  M feet	D. Complete Items C2.a-l	h
*A new Elevation Certific C2. Elevations – Zones A1– below according to the b Benchmark Utilized: PL/ Indicate elevation datum Datum used for building  a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest h d) Attached garage (top e) Lowest elevation of m (Describe type of equi f) Lowest adjacent (finis g) Highest adjacent (finis h) Lowest adjacent grade  This certification is to be sig information. I certify that the I understand that any false s Check here if attachme  Certifier's Name Justin D. G  Title Licensed Surveyor	pased on: cate will be requir A30, AE, AH, A (repuilding diagrams of the elevations must accluding basement including i	Construction Drawed when construction with BFE), VE, V1–1 specified in Item A7. Vations in items a) the bethe same as that int, crawlspace, or entire in the same as that int, crawlspace, or entire interest servicing the ion in Comments in the building (LAG) to building (LAG) to building (LAG) to building (HAG) tion of deck or stairs in the control of the surveyor, so this Certificate represe the punishable by fine in back of form.	awings* on of the building V30, V (with BFE In Puerto Rico Vertical Datu hrough h) below is used for the BF inclosure floor) as only) building  GR, ENGINEER engineer, or arch sents my best el or imprisonment Were latitude a licensed land s	Building Under is complete.  E), AR, AR/A, AR/A only, enter meters.  III. NG.V.D. 1929  III. NGVD 1929  E  7.09  17.1  N.A.  7.09  13.9  Etural support 6.3  R, OR ARCHITEC intect authorized by forts to interpret the tunder 18 U.S. Columber ing & Surveying License Number ing & Surveying License Number	Check of the contraction of the	M Fin  /AH, AR/AC  Other/Source  k the meas  M feet  M feet	D. Complete Items C2.a-I	h

ELEVATION CERTIFICATE, pa	<u> </u>		
	opy the corresponding information from S		FOR INSURANCE COMPANY USE
Building Street Address (including Apt. 1872 BAYSHORE DRIVE	, Unit, Suite, and/or Bldg. No.) or P.O. Route and E	lox No.	Policy Number:
City ENGLEWOOD	State FL Z	P Code 34223	Company NAIC Number:
SECTION	D - SURVEYOR, ENGINEER, OR ARCHITI	CT CERTIFICATION	(CONTINUED)
Copy both sides of this Elevation Certif	icate for (1) community official, (2) insurance agen	/company, and (3) build	ing owner.
Comments SEE ADDITIONAL COMM	ENTS		
Signature	Date	2/17/16	
SECTION E - BUILDING ELE	VATION INFORMATION (SURVEY NOT RE	QUIRED) FOR ZONE	AO AND ZONE A (WITHOUT BFE)
and C. For Items E1–E4, use natural g E1. Provide elevation information for grade (HAG) and the lowest adja a) Top of bottom floor (including b) Top of bottom floor (including b) Top of bottom floor (including E2. For Building Diagrams 6–9 with p (elevation C2.b in the diagrams) E3. Attached garage (top of slab) is E4. Top of platform of machinery and E5. Zone AO only: If no flood depth	basement, crawlspace, or enclosure) isbasement, crawlspace, or enclosure) ispermanent flood openings provided in Section A Ite of the building is feet met	n Puerto Rico only, enter how whether the elevation whether the elevation feet meters above or below the HAG.	r meters. on is above or below the highest adjacent ers  above or below the HAG. ers above or below the LAG. ers 49 of Instructions), the next higher floor ow the HAG.
	F - PROPERTY OWNER (OR OWNER'S R		ERTIFICATION
The property owner or owner's authoriz or Zone AO must sign here. The statem	red representative who completes Sections A, B, a ments in Sections A, B, and E are correct to the be	nd E for Zone A (without	
Property Owner's or Owner's Authorize	,		
Address	City	S	tate ZIP Code
Signature	Date	T	elephone
Comments			☐ Check here if attachments.
	SECTION G - COMMUNITY INFORM	<del> </del>	
The local official who is authorized by law of this Elevation Certificate. Complete the	or ordinance to administer the community's floodpla applicable item(s) and sign below. Check the meas	iin management ordinand urement used in Items G	ce can complete Sections A, B, C (or E), and G 8–G10. In Puerto Rico only, enter meters.
is authorized by law to certify e	vas taken from other documentation that has been elevation information. (Indicate the source and dat d Section E for a building located in Zone A (witho	e of the elevation data in	the Comments area below.)
-	ns G4–G10) is provided for community floodplain r		•
G4. Permit Number	G5. Date Permit Issued	G6. Date Certificate O	f Compliance/Occupancy Issued
G7. This permit has been issued for:	☐ New Construction ☐ Substantial Imp	ovement	
G8. Elevation of as-built lowest floor (in		feet meters	Datum
G9. BFE or (in Zone AO) depth of flood		☐ feet ☐ meters	Datum
G10. Community's design flood elevation	ı:	☐ feet ☐ meters	Datum
Local Official's Name	Title		
Community Name	Tele	phone	
Signature	Date	1	
Comments	-		Chadibas Wanaharata
			Check here if attachments.

### **ELEVATION CERTIFICATE**, page 3

# **Building Photographs**

See Instructions for Item A6.

nd Box No.	Policy Number:
ZIP Code 34223	Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



FRONT VIEW 02/01/16



REAR VIEW 02/01/16

#### **ELEVATION CERTIFICATE**, page 4

# **Building Photographs**

Continuation Page

IMPORTANT: In	these snaces	convithe corresp	onding informatio	n from Section A.
INIPORTABLE II	i illese spaces.	. CODY MIE COMESD	onama mormano	n Irom Section A.

FOR INSURANCE COMPANY USE

Building Street Address (including Apt., Unit, Suite, and/or Bldg, No.) or P.O. Route and Box No. 1872 BAYSHORE DRIVE

Policy Number:

City ENGLEWOOD

State FL

ZIP Code 34223

Company NAIC Number:

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



LEFT SIDE VIEW 02/01/16



RIGHT SIDE VIEW 02/01/16



SMART VENT INFO 02/01/16

ADDITIONAL COMMENTS:
THE BECHMARK UTILIZED FOR THIS ELEVATION CERTIFICATE WAS A PLAT BENCHMARK AS SHOWN ON THE PLAT OF NELSON GULF ESTATES, BM #478, ELEVATION=10.55 FEET, N.G.V.D. 1929.
THE LOWEST MACHINERY SERVICING THE BUILDING IS THE TWO AC UNITS LOCATED ON THE LEFT SIDE OF THE BUILDING AND ARE ON A RAISED CONCRETE PLATFORM. THE ELEVATION OF THE AC UNITS = 13.09 FEET.
THERE ARE TWO WATER HEATERS IN THE GARAGE AREA. BOTTOM OF WATER HEATER ELEVATION = 13.14 FEET.
THE ELEVATIONS FOR C2.a AND C2.d ARE FOR THE GARAGE AND STORAGE AREAS.
THE GARAGE AND STORAGE AREAS HAVE A TOTAL OF 17 ENGINEERED SMART VENT FLOW THRUS.
THE ELEVATOR SHAFT FLOOR ELEVATION = 5.66 FEET.
LATITUDE AND LONGITUDE WERE OBTAINED USING A HANDHELD GPS DEVICE WITH AN ACCURACY OF 18' +
W .

. . . .