DEPARTMENT OF HOMELAND SECURITY

15 105 606 B1

Federal Emergency Management Agency ELEVATION CERTIFICATE

IMPORTANT: FOLLOW THE INSTRUCTIONS ON PAGES 9-16

OMB Control Number: 1660-0008 Expiration: 11/30/2018

b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade c) Total net area of flood openings in A8.b 2600 sq in c) Total net area of flood openings in A9.b N/A d) Engineered flood openings?	
C. PETER & JULIA H. CLARK A2. Building Street Address (including Apt., Unit, Suite, and/or Bidg. No.) or P.O. Route and Box No. 3002 CASEY KEY ROAD City NOKOMIS A3. Property Description (Lot and Biock Numbers, Tax Parcel Number, Legal Description, etc.) PARCEL ID# 0159-03-0008 A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.)RESIDENTIAL A5. Latitude/Longitude: Lat. 27°09.931' Long. 82°29.410' Horizontal Datum: (NAD 1927 (F NAD 1983)) A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 8 A8. For a building with a craw/space or enclosure(s): a) Square footage of craw/space or enclosure(s) 1213' sq ft a) Square footage of attached garage: a) Square footage of craw/space or enclosure(s) 1213' sq ft a) Square footage of attached garage in the craw/space or enclosure(s) within 1.0 foot 13 in the attached garage within 1.0 foot N/A above adjacent grade c) Total net area of flood openings in A8 b 2600 sq in c) Total net area of flood openings in A9.b N/A d) Engineered flood openings? (F Yes (No d) Engineered flood openings? (Yes (F No SARASOTA COUNTY - 125144 B4. Map/Panel Number B5. Suffix B6. FIRM Index Date Sep 3, 1992 B7. FIRM Panel Effective/Revised Date May 1, 1984 B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. (FIS Profile (6 FIRM (Community Determined (Other/Source)	
Box No. 3002 CASEY KEY ROAD City NOKOMIS A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) PARCEL ID# 0159-03-0008 A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.)RESIDENTIAL A5. Latitude/Longitude: Lat. 27°09.931' Long 82°29.410' Horizontal Deturn: NAD 1927 (* NAD 1983) A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 6 A8. For a building with a crawfspace or enclosure(s): A9. For a building with an attached garage. a) Square footage of crawfspace or enclosure(s) 1213' sq ft a) Square footage of attached garage N/A b) Number of permanent flood openings in the crawfspace or enclosure(s) within 1.0 foot 13 in the attached garage within 1.0 foot N/A above adjacent grade c) Total net area of flood openings in A8 b 2600 sq in c) Total net area of flood openings in A9.b N/A d) Engineered flood openings? (* Yes No SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION B1. NFIP Community Name & Community Number SARASOTA COUNTY - 125144 B4. Map/Panel Number B5. Suffix B6. FIRM Index Date Sep 3, 1992 B4. Map/Panel Number B5. Suffix B6. FIRM Index Date Sep 3, 1992 B5. Suffix B6. FIRM Panel Effective/ Revised Date May 1, 1984 B10. Indicate elevation datum used for BFE in Item B9: (* NGVD 1929 * NAVD 1988 * Other/Source*) B11. Indicate elevation datum used for BFE in Item B9: (* NGVD 1929 * NAVD 1988 * Other/Source*)	
City NOKOMIS A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) PARCEL ID# 0159-03-0008 A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.)RESIDENTIAL A5. Latitude/Longitude: Lat. 2799,931* Long 82°29,410* Horizontal Datum: (NAD 1927 © NAD 1983 A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 6 A8. For a building with a crawfspace or enclosure(s): a) Square footage of crawfspace or enclosure(s): b) Number of permanent flood openings in the crawfspace or enclosure(s) within 1.0 foot above adjacent grade c) Total net area of flood openings in A8 b d) Engineered flood openings? © Yes No d) Engineered flood openings? (Yes © No B1. NFIP Community Name & Community Number SARASOTA COUNTY - 125144 B4. Map/Panel Number B5. Suffix B6. FIRM Index Date SARASOTA B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: (FIS Profile © FIRM (Community Determined (Other/Source: STAND THE Community Determined (Other/Source: STAND	
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.)RESIDENTIAL A5. Latitude/Longitude: Lat. 27°09.931' Long 82°29.410' Horizontal Datum: (NAD 1927 © NAD 1983) A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 6 A8. For a building with a crawlspace or enclosure(s): sq ft a) Square footage of attached garage: a) Square footage of crawlspace or enclosure(s) 1213' sq ft a) Square footage of attached garage N/A b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot 13 in the attached garage within 1.0 foot N/A above adjacent grade c) Total net area of flood openings in A8.b 2600 sq in c) Total net area of flood openings in A9.b N/A d) Engineered flood openings? (*Yes No d) Engineered flood openings? (*Yes © No SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION B1. NFIP Community Name & Community Number SARASOTA B4. Map/Panel Number B5. Suffix B8. FIRM Index Date SARASOTA B4. Map/Panel Number B5. Suffix B8. FIRM Index Date Sap 3, 1992 B5. Suffix B8. FIRM Panel Effective/Revised Date May 1, 1984 B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: (*FIS Profile (*FIRM) Community Determined (*Other/Source: B11. Indicate elevation datum used for BFE in Item B9: (*NGVD 1929 (*NAVD 1988) *Other/Source:	
PARCEL ID# 0159-03-0008 A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.)RESIDENTIAL A5. Latitude/Longitude: Lat. 27°09.931' Long 82°29.410' Horizontal Datum: (NAD 1927 (© NAD 1983) A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 8 A8. For a building with a crawlspace or enclosure(s): a) Square footage of crawlspace or enclosure(s) 1213' sq ft a) Square footage of attached garage. b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot 13 in the attached garage within 1.0 foot N/A above adjacent grade c) Total net area of flood openings in A8 b 2600 sq in c) Total net area of flood openings in A9.b N/A d) Engineered flood openings? (© Yes No d) Engineered flood openings? (© No SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION B1. NFIP Community Name & Community Number SARASOTA B4. Map/Panel Number B5. Suffix B6. FIRM Index Date Sp 7. FIRM Panel Effective/ Revised Date May 1, 1984 B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: (*FIS Profile (*FIRM)** Community Determined (*Other/Source**) B11. Indicate elevation datum used for BFE in Item B9: (*NGVD 1929 (*NAVD 1988)** *Other/Source**)	
A5. Latitude/Longitude: Lat. 27*09.931* Long. 82*29.410* Horizontal Datum: NAD 1927 © NAD 1983 A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 6 A8. For a building with a crawlspace or enclosure(s): A9. For a building with an attached garage: a) Square footage of crawlspace or enclosure(s) 1213' sq ft a) Square footage of attached garage N/A b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot 13 in the attached garage within 1.0 foot N/A above adjacent grade c) Total net area of flood openings in A8 b 2600 sq in c) Total net area of flood openings in A9.b N/A d) Engineered flood openings? © Yes No d) Engineered flood openings? Yes © No B1. NFIP Community Name & Community Number SARASOTA COUNTY - 125144 B4. Map/Panel Number B5. Suffix B6. FIRM Index Date Sep 3, 1992 B4. Map/Panel Number B5. Suffix B6. FIRM Index Date Sep 3, 1992 B4. Map/Panel Number B5. Suffix B6. FIRM Index Date Sep 3, 1992 B5. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: C FIS Profile © FIRM C Community Determined C Other/Source: B11. Indicate elevation datum used for BFE in Item B9: © NGVD 1929 C NAVD 1988 C Other/Source:	
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 6 A8. For a building with a crawfspace or enclosure(s): A9. For a building with an attached garage: a) Square footage of crawfspace or enclosure(s) 1213' b) Number of permanent flood openings in the crawfspace or enclosure(s) within 1.0 foot 13 in the attached garage within 1.0 foot N/A above adjacent grade c) Total net area of flood openings in A8.b 2600 sq in c) Total net area of flood openings in A9.b N/A d) Engineered flood openings? (*Yes No d) Engineered flood openings? (*Yes *No d) Engineered flood openings in A8.b N/A *No d) Engineered flood openi	
A7. Building Diagram Number 6 A8. For a building with a craw/space or enclosure(s): a) Square footage of craw/space or enclosure(s) 1213' b) Number of permanent flood openings in the craw/space or enclosure(s) within 1.0 foot 13 above adjacent grade c) Total net area of flood openings in A8 b 2600 sq in c) Total net area of flood openings in A9.b N/A d) Engineered flood openings?	
A8. For a building with a crawlspace or enclosure(s): a) Square footage of crawlspace or enclosure(s) 1213' b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot 13 above adjacent grade c) Total net area of flood openings in A8.b 2600 sq in c) Total net area of flood openings? (*Yes** No d) Engineered flood openings? (*Yes** N	
a) Square footage of crawlspace or enclosure(s) 1213' sq ft a) Square footage of attached garage N/A b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot 13 above adjacent grade c) Total net area of flood openings in A8.b 2600 sq in c) Total net area of flood openings in A9.b N/A d) Engineered flood openings? (*Yes No d) Engineered flood openings? (Yes No SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION B1. NFIP Community Name & Community Number SARASOTA B4. Map/Panel Number B5. Suffix B8. FIRM Index Date Sep 3, 1992 B5. Suffix B8. FIRM Index Date May 1, 1984 B7. FIRM Panel Effective/ Revised Date May 1, 1984 B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: (*FIS Profile (*FIRM) Community Determined (*Other/Source: B11. Indicate elevation datum used for BFE in Item B9: (*NGVD 1929 (*NAVD 1988) *Other/Source:	
b) Number of permanent flood openings in the crawkspace or enclosure(s) within 1.0 foot 13 in the attached garage within 1.0 foot N/A above adjacent grade c) Total net area of flood openings in A8 b 2600 sq in c) Total net area of flood openings in A9 b N/A d) Engineered flood openings?	
crawlspace or enclosure(s) within 1.0 foot above adjacent grade c) Total net area of flood openings in A8.b 2600 sq in c) Total net area of flood openings in A9.b N/A d) Engineered flood openings?	q ft
d) Engineered flood openings?	
d) Engineered flood openings? (FYes No d) Engineered flood openings? (Yes No SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION B1. NFIP Community Name & Community Number B2. County Name SARASOTA B3. State FL B4. Map/Panel Number 125144 - 0236 B5. Suffix D	q in
B1. NFIP Community Name & Community Number SARASOTA COUNTY - 125144 B2. County Name SARASOTA B3. State FL B4. Map/Panel Number 125144 - 0236 B5. Suffix D B6. FIRM Index Date Sep 3, 1992 B7. FIRM Panel Effective/ Revised Date May 1, 1984 B8. Flood Zone(s) A12 B9. Base Flood Elevation(s (Zone AO, use base flood depth entered in Item B9: FIS Profile © FIRM Community Determined Cother/Source: B11. Indicate elevation datum used for BFE in Item B9: © NGVD 1929 (NAVD 1988 COther/Source:	4 181
B1. NFIP Community Name & Community Number SARASOTA COUNTY - 125144 B4. Map/Panel Number 125144 - 0238 B5. Suffix D Sep 3, 1892 B6. FIRM Index Date Sep 3, 1892 B7. FIRM Panel Effective/Revised Date May 1, 1984 B8. Flood Zone(s) A12 Core AO, use base flood depth A11 B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: CFIS Profile © FIRM Community Determined Cother/Source: B11. Indicate elevation datum used for BFE in Item B9: © NGVD 1929 (NAVD 1988 COther/Source:	_
B4. Map/Panel Number B5. Suffix D B8. FIRM Index Date Sep 3, 1992 B7. FIRM Panel Effective/Revised Date May 1, 1984 B8. Flood Zone(s) B9. Base Flood Elevation (2 cone AO, use base flood depth 11' B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: FIS Profile © FIRM Community Determined Cother/Source: B11. Indicate elevation datum used for BFE in Item B9: © NGVD 1929 C NAVD 1988 C Other/Source:	
Revised Date May 1, 1984 A12 (Zone AO, use base flood epth 11' B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: FIS Profile © FIRM Community Determined Cother/Source: B11. Indicate elevation datum used for BFE in Item B9: © NGVD 1929 C NAVD 1988 C Other/Source:	
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: (FIS Profile (FIRM Community Determined Other/Source: B11. Indicate elevation datum used for BFE in Item B9: (NGVD 1929 NAVD 1988 Other/Source:	
FIS Profile © FIRM Community Determined COther/Source: B11. Indicate elevation datum used for BFE in Item B9: © NGVD 1929 C NAVD 1988 C Other/Source:	
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other/Source:	
	-0
	_
B12, Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? (Yes 6 No	
Designation Date: CBRS COPA	
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED) C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction	\Box
C1. Building elevations are based on: Construction Drawings Building Under Construction Finished Construction C2. Elevations - Zones A1 - A30, AE, AH, A (with BFE), VE, V1 - V30, V (with BFE), AR, AR/A, AR/AE, AR/A1 - A30, AR/AH, AR/AO.	
Complete Items C2.a -h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.	
A new Elevation Certificate will be required when construction of the building is complete.	
Benchmark Utilized: SAR CO R-95 EL: 9.64' Vertical Datum: NGVD 1929	
Indicate elevation datum used for the elevations in items a) through h) below. NGVD 1929 NAVD 1988	
C Other/Source:	
Datum used for building elevations must be the same as that used for the BFE. Check the measurement use	≥d.
a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 10 - 1 (6 feet C meters	
b) Top of the next higher floor 20 - 9 @ feet C meters	ſ
c) Bottom of the lowest horizontal structural member (V Zones only) 19 5 6 feet C meters	
d) Attached garage (top of slab) N/A (elect C meters	-
Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) 14 - 2 - 6 feet C meters	
Lowest adjacent (finished) grade next to building (LAG) 9 - 6 (Feet C meters	
g) Highest adjacent (finished) grade next to building (HAG) 10 - 1 (elect C meters	
n) Lowest adjacent grade at lowest elevation of deck or stairs, including	
structural support N/A Get C meters	

ELEVATION CERTIFICATE

OMB Control Number: 1660-0008 Expiration: 11/30/2018

3002 CASEY KEY ROAD

NOKOMIS

FL

34275

SECTION D -	SURVEYOR, ENGIN	EER, OR	ARCHITECT CE	RTIFICATION
This certification is to be signed and sealed by a that the information on this Certificate represent punishable by fine or imprisonment under 18 U	a land surveyor, engin	eer, or arc	hitect authorize	d by law to certify elevation information. I certify
□ Check here if attachments.	Were latitude and lo provided by a licens	ongitude in sed land st	Section A irveyor?	0.19
	● Yes CN	0		_ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Certifier's Name B. GREGORY RIETH		cense Nur 228	nber	
Title PSM/CFM	Company Name STRAYER SURVEYING & MAPPING, INC.			M 3 N
Address 742 SHAMROCK BLVD	City VENICE	State FL	Zip Code 34293	NO W
Signature B G Rett	Date Mar 11, 2016	Teleph +1 (9	one 941) 497-1290	
Copy both sides of this Elevation Certificate for	i(1) community official,	(2) insura	nce agent/com:	pany, and (3) building owner.
Comments (including type of equipment and loc FILE # 14-10-35 THE WATER HEATER IN THE FROM A HAND HELD G.P.S. UNIT (GPSTEST INSTALLED. CERTIFICATE VALID ONLY WITH	EGARAGE OF THE H	IOME WAS	SMART VENT	ECTION C2e, SECTION A5 WAS DERIVED S MODEL NO. 1540-520 HAVE BEEN
Signature				Dale Manda 2040
SECTION E - BUILDING ELEVATION INF	ORMATION (SLIRVE)	V NOT RE	OLIBEDI EOS	Date Mar 11, 2016
For Zones AO and A (without BFE), complete Ite Sections A, B,and C. For Items E1 -E4, use natu	ems E1 -E5. If the Cer	tificate is i	stended to supr	ort a LOMA or LOMP & request, complete
E1. Provide elevation information for the followin highest adjacent grade (HAG) and the lowes	ig and check the appro it adjacent grade (LAG	opriate bo:	res to show who	ether the elevation is above or below the
a) Top of bottom floor (including basement, or enclosure) is	crawispace,	r emi	_ C feet C	meters above or below the HAG.
 b) Top of bottom floor (including basement, or enclosure) is 	crawispace,	-	C feet C r	meters above or below the LAG
E2. For Building Diagrams 8 -9 with permanent f higher floor (elevation C2.b in the diagrams) of the	lood openings provide ne building is	id in Section	on A Items 8 an	d/or 9 (see pages 8 -9 of Instructions), the next meters above or below the HAG.
E3. Attached garage (top of slab) is E4. Top of platform of machinery and /or equipm			_ Cfeet Cr	meters above or below the HAG.
servicing the building is	ACCUSED ON THE PROPERTY OF THE	-1-	C feet C r	<u> </u>
E5. Zone AO only: If no flood depth number is avmanagement ordinance? Yes No C				n accordance with the community's floodplain ormation in Section G.
SECTION F - PROPE	RTY OWNER (OR OV	VNER'S R	EPRESENTAT	VE) CERTIFICATION
The property owner or owner's authorized repres community-issued BFE) or Zone AO must sign h	sentative who complet ere. The statements in	es Section	s A. B. and E fo	or Zone A (without a FEMA-issued or
Property Owner or Owner's Authorized Represe	ntative's Name:			
Address	City		State	ZIP Code
Signature	Date		Telephon	e
Comments				
				Check here if attachments

BUILDING PHOTOGRAPHS

See instructions for Item A6

OMB Control Number: 1660-0008 Expiration: 11/30/2018 FOR INSURANCE COMPANY USE IMPORTANT: In these spaces, copy the corresponding Information from Section A. Building Street Address (including Apt., Unit, Suite, and/or Bidg. No.) or P.O. Route and Box No. Policy Number: 3002 CASEY KEY ROAD City Company NAIC NOKOMIS

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front view" and Rear view"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.







Number:

REAR VIEW 3/11/16





VENTS 3/11/16