U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008

Expiration Date: July 31, 2015

		SEC1	TION A	- PROPERTY II	NFORM	ATION	FOR IN	SURANCE COMPANY USE
A1. Building Owner's Name	e Danny M. Ailen						Policy N	umber:
A2. Building Street Addres 5512 Aveinda Del Mare	s (including Apt., L	Jnit, Suite, and/or I	Bidg. No	.) or P.O. Route a	nd Box N	lo.	Compar	y NAIC Number:
City SARASOTA			;	State FL ZIF	Code 3	34242		
A3. Property Description (Lot 19, Block 27, Sarasota					etc.)			
A4. Building Use (e.g., Res A5. Latitude/Longitude: La A6. Attach at least 2 photo A7. Building Diagram Num	t. <u>27.1613</u> Long. graphs of the build	82.3319 Ho	rizontal i	Datum: 🔯 NAD 1	927 🔲			
A8. For a building with a ci a) Square footage of ci b) Number of perman- or enclosure(s) with	rawispace or enclo crawispace or encl ent flood openings	losure(s) in the crawlspace	1120 5	A9 sq ft	a) So b) Nu	building with an atta quare footage of atta umber of permanent thin 1.0 foot above a	ched gar	age <u>620</u> sq ft enings in the attached garage
c) Total net area of flod) Engineered flood o		3.b Yes ⊠ No	<u>1176</u>	sq in		ital net area of flood ngineered flood oper		sin A9.b <u>n/a</u> sqin □ Yes ⊠ No
	SECTI	ON B FLOOD	INSUR	ANCE RATE MA	AP (FIR	M) INFORMATIO	N	
B1. NFiP Community Name Sarasota County 125144	e & Community Nu	mber	B2. Co	unty Name SOTA			B3. Stat	
B4. Map/Panel Number 125144 0143	B5. Suffix E	B6. FIRM Index D 09/03/92	Date	B7. FIRM Par Effective/Revised 09/03/92		B8. Flood Zone(s) AE		Base Flood Elevation(s) (Zone AO, use base flood depth) 10.0
B10. Indicate the source of		evation (BFE) data Community Det		-				-
B11. Indicate elevation datu B12. Is the building located Designation Date:	ım used for BFE in in a Coastal Barrie	Item B9: ⊠ NG\	/D 1929 em (CBR	☐ NAVD	1988 ise Prote	Other/Source:		☐ Yes
	SECTION	C - BUILDING	ELEVA	TION INCORMA	TION /	SUDVEY DECLI	RED)	
				TION INFORMA	1110111	SONAL! KEGO!	\LU _j	
C1. Building elevations are I *A new Elevation Certific C2. Elevations – Zones A1– below according to the I Benchmark Utilized: City	cate will be require -A30, AE, AH, A (w building diagram sp y Benchmark 107-	rith BFE), VE, V1 pecified in Item A7 C	rawings* on of the V30, V ('. In Puer Verti	☑ Build building is complewith BFE), AR, AR to Rico only, enter cal Datum: 1929 t	ing Unde ite. /A, AR/A meters.	er Construction* NE, AR/A1-A30, AR	☐ F	•
A new Elevation Certific C2. Elevations – Zones A1– below according to the I	cate will be require A30, AE, AH, A (w building diagram sp y Benchmark 107- n used for the eleve	d when construction when construction of the c	rawings on of the V30, V ('. In Puer Verti	☑ Build building is complewith BFE), AR, AR to Rico only, entercal Datum: 1929 in below. ☑ NGVI	ing Unde ite. /A, AR/A meters.	er Construction* NE, AR/A1-A30, AR	☐ F	AO. Complete Items C2.a-h
A new Elevation Certific C2. Elevations – Zones A1– below according to the I Benchmark Utilized: Cit Indicate elevation datum Datum used for building	cate will be require A30, AE, AH, A (w building diagram sy y Benchmark 107- n used for the eleve s elevations must b	d when construction of the	rawings on of the V30, V (v '. In Puer Verti through to	⊠ Build building is comple with BFE), AR, AR to Rico only, enter cal Datum: 1929 (1) below. ⊠ NGVI or the BFE.	ing Underste. /A, AR/A meters. IGVD 0 1929	or Construction* NE, AR/A1-A30, AR/ □ NAVD 1988 □ C Check	FIAH, AR/	AO. Complete Items C2.a-h rce:
A new Elevation Certific C2. Elevations – Zones A1– below according to the I Benchmark Utilized: <u>Cit</u> Indicate elevation datum Datum used for building a) Top of bottom floor (in	cate will be require A30, AE, AH, A (w building diagram sp y Benchmark 107- n used for the eleve s elevations must b	d when construction of the	rawings on of the V30, V (v '. In Puer Verti through to	⊠ Build building is comple with BFE), AR, AR to Rico only, enter cal Datum: 1929 (1) below. ⊠ NGVI or the BFE.	ing Underste. /A, AR/A meters. IGVD 0 1929	or Construction* NE, AR/A1-A30, AR/ NAVD 1988 □ C Check Check	☐ Fi /AH, AR// Other/Sou k the mea	AO. Complete Items C2.a—h rce: surement used. meters
A new Elevation Certific C2. Elevations – Zones A1– below according to the I Benchmark Utilized: Cit Indicate elevation datum Datum used for building	cate will be require A30, AE, AH, A (w building diagram sp y Benchmark 107- n used for the eleve elevations must b ncluding basement or floor	d when construction the BFE), VE, V1 occified in Item A7 C ations in Items a) to the the same as that, crawlspace, or e	rewings on of the -V30, V (v '. In Puer Verti through to used for	⊠ Build building is comple with BFE), AR, AR to Rico only, enter cal Datum: 1929 (1) below. ⊠ NGVI or the BFE.	ing Underste. /A, AR/A meters. IGVD 0 1929	or Construction* NE, AR/A1-A30, AR/ NAVD 1988 □ C Check 4 84	FIAH, AR/	AO. Complete Items C2.a-h rce:
A new Elevation Certific C2. Elevations – Zones A1– below according to the I Benchmark Utilized: Cit Indicate elevation datum Datum used for building a) Top of bottom floor (ii b) Top of the next highe	cate will be require A30, AE, AH, A (w building diagram sp y Benchmark 107- n used for the eleva elevations must b ncluding basement or floor horizontal structura	d when construction the BFE), VE, V1 occified in Item A7 C ations in Items a) to the the same as that, crawlspace, or e	rewings on of the -V30, V (v '. In Puer Verti through to used for	⊠ Build building is comple with BFE), AR, AR to Rico only, enter cal Datum: 1929 (1) below. ⊠ NGVI or the BFE.	ng Underte. /A, AR/A meters. IGVD 1929 I 9.34 17.4 N/A 6.02	or Construction* AE, AR/A1—A30, AR/ □ NAVD 1988 □ C Check B4 B4	☐ Fi /AH, AR// Other/Sou k the mea ☑ feet ☑ feet	AO. Complete Items C2.a—h rce: asurement used. meters meters
A new Elevation Certific C2. Elevations – Zones A1– below according to the it Benchmark Utilized: City Indicate elevation datum Datum used for building a) Top of bottom floor (in b) Top of the next highe c) Bottom of the lowest	cate will be require A30, AE, AH, A (w building diagram sp y Benchmark 107- n used for the eleva- i elevations must b ncluding basement or floor horizontal structura of slab) nachinery or equipi	d when construction the BFE), VE, V1 pecified in Item A7 C ations in Items a) to the the same as that t, crawlspace, or ear member (V Zone ment servicing the	rewings on of the V30, V ('. In Puer Verti through i at used for enclosure es only)	⊠ Build building is comple with BFE), AR, AR to Rico only, enter cal Datum: 1929 in below. ⊠ NGVI or the BFE.	ng Underste. /A, AR/A meters. IGVD 1929 I 9.34 17.4 N/A	or Construction* AE, AR/A1—A30, AR/ □ NAVD 1988 □ C Check B4 B4	☐ Fi /AH, AR// Other/Sou k the mea ☑ feet ☑ feet ☐ feet	AO. Complete Items C2.a—h rce: asurement used. meters meters meters meters
A new Elevation Certific C2. Elevations – Zones A1– below according to the below according below be	cate will be require A30, AE, AH, A (wobuilding diagram sp y Benchmark 107-in used for the elevations must b including basement or floor horizontal structuration of slab) inachinery or equipation and locations index bed) grade next to	d when construction the BFE), VE, V1 pecified in Item A7 C ations in items a) to the the same as that t, crawlspace, or eal member (V Zone ment servicing the on in Comments) to building (LAG)	rewings on of the V30, V ('. In Puer Verti through i at used for enclosure es only)	⊠ Build building is comple with BFE), AR, AR to Rico only, enter cal Datum: 1929 in below. ⊠ NGVI or the BFE.	ng Underte. /A, AR/A meters. IGVD 0 1929 I 0 1929 I 0 17.4 6.00 6.20	or Construction* AE, AR/A1—A30, AR/ □ NAVD 1988 □ C Check B4 B4	☐ Fi AH, AR/ Other/South k the mea	AO. Complete items C2.a—h rce: asurement used. meters meters meters meters meters meters meters
A new Elevation Certific C2. Elevations – Zones A1– below according to the below according to the below according to the below according to the benchmark Utilized: Citt Indicate elevation datum Datum used for building a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equal to the below according to the lowest elevation of m (Describe type of equal to the below according to the below	cate will be require A30, AE, AH, A (w building diagram sp y Benchmark 107- n used for the eleva- i elevations must b including basement or floor horizontal structura of siab) nachinery or equipa ipment and location shed) grade next to shed) grade next to	d when construction the BFE), VE, V1 pecified in Item A7 C ations in items a) the the same as that the crawlspace, or ear member (V Zone ment servicing the on in Comments) to building (LAG) to building (HAG)	rewings on of the V30, V ('. In Puel Verti through t at used for enclosure es only)	⊠ Build building is comple with BFE), AR, AR to Rico only, enter cal Datum: 1929 in below. ☑ NGVI or the BFE.	9.3 17.4 9.3 17.4 9.3 17.4 6.0 5.7 6.3	or Construction* AE, AR/A1—A30, AR/ □ NAVD 1988 □ C Check B4 B4	☐ Fi /AH, AR// Other/South k the mea ☑ feet ☑ feet ☐ feet ☑ feet ☑ feet ☑ feet	AO. Complete items C2.a—h rce: asurement used. meters meters meters meters meters meters meters
A new Elevation Certific C2. Elevations – Zones A1– below according to the it Benchmark Utilized: City Indicate elevation datum Datum used for building a) Top of bottom floor (it b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent (finis	cate will be require A30, AE, AH, A (wobuilding diagram sponsor to see the second of the elevations must be a cluding basement of floor thorizontal structure of slab) anachinery or equipalipment and locationshed) grade next to shed) grade next to shed) grade next to the at lowest elevations.	d when construction the BFE), VE, V1 pecified in Item A7 C ations in items a) the the same as that the transpace, or ear member (V Zone ment servicing the on in Comments) to building (LAG) on of deck or stainspace).	rewings on of the V30, V ('. In Puer Verti through } it used for enclosure es only) building	⊠ Build building is comple with BFE), AR, AR to Rico only, enter cal Datum: 1929 in the BFE. If floor)	9.34 17.4 9.32 17.4 9.32 17.4 9.32 17.4 9.32 17.4 9.32 17.4 9.32 17.4 9.32	or Construction* AE, AR/A1—A30, AR/ □ NAVD 1988 □ C Check B4 B4	Cher/Souther/S	AO. Complete items C2.a—h rce: asurement used. meters meters meters meters meters meters meters meters
A new Elevation Certific C2. Elevations – Zones A1– below according to the it Benchmark Utilized: City Indicate elevation datum Datum used for building a) Top of bottom floor (it b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent (finis	cate will be require A30, AE, AH, A (woulding diagram spy Benchmark 107- In used for the elevations must be including basement or floor In thorizontal structuration of slab) Inspending prade next to shed) grade next to shed) grade next to shed) grade next to shed of slab including basement and location of slab including prade next to shed of statement to the statement may be	and when construction of the BFE), VE, V1 opecified in Item A7 C attions in items a) the the same as that the the same as the the the same as the s	rewings on of the V30, V (' '. In Puel Verti through I it used fo enclosure es only) building s, includi OR, ENC engineer es ents my or impni	⊠ Build building is comple with BFE), AR, AR to Rico only, enter cal Datum: 1929 in below. ⊠ NGVI or the BFE. In floor) SINEER, OR AR to Rich was to efforts to intisonment under 18	9.34 17.4 6.02 5.7 CHITEC	CT CERTIFICATION Construction Check Check Check Check Carrier Carrie	Cher/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Seet Seether Seet	AO. Complete items C2.a—h rce: asurement used. meters meters meters meters meters meters meters meters
A new Elevation Certific C2. Elevations – Zones A1– below according to the it Benchmark Utilized: Cit Indicate elevation datum Datum used for building a) Top of bottom floor (it b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent (finis h) Lowest adjacent grad This certification is to be sig information. I certify that the I understand that any false Check here if attachme	cate will be require A30, AE, AH, A (woulding diagram spoor and sealed by a statement may be ents. SECTION SE	and when construction of the BFE), VE, V1 opecified in Item A7 C attions in items a) the the same as that the the same as the the the same as the s	rewings on of the V30, V (' '. In Puel Verti through I it used fo enclosure es only) building s, includi OR, ENC engineer es or impri Were Is	Build building is comple with BFE), AR, AR to Rico only, enter cal Datum: 1929 I of the BFE. In below. ☑ NGVI or the BFE. In structural suppose sup	9.3 17.1 N/A 6.02 5.7 CHITEC	CT CERTIFICATION law to certify elevate edata available. to certify a provided by the certify and the certification and the certificat	Cher/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Seet Seether Seet	AO. Complete items C2.a—h rce: asurement used. meters meters meters meters meters meters meters meters
A new Elevation Certific C2. Elevations – Zones A1–below according to the I Benchmark Utilized: Citt Indicate elevation datum Datum used for building a) Top of bottom floor (ii b) Top of the next higher c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equal f) Lowest adjacent (finis g) Highest adjacent (finis h) Lowest adjacent grade. This certification is to be signiformation. I certify that the I understand that any false in Check here if attachments. Certifier's Name BRIAN P.	cate will be require A30, AE, AH, A (woulding diagram sponsor the elevations must be recluding basement of floor thorizontal structure of slab) the recluding basement and locations had grade next to shed) grade on the statement may be a information on this statement may be the sare provided on the shed).	d when construction the BFE), VE, V1 pecified in Item A7 C ations in items a) to the the same as that t, crawlspace, or entered at member (V Zone ment servicing the ton in Comments) to building (LAG) to building (HAG)	rewings on of the V30, V (' '. In Puer Verti through i at used for enclosure es only) building s, includ OR, ENC engineer sents my or impn Were is license	Maild Build building is completed building	y sylventre the control of the contr	CT CERTIFICATION law to certify elevate edata available. to certify a provided by the certify and the certification and the certificat	Cher/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Seet Seether Seet	AO. Complete items C2.a—h rce: asurement used. meters meters meters meters meters meters meters meters
A new Elevation Certific C2. Elevations – Zones A1– below according to the it Benchmark Utilized: Cit Indicate elevation datum Datum used for building a) Top of bottom floor (it b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent (finis h) Lowest adjacent grad This certification is to be sig information. I certify that the I understand that any false Check here if attachme	cate will be require A30, AE, AH, A (woulding diagram spoor and and sealed by a finformation on this statement may be a far provided on ents. YARMAN	d when construction the BFE), VE, V1 pecified in Item A7 C ations in items a) to the the same as that t, crawlspace, or entered at member (V Zone ment servicing the ton in Comments) to building (LAG) to building (HAG)	rewings on of the V30, V (' '. In Puer Verti through i at used for enclosure es only) building s, includ OR, ENC engineer sents my or impn Were is license	Build building is comple with BFE), AR, AR to Rico only, enter cal Datum: 1929 I of the BFE. In below. ☑ NGVI or the BFE. In structural suppose sup	ng Underste. /A, AR/A meters. /GVD 0 1929 I 9.34 17.1 N/A 6.02 6.23 ort 5.7 CHITECORIZED by erpret the U.S. Code in Security of the U.S. Code in Security of the U.S. Code in Security of U.S. Co	CT CERTIFICATION law to certify elevate edata available. to certify a provided by the certify and the certification and the certificat	Cher/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Seet Seether Seet	AO. Complete items C2.a—h rce: asurement used. meters meters meters meters meters meters meters meters
A new Elevation Certific C2. Elevations – Zones A1– below according to the it Benchmark Utilized: Cit Indicate elevation datum Datum used for building a) Top of bottom floor (in b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent (finis h) Lowest adjacent grad This certification is to be sig information. I certify that the I understand that any false Check here if attachme Certifier's Name BRIAN P.	cate will be require A30, AE, AH, A (woulding diagram spy Benchmark 107- In used for the elevation smust be relevations must be relevations must be relevational structurator of slab) Inachinery or equipalishment and locationshed) grade next to shed) grade next to she at lowest elevation on this statement may be a information on this statement may be a statement may be a statement may be shed. YARMAN	d when construction the BFE), VE, V1 pecified in Item A7 C ations in items a) the the same as that the same as that the same as that the same as that the same as	rewings on of the V30, V (' '. In Puer Verti through to tused for enclosure es only) building s, includ OR, ENC engineer sents my or impn Were to license	Maild building is completed building is completed building is completed building is completed building. AR, AR, AR, and to Rico only, enter call Datum: 1929 in below. Missing NGVI or the BFE. Sing structural suppose building	9.34 17.4 6.03 6.25 CHITEC Orized by expret the U.S. Code in Security Number INC. ZIP	CT CERTIFICATION As to certify elevate data available. No LS 6891	Cher/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Seet Seether Seet	AO. Complete items C2.a—h rce: asurement used. meters meters meters meters meters meters meters meters
A new Elevation Certific C2. Elevations – Zones A1– below according to the I Benchmark Utilized: Cit Indicate elevation datum Datum used for building a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent (finis h) Lowest adjacent grad This certification is to be sig information. I certify that the I understand that any false Check here if attachme Certifier's Name BRIAN P. Title CEO Address 198 LAKESHORI	cate will be require A30, AE, AH, A (woulding diagram spy Benchmark 107- In used for the elevations must be including basement or floor In the floor horizontal structuration of slab) In achinery or equipalishment and locations shed) grade next to shed) grade next to shed) grade next to shed) grade next to she at lowest elevation on this statement may be information on this statement may be a provided on lents. YARMAN	and when construction of the BFE), VE, V1 pecified in Item A7 Cations in items a) the the same as that the same as	rewings on of the V30, V ('. In Puel Verti through i t used fo enclosure es only) building s, includi DR, ENC engineer sents my e or impin Were is license	Mailding is completed building is completed building is completed building is completed building is completed building. Market P. YARMAN, PSM. State FL.	9.34 17.4 6.03 6.22 5.7 6.3 ort 5.7 CHITECORIZED by superpret the U.S. Code in Security INC. ZIP e (941)	CT CERTIFICATION I law to certify elevate data available. I code 34275 I code 34275 I code 34275 I code 34275	Cher/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Souther/Seether Seether S	AO. Complete items C2.a—h rce: asurement used. meters meters meters meters meters meters meters meters

Building Street Address (including Apt., Unit, Suite, and/or Bidg. No.) or P.O. Route and Box No. Politication	D ZONE A (WITHOUT BFE) Quest, complete Sections A, B, e or below the highest adjacent ove or below the HAG. ove or below the LAG. nestructions), the next higher floo o.G. or below the HAG. nmunity's floodplain management
SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTSOLVE) SARASOTA SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTSOLVE) SARASOTA SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTSOLVE) SARASOTA SECTION E – BUTLENING A PUBLISHED ELEVATION OF 6.24 FEET Date 03/14/2016 SECTION E – BUTLENING A PUBLISHED ELEVATION OF 6.24 FEET Date 03/14/2016 SECTION E – BUTLENING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AN C. For Items E1—E3, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. For Zones AO and A (without BFE), complete items E1—E5. If the Certificate is intended to support a LOMA or LOMR-F re and C. For Items E1—E3, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is aborgrade (14AG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawlspace, or enclosure) is	DEAD NAIC Number: NUED) ASED ON CITY OF SARASOTA DEAD ZONE A (WITHOUT BFE) Quest, complete Sections A, B, e or below the highest adjacent Dead or below the HAG. Dead or below the LAG. Instructions), the next higher floo G. Or below the HAG. Inmunity's floodplain management ATION Issued or community-issued BFE
SECTION D — SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONT copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner comments 1. ELEV/TONS ARE RELATIVE TO THE NATIONAL GEODETIC VERTICAL DATUM (N.G.V.D.) OF 1929 EXENCHMARCH 107-C; HAVING A PUBLISHED ELEVATION OF 6.24 FEET To zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F re and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Ricc only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is abourgade (IAG), a) Top of bottom floor (including basement, craw/space, or enclosure) is	ASED ON CITY OF SARASOTA D ZONE A (WITHOUT BFE) Quest, complete Sections A, B, e or below the highest adjacent pove or below the HAG. pove or below the LAG. postructions), the next higher floo G. or below the HAG. mmunity's floodplain management ATION issued or community-issued BFE
opy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner ormments 1. ELEVATIONS ARE RELATIVE TO THE NATIONAL GEODETIC VERTICAL DATUM (N.G.V.D.) OF 1929 ENCHMARCH 107-C. HAVING A PUBLISHED ELEVATION OF 6.24 FEET Date 03/14/2016 SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AN CONTROL of Control of the Control of Cont	D ZONE A (WITHOUT BFE) Quest, complete Sections A, B, e or below the highest adjacent ove or below the HAG. ove or below the LAG. nstructions), the next higher floor. G. or below the HAG. nmunity's floodplain manageme
igriature Date (03/14/2016 SECTION E - BUTLENING APUBLISHED ELEVATION OF 6.24 FEET Date (03/14/2016 SECTION E - BUTLENING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AN CONTROL OF 10 Public Provide elevation information for the following and check the appropriate boxes to show whether the elevation is abo grade (14/6), and the lowest adjacent grade (1.46), a) Top of bottom floor (including basement, crawlapace, or enclosure) is feet elevation is abo grade (14/6), and the lowest adjacent grade (1.46), a) Top of bottom floor (including basement, crawlapace, or enclosure) is feet elevation is abo grade (14/6), and the lowest adjacent grade (1.46), a) Top of bottom floor (including basement, crawlapace, or enclosure) is feet elevation (12.5 in the diagrams) of the building is feet elevation (12.5 in the diagrams) of the building is feet elevation (12.5 in the diagrams) of the building is feet elevation (12.5 in the diagrams) of the building is feet elevation (12.5 in the diagrams) of the building is feet elevation (12.5 in the diagrams) of the building is feet elevation (12.5 in the diagrams) of the building is feet elevation (12.5 in floor depth number is available, is the top of the bottom floor elevated in accordance with the coordinance? Yes No Unknown. The local official must certify this information in Section G. SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFIC has property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA roperty Owner's or Owner's Authorized Representative's Name dotters. SECTION G - COMMUNITY INFORMATION (OPTIONAL) Date Telephone or Owner's Authorized by law or ordinance to administer the community's floodplain management ordinance can come is authorized by a certificate. Complete the applicable tien(s) and sign below. Check the measurement used in Items G8-G10. If The information in Section C certificate. Complete Section E for a building located in Zone A (without a FEMA-issued or community-informatio	DZONE A (WITHOUT BFE) JULIAN COMPLETE Sections A, B, Le or below the highest adjacent ove or below the HAG. Ove or below the LAG. Instructions), the next higher floor. Le or below the HAG. Instructions of the HAG. Inst
ignature Date 03/14/2018 SECTION E - BUTL-DING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AN CONTROL OF Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. 1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is about grade (HAG); and the lowest adjacent grade (HAG). 2. To post bottom floor (including basement, crawispace, or enclosure) is	DIZONE A (WITHOUT BFE) Juest, complete Sections A, B, The or below the highest adjacent Dive or below the HAG. Dive or below the LAG. Instructions), the next higher floor Juest Action ATION The instructions is a section of the section of
SECTION E – BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AN For Zones AO and A (without BFE), complete items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F re and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. 1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is abo grade (IAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawispace, or enclosure) is	uest, complete Sections A, B, e or below the highest adjacent ove or below the HAG. ove or below the LAG. nstructions), the next higher floo G. or below the HAG. nmunity's floodplain management ATION issued or community-issued BF6
For Zones AO and A (without BFE), complete items E1—E5. If the Certificate is intended to support a LOMA or LOMR-F re and C. For Items E1—E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is aborg grade (HAG) and the lowest adjacent grade (LAG). B) Top of bottom floor (including basement, crawlspace, or enclosure) is	uest, complete Sections A, B, e or below the highest adjacent ove or below the HAG. ove or below the LAG. nstructions), the next higher floo G. or below the HAG. nmunity's floodplain management ATION issued or community-issued BF6
Ind C. For Items E1—E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. 11. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is aborgrade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawlspace, or enclosure) is	e or below the highest adjacent ove or below the HAG. ove or below the LAG. nstructions), the next higher floo nG. or below the HAG. nmunity's floodplain management ATION issued or community-issued BFB
a) Top of bottom floor (including basement, crawlspace, or enclosure) is feetmeters at	ove or below the LAG. Instructions), the next higher floo IG. or below the HAG. Inmunity's floodplain management ATION Issued or community-issued BFB
SECTION F – PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFIC the property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA r Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge. Property Owner's or Owner's Authorized Representative's Name address City State City State Telephone Comments SECTION G – COMMUNITY INFORMATION (OPTIONAL) The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can continuous Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In the information in Section C was taken from other documentation that has been signed and sealed by a licensed is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Continuous Acommunity official completed Section E for a building located in Zone A (without a FEMA-issued or community-is authorized by Information (Items G4–G10) is provided for community floodplain management purposes. A Community Number G5. Date Permit Issued G6. Date Certificate Of Compliance in Compliance is authorized by Information (Items G4–G10) is provided for community floodplain management purposes. This permit has been issued for: New Construction Substantial Improvement	issued or community-issued BFE
he property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge. roperty Owner's or Owner's Authorized Representative's Name ddress City State ignature Date Telephone omments SECTION G — COMMUNITY INFORMATION (OPTIONAL) e local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can co his Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8—G10. Ir The information in Section C was taken from other documentation that has been signed and sealed by a licensed is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Con A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-is. The following information (Items G4—G10) is provided for community floodplain management purposes. 4. Parmit Number G5. Date Permit Issued G6. Date Certificate Of Complia This permit has been issued for: New Construction Substantial Improvement	issued or community-issued BFE
SECTION G — COMMUNITY INFORMATION (OPTIONAL) e local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can conthis Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8—G10. In the information in Section C was taken from other documentation that has been signed and sealed by a licensed is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Conthin A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-in. The following information (Items G4—G10) is provided for community floodplain management purposes. G5. Date Permit Issued G6. Date Certificate Of Compliance Community floodplain management purposes. This permit has been issued for: New Construction Substantial Improvement	
SECTION G — COMMUNITY INFORMATION (OPTIONAL) e local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can co this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8—G10. In the information in Section C was taken from other documentation that has been signed and sealed by a licensed is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Con A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-is. ☐ The following information (Items G4—G10) is provided for community floodplain management purposes. G5. Date Permit Issued G6. Date Certificate Of Compliance Community floodplain management or Compliance Community floodplain management purposes. G6. Date Certificate Of Compliance Community floodplain management or Compliance Community floodplain management purposes.	
e local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can co this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In The information in Section C was taken from other documentation that has been signed and sealed by a licensed is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Control of the community official completed Section E for a building located in Zone A (without a FEMA-issued or community-in The following information (Items G4–G10) is provided for community floodplain management purposes. G5. Date Permit Issued G6. Date Certificate Of Compliance to administer the community's floodplain management ordinance can community in the community of the elevation data in the Control of the elevat	☐ Check here if attachme
this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In The information in Section C was taken from other documentation that has been signed and sealed by a licensed is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Control of A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-in The following information (Items G4–G10) is provided for community floodplain management purposes. G5. Date Permit Issued G6. Date Certificate Of Compliant Complete Compliant Complete Complete Compliant Complete Co	nolete Sections A. B. C. (or E) an
4. Permit Number G5. Date Permit Issued G6. Date Certificate Of Compliance. This permit has been issued for: New Construction Substantial Improvement	Puerto Rico only, enter meters. urveyor, engineer, or architect w ments area below.)
	nce/Occupancy Issued
. Elevation of general temest from throughing pasements of the building.	um
	um
	um
ocal Official's Name	
ommunity Name Telephone	
lignature Date	
Comments	
45	
EMA Form 086-0-33 (7/12)	☐ Check here if attachm

ELEVATION CERTIFICATE, page 3

Building Photographs

See Instructions for Item A6.

IMPORTANT: in these spaces, copy the corresponding information from Section A.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 5512 Aveinda Del Mare

Policy Number:

City Sarasota

State FL

ZIP Code 34242

Company NAIC Number:

FOR INSURANCE COMPANY USE

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



FRONT VIEW



REAR VIEW

ELEVATION CERTIFICATE, page 4

Building Photographs

Continuation Page

IMPORTANT: In these spaces, copy the corresponding information from Section A.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.

5512 Aveinda Del Mare

City Sarasota

State FL ZIP Code 34242

Company NAIC Number:

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



RIGHT SIDE



LEFT SIDE