U.Ş. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2018

# **ELEVATION CERTIFICATE**

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/compa

	SEC	TION A - PROPERTY			oral, (2) insurance a		JRANCE COMPANY USE	
A1. Building Owner	's Name			Thoraco.		Policy Nun		
WILLIAM & AMANDA						i oney real.	ribei.	
DOX INO.		cluding Apt., Unit, Suite	e, and/	or Bldg. No.) or P.O	. Route and	Company	NAIC Number:	
504 CUMMINGS ST-	-GARAGE	ADDITION			<u>-</u>	i		
City SARASOTA				State Florida		ZIP Code 34242		
A3. Property Descrip LOT 16, BLOCK C, (	ption (Lot a OCEAN BE	and Block Numbers, Tax ACH SUB., REPLAT#	x Parci	el Number, Legal Do				
A4. Building Use (e.	g., Residen	ntial, Non-Residential, A	Addition	n, Accessory, etc.)	RESIDENTIAL			
A5. Latitude/Longitud			_	82d33'38.91"W	Horizontal Datum		1927 X NAD 1983	
i e		hs of the building if the	Certifi	cate is being used to	o obtain flood insura	ance.		
A7. Building Diagram	-	<del></del>						
A8. For a building wi		• •						
a) Square foota	ge of crawls	space or enclosure(s)		0 sq ft				
b) Number of pe	ermanent fic	ood openings in the cra	wispar	ce or enclosure(s) w	vithin 1.0 foot above	adjacent g	rade 0	
c) Total net area				sq in				
d) Engineered flo	ood openin	igs? Yes 🗵 No	0					
A9. For a building with	th an attach				(0)			
a) Square footag	ge of attach	ned garage506		sq ft				
b) Number of pe	ermanent flc	ood openings in the atta	ached	garage within 1.0 fo	ot above adiacent g	rrade	5	
c) Total net area			40	_ sq in				
d) Engineered flo			0	- ·	Ŧ	ā ·		
				<u> </u>			8	
		CTION B - FLOOD IN	SURA	NCE RATE MAP	(FIRM) INFORMA	TION	-	
B1. NFIP Community	Name & Co	ommunity Number		B2. County Name			B3. State	
SARASOTA COUNTY	/, FLOKIUM	125144		SARASOTA			Florida	
B4. Map/Panel Bumber	B5. Suffix	B6. FIRM Index Date	Ef	IRM Panel ffective/	B8. Flood Zone(s)		se Flood Elevation(s) one AO, use Base	
12115C0141 F	=	11/04/2016	Re	levised Date 1/2016	AE		od Depth)	
B10. Indicate the sou	rce of the E	Rase Flood Elevation (F	2FE) d	ota or hase flood de	antored in Item			
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9:  [ FIS Profile  FIRM  Community Determined  Other/Source:								
P11 Indicate elevation data was 15 april 10								
						er/Source:_		
B12. Is the building lo	ocated in a (	Coastal Barrier Resour	ces Sy	stem (CBRS) area	or Otherwise Protec	xted Area (C	OPA)? ☐ Yes ☒ No	
Designation Date							· <del>-</del>	
	10			**				
						0		

### **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information	FOR INSURANCE COMPANY US	
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) 504 CUMMINGS ST-GARAGE ADDITION	Policy Number:	
City State SARASOTA Florida	ZIP Code 34242	Company NAIC Number
SECTION C - BUILDING ELEVATION I	NFORMATION (SURVEY F	REQUIRED)
C1. Building elevations are based on:   Construction Drawings	* Building Under Const	
*A new Elevation Certificate will be required when construction of C2. Elevations Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30 Complete Items C2.a-h below according to the building diagram Benchmark Utilized: COUNTY BM 79C Vertical Indicate elevation datum used for the elevations in items a) through the construction of	), V (with BFE), AR, AR/A, AF n specified in Item A7. In Puel ical Datum: NGVD 1929	R/AE, AR/A1–A30, AR/AH, AR/AO. rto Rico only, enter meters.
☐ NGVD 1929 ☒ NAVD 1988 ☐ Other/Source:		
Datum used for building elevations must be the same as that use	ed for the BFE.	Check the measurement used.
<ul> <li>a) Top of bottom floor (including basement, crawlspace, or enclosed)</li> </ul>	osure floor)14_8	X feet  meters
b) Top of the next higher floor	N/A	X feet  meters
<ul> <li>c) Bottom of the lowest horizontal structural member (V Zones of the lowest horizontal structural member of the lowest horizontal structural member (V Zones of the lowest horizontal structural member of the lowest horizontal memb</li></ul>	only) N/A	X feet  meters
d) Attached garage (top of slab)	4.8	X feet  meters
<ul> <li>e) Lowest elevation of machinery or equipment servicing the bui (Describe type of equipment and location in Comments)</li> </ul>	lding 14 8	x feet meters
f) Lowest adjacent (finished) grade next to building (LAG)	4.0	X feet  meters
<ul> <li>g) Highest adjacent (finished) grade next to building (HAG)</li> </ul>	4.5	X feet  meters
<ul> <li>h) Lowest adjacent grade at lowest elevation of deck or stairs, in structural support</li> </ul>	cluding 4 0	X feet meters
SECTION D – SURVEYOR, ENGINEER	, OR ARCHITECT CERTIF	ICATION
This certification is to be signed and sealed by a land surveyor, engine I certify that the information on this Certificate represents my best effor statement may be punishable by fine or imprisonment under 18 U.S. C	eer, or architect authorized by	
Were latitude and longitude in Section A provided by a licensed land s	urveyor? 🗵 Yes 🗌 No	☑ Check here if attachments.
Certifier's Name License Null JAMES B. AMBERGER L SB333	mber	0 1 1
Title LS6333		1 4/12/2017
PRESIDENT		Control of the second
Company Name IIM AMBERGER LAND SURVEYING LLC	n Place	
Address		Seal Here
055 S. TAMIAMI TRAIL, SUITE 110-B	2	2 E 8 E E
City State SARASOTA Florida	ZIP Code 34236	0,10
Signature Date ,	Telephone	· · · · · · · · · · · · · · · · · · ·
4/12/2	(941) 955-6333	1000
opy all pages of this Elevation Certificate and all attachments for (1) comments (including type of equipment and leasting are 200).	munity official, (2) insurance ag	gent/company, and (3) building owner.
comments (including type of equipment and location, per C2(e), if applience is ELEVATIONS CONVERTED USING CORPSCONG SOFTWARE.  2e: AIR CONDITIONING COMPRESSOR LOCATED ON EAST SIDE (9(c): THESE VENTS ARE RATED TO PROVIDE SUFFICIENT HYDROWN.)	cable)	

#### **BUILDING PHOTOGRAPHS**

See Instructions for Item A6.

OMB No. 1660-0008

Expiration Date: November 30, 2018 IMPORTANT: In these spaces, copy the corresponding information from Section A. FOR INSURANCE COMPANY USE Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. Policy Number: 504 CUMMINGS ST-GARAGE ADDITION State ZIP Code Company NAIC Number **SARASOTA** Florida 34242

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One Caption FRONT VIEW

**ELEVATION CERTIFICATE** 



Photo Two Caption REAR VIEW

### **BUILDING PHOTOGRAPHS**

**ELEVATION CERTIFICATE** 

Continuation Page

OMB No. 1660-0008

Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., U 504 CUMMINGS ST-GARAGE ADDITION	Policy Number:		
City SARASOTA	State Florida	ZIP Code 34242	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.




Photo One Caption TYPICAL FLOW-THRU VENT

Photo Two

Photo Two

Photo Two Caption

## **Engineered Flood Openings Certificate** To satisfy requirements of the National Flood Insurance Program

This certification must be submitted to, and kept on file by, the local jurisdiction's permit authority. A copy should be retained by the owner to demonstrate compliance in order to receive the best flood insurance rating.

The Smart VENT® and Flood VBNT™ Foundation Flood Vent is certified as meeting the flood opening requirements for engineeral openings es set forth in the Federal Emergency Menagement Agency's National Flood Insurance Program regulations (44 CFR 60.3(c)X5)) and ASCE 24-98, provided it is installed according to the those references, as summarized below. Flood openings are required in enclosures below elevated buildings, attached and detached garages and accessory structures that meet the required limitations. For a copy of the report documenting this certification dated June 21, 2002, and a copy of the National Evaluation Service report NER 624, contact Smart VENT, Inc., at 877/441-3368 cr

www.smartvent.com

I do hereby certify that the Smart VENT® Louvered Foundation Flood Vent and the FloodVENT Insulated Foundation Flood Vent opening (s) is designed for installation in buildings, will allow for the automatic equalizing of hydrostatic flood forces on exterior walls by allowing for the automatic entry and exit of floodwater during floods up to and including the base (100-year) flood. One Smart VENT® or one FloodVENITM for every 200 Sq.Ft. of enclosed area will provide sufficient hydrostatic pressure equalization during a flood provided the installation limitations and instructions are followed as listed below. To Calculate the required number of Smart VENTS® or FloodVENTSTM divide the Square Feet of enclosed area by 200.

Example: A 2000 Sq.Ft. enclosed area requires 10 vents. 2000 Sq.Ft / 200 =10 Vents Signature Title PREJECT ENGINEER Type of License PROPESSIONAL ENGINEER 5773 License Number 57795 \*Project Name \*Project Address \*Date Submitted \* Required Fields\*

#### Installation Limitations and Instructions

- The Smart VENT® or FloodVENT unit provides sufficient automatic equalization of hydrostatic pressure or, walls and foundations of buildings located in flood hazard areas where the rate of rise is expected to be less than or approximately 5 feet
- Enclosed areas below otherwise elevated buildings, non-elevated attached and deteched garages, and carrain non-elevated accessory structures located in flood hazard areas are to be used solely for parking of venicles, building access, or storage
- Each enclosed area shell have at least two flood openings, installed on different sides of the enclosed area The bottom of the flood openings shall be no more than one foot above the adjacent finished ground level.
- Installation must be in accordance with manufacturer's instructions.

#### REFERENCE ONLY" From FEMA TE 1-93 Guidance for Engineered Openings Openings in Foundation Walls

National Flood Insurance Program (NFIP) Technical Bulletin TB 1-93

"In situations where it is not feasible or desirable to meet the openings criteria stated previously, a design professional (registered engineer or erchitect; may design and certify openings. This section provides guidence for such angineered designs. For openings not meeting sil four requirement for non-engineered openings listed on page 2 and 3 of TB 1-93, certification by a registered professional engineer or stehitest is required. Such certification must be submitted to, and kept on file by, the community. These certifications must assure community officials that me openings are designed in accordance with accepted standards of practice. A certification may be affixed to the design drawings or submitted separately. It must include appropriate certification language, and the name, title, address, signature, type of license, license number, and professional seal of the certifier." (TB 1-93 is available through Smart VENT® or online at www.fema.gov)

> Forc: SMRT100 Ray A July 2002 This form is the property of Smart VBHT inc. Modification or Duplication is Strictly Prohibited without authorization.